

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-6.45	-0.00912	PASS
					-10	1.99	0.00281	PASS
					0	1.47	0.00208	PASS
					10	2.90	0.0041	PASS
					20	-0.77	-0.00109	PASS
					30	2.93	0.00414	PASS
					40	-1.06	-0.0015	PASS
					50	0.44	0.00062	PASS
			HCH	VN	-30	-4.01	-0.00561	PASS
					-20	-1.12	-0.00157	PASS
					-10	-2.63	-0.00368	PASS
					0	-1.12	-0.00157	PASS
					10	-0.19	-0.00027	PASS
					20	0.27	0.00038	PASS
					30	-3.18	-0.00445	PASS
					40	-1.97	-0.00276	PASS
					50	3.28	0.00459	PASS
		5	LCH	VN	-30	-3.08	-0.00439	PASS
					-20	-0.09	-0.00013	PASS
					-10	1.37	0.00195	PASS
					0	1.12	0.0016	PASS
					10	-0.80	-0.00114	PASS
					20	-0.30	-0.00043	PASS
					30	0.56	0.0008	PASS
					40	-2.19	-0.00312	PASS
					50	2.06	0.00294	PASS
			MCH	VN	-30	2.30	0.00325	PASS
					-20	-0.31	-0.00044	PASS
					-10	0.24	0.00034	PASS
					0	-4.11	-0.00581	PASS
					10	-0.86	-0.00122	PASS
					20	-1.79	-0.00253	PASS
					30	-0.49	-0.00069	PASS
					40	-1.07	-0.00151	PASS
					50	-1.09	-0.00154	PASS
			HCH	VN	-30	-0.16	-0.00022	PASS
					-20	0.24	0.00034	PASS
					-10	-0.53	-0.00074	PASS
					0	0.29	0.00041	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	0.50	0.0007	PASS
					20	-2.50	-0.0035	PASS
					30	0.66	0.00093	PASS
					40	0.04	0.00006	PASS
					50	-0.86	-0.00121	PASS
		10	LCH	VN	-30	-0.14	-0.0002	PASS
					-20	0.14	0.0002	PASS
					-10	0.31	0.00044	PASS
					0	-1.02	-0.00145	PASS
					10	2.19	0.00311	PASS
					20	-0.24	-0.00034	PASS
					30	0.63	0.00089	PASS
					40	0.87	0.00124	PASS
					50	0.07	0.0001	PASS
			MCH	VN	-30	-0.72	-0.00102	PASS
					-20	-1.29	-0.00182	PASS
					-10	0.41	0.00058	PASS
					0	0.50	0.00071	PASS
					10	2.50	0.00353	PASS
					20	1.76	0.00249	PASS
					30	-0.49	-0.00069	PASS
					40	-0.16	-0.00023	PASS
					50	0.49	0.00069	PASS
			HCH	VN	-30	-2.52	-0.00354	PASS
					-20	-0.34	-0.00048	PASS
					-10	-0.60	-0.00084	PASS
					0	-3.50	-0.00492	PASS
					10	0.72	0.00101	PASS
					20	-1.16	-0.00163	PASS
					30	-0.36	-0.00051	PASS
					40	-0.53	-0.00075	PASS
					50	-2.96	-0.00416	PASS

END