



Report No.: PTC24053010402E-FC02

# FCC TEST REPORT

## FCC ID: 2AIHFZYPLG108

|                                                                                      |   |                                 |
|--------------------------------------------------------------------------------------|---|---------------------------------|
| Product                                                                              | : | ZHIYUN CINEPEER CG200 COB Light |
| Model Name                                                                           | : | PLG108                          |
| Brand                                                                                | : | ZHIYUN                          |
| Report No.                                                                           | : | PTC24053010402E-FC02            |
| <b>Prepared for</b>                                                                  |   |                                 |
| Guilin Zhishen Information Technology Co., Ltd.                                      |   |                                 |
| 09 Huangtong Road, Tieshan Industrial Zone, Qixing District, Guilin, Guangxi, China. |   |                                 |
| <b>Prepared by</b>                                                                   |   |                                 |
| Precise Testing & Certification Co., Ltd.                                            |   |                                 |
| Building 1, No. 6, Tongxin Road, Dongcheng Street, Dongguan, Guangdong, China.       |   |                                 |



Report No.: PTC24053010402E-FC02

## TEST RESULT CERTIFICATION

Applicant's name : Guilin Zhishen Information Technology Co., Ltd.

Address : 09 Huangtong Road, Tieshan Industrial Zone, Qixing District, Guilin, Guangxi, China.

Manufacture's name : Guilin Zhishen Information Technology Co., Ltd.

Address : 09 Huangtong Road, Tieshan Industrial Zone, Qixing District, Guilin, Guangxi, China.

Product name : ZHIYUN CINEPEER CG200 COB Light

Model name : PLG108

Test procedure : FCC CFR47 Part 1.1307(b)(1)

Test Date : Jun. 04, 2024 to Jul. 12, 2024

Date of Issue : Jul. 12, 2024

Test Result : PASS

This device described above has been tested by PTC, and the test results show that the equipment under test (EUT) is in compliance with the FCC requirements. And it is applicable only to the tested sample identified in the report.

This report shall not be reproduced except in full, without the written approval of PTC, this document may be altered or revised by PTC, personal only, and shall be noted in the revision of the document.

Test Engineer:

A handwritten signature in black ink, appearing to read 'Jack Zhou'.

Jack Zhou / Engineer

Technical Manager:

A handwritten signature in black ink, appearing to read 'Simon Pu'.

Simon Pu / Manager



## Contents

|                                        | <b>Page</b> |
|----------------------------------------|-------------|
| <b>2 TEST SUMMARY .....</b>            | <b>4</b>    |
| <b>3 GENERAL INFORMATION .....</b>     | <b>5</b>    |
| 3.1 GENERAL DESCRIPTION OF E.U.T. .... | 5           |
| <b>4 RF EXPOSURE .....</b>             | <b>6</b>    |
| 4.1 REQUIREMENTS .....                 | 6           |
| 4.2 THE PROCEDURES / LIMIT .....       | 6           |
| 4.3 MPE CALCULATION METHOD .....       | 7           |
| 4.4 TEST RESULT .....                  | 7           |



Report No.: PTC24053010402E-FC02

## 2 Test Summary

| Test Items                                                        | Test Requirement | Result |
|-------------------------------------------------------------------|------------------|--------|
| Maximum Permissible Exposure<br>(Exposure of Humans to RF Fields) | 15.247 (i)       | PASS   |
| Remark:                                                           |                  |        |
| N/A: Not Applicable                                               |                  |        |



### 3 General Information

#### 3.1 General Description of E.U.T.

|                      |   |                                 |
|----------------------|---|---------------------------------|
| Product Name         | : | ZHIYUN CINEPEER CG200 COB Light |
| Model Name           | : | PLG108                          |
| Additional model     | : | N/A                             |
| Specification        | : | Bluetooth BLE                   |
| Operation Frequency  | : | 2400-2480MHz for BLE            |
| Number of Channel    | : | 40 channels For DTS             |
| Type of Modulation   | : | GFSK, For DTS                   |
| Antenna installation | : | Ceramic antenna                 |
| Antenna Gain         | : | 2.09 dBi                        |
| Power supply         | : | 100-240V~ 50/60Hz 5-2A          |
| Hardware Version     | : | N/A                             |
| Software Version     | : | N/A                             |



## 4 RF Exposure

Test Requirement : FCC Part 1.1307(b)(1)

Evaluation Method : KDB 447498 D01 General RF Exposure Guidance v06

### 4.1 Requirements

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 0.2 m normally can be maintained between the user and the device.

### 4.2 The procedures / limit

(A) Limits for Occupational / Controlled Exposure

| Frequency Range | Electric Field | Magnetic Field | Power Density (S) | Averaging Time |
|-----------------|----------------|----------------|-------------------|----------------|
| 0.3-3.0         | 614            | 1.63           | (100)*            | 6              |
| 3.0-30          | 1842 / f       | 4.89 / f       | (900 / f)*        | 6              |
| 30-300          | 61.4           | 0.163          | 1.0               | 6              |
| 300-1500        |                |                | F/300             | 6              |
| 1500-100,000    |                |                | 5                 | 6              |

(B) Limits for General Population / Uncontrolled Exposure

| Frequency Range | Electric Field | Magnetic Field | Power Density (S) | Averaging Time |
|-----------------|----------------|----------------|-------------------|----------------|
| 0.3-1.34        | 614            | 1.63           | (100)*            | 30             |
| 1.34-30         | 824/f          | 2.19/f         | (180/f)*          | 30             |
| 30-300          | 27.5           | 0.073          | 0.2               | 30             |
| 300-1500        |                |                | F/1500            | 30             |
| 1500-100,000    |                |                | 1.0               | 30             |

Note: f = frequency in MHz ; \*Plane-wave equivalent power density



#### 4.3 MPE Calculation Method

$$E \text{ (V/m)} = \frac{\sqrt{30 \times P \times G}}{d} \quad \text{Power Density: } P_d \text{ (W/m}^2\text{)} = \frac{E^2}{377}$$

E = Electric field (V/m)

P = Peak RF output power (W)

G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

The formula can be changed to

$$P_d = \frac{30 \times P \times G}{377 \times d^2} \theta \varphi$$

From the peak EUT RF output power, the minimum mobile separation distance, d=0.2m, as well as the gain of the used antenna, the RF power density can be obtained

#### 4.4 Test Result

| Mode | Antenna Gain (numeric) | Max. Peak Output Power (dBm) | Tune up tolerance (dBm) | Max Tune Up Power (mW) | Power Density (mW/cm <sup>2</sup> ) | Limit of Power Density (mW/cm <sup>2</sup> ) | Result |
|------|------------------------|------------------------------|-------------------------|------------------------|-------------------------------------|----------------------------------------------|--------|
| 2402 | 1.62                   | 3.00                         | 3.00 ± 1                | 2.511886               | 0.000809                            | 1                                            | Pass   |

f

\*\*\*\*\*THE END REPORT\*\*\*\*\*