# Appendix B. Test Plots

**Duty cycle**

| BLE 1M | |
|---|---|
| On+off time |  |



| BLE 2M | |
|---|---|
| On+off time |  |

| BLR C2 | |
|---|---|
| On+off time |  |



| BLR C8 | |
|---|---|
| On+off time |  |

**Out of Band Conducted Spurious Emission**

| BLE 2M | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

| BLR C8 | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

**Reference level**

| BLE 2M | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

| BLR C8 | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

**Conducted Band Edge**

| BLE 2M | |
|---|---|
| Low ch |  |
| High ch |  |

| BLR C8 | |
|---|---|
| Low ch |  |
| High ch |  |

**6 dB Bandwidth**

| BLE 2M | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

| BLR C8 | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

**99 % Occupied Bandwidth**

| BLE 2M | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

| BLR C8 | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

**Power Density**

| BLE 2M | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |

| BLR C8 | |
|---|---|
| Low ch |  |
| Mid ch |  |
| High ch |  |