

Report No.: SEWM2212000297RG03

Rev.: 01 Page: 1 of 10

## **TEST REPORT**

Application No.: SEWM2212000297RG

Applicant: MeiG Smart Technology Co., Ltd

Address of Applicant: 2nd Floor, Office Building, No.5 Lingxia Road, Fenghuang, Fuyong

Street, Bao'an District, Shenzhen

Manufacturer: MeiG Smart Technology Co., Ltd

Address of Manufacturer: 2nd Floor,Office Building,No.5 Lingxia Road,Fenghuang,Fuyong

Street, Bao'an District, Shenzhen

EUT Description: SRM825

Model No.: SRM825N-NA

Trade Mark: MEIGLink

FCC ID: 2APJ4-SRM825NNA Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

 Date of Receipt:
 2022/12/08

 Date of Issue:
 2023/02/14

Test Result: PASS\*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.">http://www.sgs.com/en/Terms-and-Conditions.spx.</a> Actention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 2 of 10

## **Version**

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2023/02/14		Original				

Prepared By	Nick Hu			
	(Nick Hu) / Test Engineer			
Checked By	well wei'			
	(Well Wei) / Reviewer			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86–512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 3 of 10

### **Contents**

1	Ver	sion	2
2	Ger	neral Information	4
		Client Information Test Facility	
		General Description of EUT	
3	RF	Exposure Evaluation	7
		RF Exposure Compliance Requirement	
	3.1.	.2 Test Procedure	8
	3 1	3 FUT RF Exposure Evaluation	8



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86–512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 4 of 10

### 2 General Information

#### 2.1 Client Information

Applicant:	MeiG Smart Technology Co., Ltd				
Address of Applicant:	2nd Floor,Office Building,No.5 Lingxia Road,Fenghuang,Fuyong Street,Bao'an District,Shenzhen				
Manufacturer:	MeiG Smart Technology Co., Ltd				
Address of Manufacturer:	2nd Floor,Office Building,No.5 Lingxia Road,Fenghuang,Fuyong Street,Bao'an District,Shenzhen				

### 2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWM2212000297RG03

Rev.: 01 Page: 5 of 10

### 2.3 General Description of EUT

EUT Description:	SRM825									
Model No.:	SRM825N-NA									
Trade Mark:	MEIGLink	MEIGLink								
Hardware Version:	SRM825WN_X62	SRM825WN_X62_V1.01								
Software Version:	SRM825N_6.0.3_	SRM825N_6.0.3_EQ101								
Antenna Type:	⊠ External, ☐ Ir	⊠ External, ☐ Integrated								
	LTE Band 2:	-1.1dBi(Ant0)	LTE Band 4:	-1.4dBi(Ant0)						
	LTE Band 5:	-1.1dBi(Ant2)	LTE Band 7:	1.9dBi(Ant0)						
	LTE Band 12:	1.3dBi(Ant2)	LTE Band 13:	1.7dBi(Ant2)						
	LTE Band 14:	1.6dBi(Ant2)	LTE Band 17:	1.3dBi(Ant2)						
	LTE Band 25:	-1.1dBi(Ant0)	LTE Band 26:	-0.8dBi(Ant2)						
	LTE Band 48:	3.1dBi(Ant1); 3.1dB	Bi(Ant3)							
	LTE Band 66:	-1.4dBi(Ant0)	LTE Band 71:	1.1dBi(Ant2)						
	LTE Band 41:	1: 1.9dBi(Ant0); 1.9dBi(Ant2)								
	LTE CA_2C:	-1.1dBi(Ant0)	LTE CA_5B:	-1.1dBi(Ant2)						
	LTE CA_48C:	LTE CA_48C: 3.1dBi(Ant1); 3.1dBi(Ant3)								
	LTE CA_66B:	-1.4dBi(Ant0)								
	LTE CA_66C: -1.4dBi(Ant0)									
	LTE CA_41C:	LTE CA_41C: 1.9dBi(Ant0); 1.9dBi(Ant2)								
Antenna Gain:	NR Band n2:	-1.1dBi(Ant0)	NR Band n5:	-1.1dBi(Ant2)						
	NR Band n7:	1.9dBi(Ant0)	NR Band n12:	1.3dBi(Ant2)						
	NR Band n25:	-1.1dBi(Ant0)								
	NR Band n41:	1.9dBi(Ant0); 1.9dB								
	NR Band n48:	3.1dBi(Ant1); 3.1dBi(Ant3)								
	NR Band n66:	-1.4dBi(Ant0)	NR Band n71:	1.1dBi(Ant1)						
	NR Band n77:	3.1dBi(Ant1); 3.1dBi(Ant3)								
	LTE UL CA_2A-1 LTE UL CA_4A-1 LTE UL CA_13A- NR UL CA: NR UL CA_n2A-n CA_n25A-n77A; N	A-5A;LTE UL CA_2A-12A;LTE UL CA_2A-13A; A-14A; LTE UL CA_4A-5A;LTE UL CA_4A-12A; A-13A; LTE UL CA_5A-66A; LTE UL CA_12A-66A; A-66A A-n77A; NR UL CA_n5A-n77A; NR UL CA_n25A-n41A; NR UL A; NR UL CA_n41A-n66A; NR UL CA_n41A-n71A; BA-n77A; NR UL CA_n71A-n77A								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 6 of 10

	1 agc. 0 01 10						
	DC_5A-n2A, DC_12A-n2A, DC_13A-n2A, DC_71A-n2A;						
	DC_2A-n5A, DC_48A-n5A, DC_66A-n5A, DC_7A-n5A;						
	DC_2A-n12A, DC_48A-n12A, DC_66A-n12A;						
	DC_12A-n25A;						
	DC_2A-n41A, DC_12A-n41A;						
	DC_5A-n66A, DC_12A-n66A, DC_13A-n66A, DC_48A-n66A,DC_71A-n66A;						
	DC_2A-n71A, DC_48A-n71A, DC_66A-n71A;						
	DC_2A-n77A, DC_5A-n77A, DC_12A-n77A, DC_13A-n77A, DC_66A-						
	n77A,DC_71A-n77A						
	Note:						
	The antenna gain are derived from the gain information report provided by the manufacturer.						
HPUE Power Class:	Class 2: LTE Band 41, LTE CA_41C, NR Band n41; NR Band n77						
Feature:	UL 2*2 MIMO: NR Band n41; NR Band n77						
As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy,							

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents a <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) less teal and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND boccheck@ass.com</a>

South of No. B Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pillot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 7 of 10

## 3 RF Exposure Evaluation

## 3.1 RF Exposure Compliance Requirement

#### **3.1.1 Limits**

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0 614 1.63 *(100) 6										
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	30-300 61.4		1.0	6						
300-1500	300-1500 /		f/300	6						
1500-100,000	1	1	5	6						
	(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	/	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout\*G)/(4\* Pi \* R2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-e

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

<sup>\*=</sup>Plane-wave equivalent power density



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 8 of 10

#### 3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

### 3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale. Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic format document subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Document.sgs.">http://www.sgs.com/en/Terms-en-Document.sgs.</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, Torgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000297RG03

Rev.: 01 9 of 10 Page:

Operating Band	Frequenc y (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducte d Average Output Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
LTE B2/LTE CA_2C	1850.7	-1.10	N/A	25.70	24.60	33.00	0.0574	1.0000	7.30	11.31	7.30	Pass
LTE Band 4	1710.7	-1.40	N/A	25.70	24.30	30.00	0.0535	1.0000	4.30	11.31	4.30	Pass
LTE B5/LTE CA_5B	824.7	-1.10	N/A	25.70	22.45	38.45	0.0574	0.5498	14.90	8.71	8.71	Pass
LTE B7	2502.5	1.90	N/A	25.70	27.60	33.00	0.1145	1.0000	7.30	11.31	7.30	Pass
LTE B12	699.7	1.30	N/A	25.70	24.85	34.77	0.0997	0.4665	11.22	8.00	8.00	Pass
LTE B13	779.5	1.70	N/A	25.70	25.25	34.77	0.1093	0.5197	11.22	8.46	8.46	Pass
LTE B14	790.5	1.60	N/A	25.70	25.15	34.77	0.1068	0.5270	11.22	8.53	8.53	Pass
LTE B17	706.5	1.30	N/A	25.70	24.85	34.77	0.0997	0.4710	11.22	8.04	8.04	Pass
LTE B25	1850.7	-1.10	N/A	25.70	24.60	33.00	0.0574	1.0000	7.30	11.31	7.30	Pass
LTE B26(814-824)	814.7	-0.80	N/A	25.70	22.75	NA	0.0615	0.5431	NA	8.66	8.66	Pass
LTE B26(824-849)	824.7	-0.80	N/A	25.70	22.75	38.45	0.0615	0.5498	14.90	8.71	8.71	Pass
LTE B41/LTE CA_41C	2498.5	1.90	N/A	28.70	30.60	33.00	0.2284	1.0000	4.30	8.31	4.30	Pass
LTE B48/LTE CA_48C	3552.5	3.10	N/A	19.00	22.10	23.00	0.0323	1.0000	4.00	18.01	4.00	Pass
LTE B66 /LTE CA_66B/66C	1710.7	-1.40	N/A	25.70	24.30	30.00	0.0535	1.0000	4.30	11.31	4.30	Pass
LTE B71	665.5	1.10	N/A	25.70	24.65	34.77	0.0952	0.4437	11.22	7.78	7.78	Pass
NR Band n2	1852.5	-1.10	N/A	24.50	23.40	33.00	0.0435	1.0000	8.50	12.51	8.50	Pass
NR Band n5	826.5	-1.10	N/A	24.50	21.25	38.45	0.0435	0.5510	16.10	9.92	9.92	Pass
NR Band n7	2502.5	1.90	N/A	24.50	26.40	33.00	0.0868	1.0000	8.50	12.51	8.50	Pass
NR Band n12	701.5	1.30	N/A	24.50	23.65	34.77	0.0756	0.4677	12.42	9.21	9.21	Pass
NR Band n25	1852.5	-1.10	N/A	24.50	23.40	33.00	0.0435	1.0000	8.50	12.51	8.50	Pass
NR Band n41	2506.0	1.90	N/A	27.50	29.40	33.00	0.1733	1.0000	5.50	9.51	5.50	Pass
NR Band n41 MIMO	2506.0	1.90	1.90	27.50	29.40	33.00	0.1733	1.0000	5.50	9.51	5.50	Pass
NR Band n48	3555.0	3.10	N/A	19.70	22.80	23.00	0.0379	1.0000	3.30	17.31	3.30	Pass
NR Band n66	2112.5	-1.40	N/A	24.50	23.10	30.00	0.0406	1.0000	5.50	12.51	5.50	Pass
NR Band n71	619.5	1.10	N/A	24.50	23.45	34.77	0.0722	0.4130	12.42	8.67	8.67	Pass
NR Band n77 (3450-3550)	3455.0	3.10	N/A	24.50	27.60	30.00	0.1145	1.0000	5.50	12.51	5.50	Pass
NR Band n77 (3450-3550) MIMO	3455.0	3.10	3.10	27.50	30.60	30.00	0.2284	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3700-3980)	3705.0	3.10	N/A	24.50	27.60	30.00	0.1145	1.0000	5.50	12.51	5.50	Pass
NR Band n77 (3700-3980) MIMO	3705.0	3.10	3.10	27.50	30.60	30.00	0.2284	1.0000	2.50	9.51	2.50	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86–512) 62992980 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SEWM2212000297RG03

Rev.: 01 Page: 10 of 10

Due to the EUT support NR ENDC and CA
Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC\_12A-n41A) situation is 0.214+0.173=0.387,which is less than "1", this confirmed that the device comply with MPE limit.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/en-tertons-bocument-subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/en-terton-bocument-aspx.detnition">http://www.sgs.com/en/Terms-and-Conditions/en-terton-bocument-aspx.detnition</a> to drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document. Attention is drawn to the first subject of the subject of the subject of the first subject of the subject of

South of No. 6 Pfant, No. 1, Runsheng Read, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980