External Photo (MPC X)



INPUT 1/2
INPUT 3/4
2
1
L
R
GND
PHONO
LINE

PROFESSIONAL
MUSIC PROD
USB
1
2
USB OUT
HDMI
19V 3.42A

CV/GATE
8
7
6
5
4
3
2
1
D
C
B
A
2
1
MIDI OUT
MIDI IN

OUTPUT
MAIN
GND
PHONO
LINE
7
5
3
L
8
6
4
R

FS 1
FS 2
INST 1
INST 2
MIX
A
B
VOL

LPS

FSP GROUP INC.
Switching Power Adapter
MODEL NO.(型號/型号/모델명/MODELO):FSP065-REBN2
INPUT(輸入/输入/입력/ENTRADA):100-240Vac,1.5A 50-60Hz
DC OUTPUT(輸出/输出/출력/SALIDA):19V ⎓ 3.42A
CAUTION(警告/警告/주의사항/Attentions):
For indoor use only.(室內使用/户内使用)
For use with Information Technology Equipment.
para uso em equipamentos do tecnologia informá tica somente
Conçue uniquement pour un usage intérieur
Pour les équipements de traitement de l'information
본 제품은 실내용이며,IT제품에 사용하십시오.
適用於資訊類產品/适用于资讯类产品
This device complies with Part 15 of the FCC Rules. Operation is subject to thefollowing two conditions: (1) this device may not cause harmful interference,and (2) this devicemust accept any interference received, including interference that may cause undesired operation.
c UL us
LISTED
I. T. E. POWER SUPPLY
E190414
LPS
RoHS
EFFICIENCY LEVEL:VI