Request for Modular/Limited Modular Approval

Date: 7.10.2022					
Subject: Manufacturer's Declaration for	☐ Modular Approval ■ - Limited Modular Approval	☐ - Split Modula	r Approval Modular Approval		
Confidentiality Request for: 2AKS	PDL508				
	asic Requirements – FCC Part 15.212 Limited Module Description Must be		llowing Pages		
	approval Requirement	Timed out on the Fo	Requirement Met		
The modular transmitter must have its own R does not have to rely upon the shielding promodular transmitter emissions to comply w between the RF circuitry of the module and installed. Such coupling may result in non-capacitors may be located external to the sh	ovided by the device into which it is insta ith FCC limits. It is also intended to preva any wires or circuits in the device into vaccompliant operation. The physical crysta	alled in order for all vent coupling which the module is	■ - YES □ - NO((*)	
Details: <example a="" all="" and="" antenna="" board="" circuitry.="" components="" connector="" contains="" covers="" is="" located="" metal="" module="" next="" of="" on="" rf="" shield="" the="" to="" top="" which="" –=""></example>					
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)			■ - YES □ - NO(*)	
Details: <example data="" modulatio<br="" the="" to="" –="">application></example>	n circuit is buffered as described in the	operational descript	ion provided with the		
3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)			■ - YES □ - NO((*)	
Details: <example application="" contains="" filed="" its="" module="" own="" please="" power="" refer="" regulation.="" schematic="" supply="" the="" this="" to="" with="" –=""></example>					
4. The modular transmitter must comply with the 15.203, 15.204(b), 15.204(c), 15.212(a), and attached or employ a "unique" antenna cou antenna, including the cable). The "profess to modules but can apply to limited modula	d 2.929(b). The antenna must either be pupler (at all connections between the mo ional installation" provision of § 15.203	dule and the is not applicable	□ - YES ■ - NO((*)	
Details: <example a="" an="" and="" antenna="" antennas="" application="" approved="" be="" connector="" connector.="" connects="" considered="" device="" found="" in="" is="" its="" list="" manual="" may="" module="" non-standard="" of="" provided="" tested="" the="" this="" to="" ufl="" users="" using="" which="" with="" –=""></example>					
5. The modular transmitter must be tested in a sinside another device during testing. This is complying with Part 15 emission limits regularies the transmitter module will be batter requirements found in Section 15.207. AC of the module must not contain ferrites, unless 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is no equipment. Any accessories, peripherals, or shall be unmodified or commercially availa	s intended to demonstrate that the module ardless of the device into which it is ever ry powered, it must comply with the AC or DC power lines and data input/output they will be marketed with the module length typical of actual use or, if that ler to coupling between the case of the module support equipment connected to the module.	e is capable of ntually installed. line conducted lines connected to (see Section ngth is unknown, at ule and supporting dule during testing	■ - YES	*)	
Details: <example application="" as="" filed="" in="" module="" photographs="" setup="" shown="" stand-alone="" test="" tested="" the="" this="" was="" with="" –=""></example>					

Modular Approval Requirement	Requirement Met			
6. The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for	■ - YES □ - NO(*)			
equipment authorization. 15.212(a)(1)(vi) Details: <example a="" application="" application.="" as="" exhibit="" filed="" in="" installation="" is="" label="" labeling="" manual="" module="" on="" shown="" the="" there="" this="" with="" –=""></example>	lication. Host specific			
7. The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	■ - YES □ - NO(*)			
Details: <example 15c="" application.="" are="" complies="" fcc="" filed="" in="" installation="" installer="" instructions="" manual="" module="" oem="" part="" provided="" requirements.="" the="" this="" to="" with="" –=""></example>				
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	■ YES □ - NO(*)			
Details: <example application.="" as="" exclusion="" exposure="" filed="" in="" information="" levels="" meets="" module="" portable="" rf="" shown="" the="" this="" with="" –=""></example>				

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations - KDB 594280 / KDB 442812 (One of the following 2 items must be applied)					
Requirement	Requirement Met				
 For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280. 	☐ - Provided in Separate Cover Letter - N/A				
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>					
2. For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter - N/A				
Details: <example -n="" a=""></example>					

Split Modular Requirements						
Requirement	Provided in Manual					
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	■ - N/A				
Details: <example a="" n="" –=""></example>						

OEM Integration Manual Guidance – KDB 996369 D03 Section 2					
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.					
Requirement					
Is this module intended for sale to third parties?	■ - YES	- No, If No, and LMA applies, the applicant ca make the following detailed info public. to be basic integration instructions for information below must still be includescription. If the applicant wishes to k this will require a separate statement of module is not for sale to third partic instructions are internal confide	However there still needs a users manual and the aded in the operational eep this info confidential, over letter explaining the and that integration		
Items required to be in the manual – See KDB 996369 D03, Section 2 As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.					
List of applicable FCC rules. I		.2			
2. Summarize the specific operat a. Conditions such systems, profes 3. Limited Module Procedures. R a. Describe altern limiting conditi b. When RF export that compliance 4. Trace antenna designs. KDB 9 a. Layout of trace design verificat confidential, the provided in the 5. RF exposure considerations. K a. Clearly and exp Two types of ir conditions (mole provided to the 6. Antennas. KDB 996369 D03, a. List of antennas instructions wh (monopole, PIF 7. Label and compliance informa a. Advice to host "Contains FCC"	n as limits on antennas, cablesional installation info CDB 996369 D03, Section 2. ative means that the grantee ons sure evaluation is necessary, is ensured, such as Class II 196369 D03, Section 2.5 design, parts list, antenna, comperational description. CDB 996369 D03, Section 2. Dicitly state conditions that a distructions are necessary: first bile, portable – xx cm from the end user in the host product Section 2.7 included in the application en applicable. The antenna lates of the condition of the condition of the condition of the condition. KDB 996369 D03, Section 2.7 included in the application en applicable. The antenna lates of the condition of the condit	e loss, reduction of power for point to point 4 uses to verify the host meets the necessary state how control will be maintained such for new hosts, etc. onnectors, isolation requirements, tests for cedures for ensuring compliance. If dential must be identified and information 6 allow host manufacturers to use the module. st to the host manufacturer to define body) and second additional text needed to be manuals. and all applicable professional installer ist shall also identify the antenna types mni-directional" is not considered atype) etion 2.8 provide a physical or e-label stating	□ - All Items shown to the left are provided in the Modular Integration Guide (or UM) for Full Modular Approval (MA) or LMA. □ - An LMA applies and is approved ONLY for use by the grantee in their own products, and not intended for sale to 3rd parties as provided in a separate cover letter. Therefore the information shown to the left is found in the theory of operation.		
clarifications no	ecessary for stand-alone and ation on how to configure te				
Sincerely,					
By:	Qinghua Zhang	Qinghua Zhang			
<u>manager</u> (Sign	ature/Title ¹)	(Print name)			

¹- Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.