





BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5300




11AC20SISO_Ant1_5320




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210



Test Report No.: W7L-P24050014RF03



11AC80SISO Ant1 5290




11AC80SISO Ant1 5530




BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC80SISO_Ant1_5610




11AC80SISO_Ant1_5775



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com

MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT

BV Power Table For_U-NII-1										
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5180	Ant1	13.01	≤24.00	----	12.11	≤22.29	Pass	15
		5200	Ant1	13.19	≤24.00	----	12.29	≤22.29	Pass	15.5
		5240	Ant1	13.24	≤24.00	----	12.34	≤22.29	Pass	15.5
11N20	SISO	5180	Ant1	13.06	≤24.00	----	12.16	≤22.29	Pass	15.5
		5200	Ant1	13.15	≤24.00	----	12.25	≤22.29	Pass	15.5
		5240	Ant1	13.08	≤24.00	----	12.18	≤22.29	Pass	15.5
11N40	SISO	5190	Ant1	13.13	≤24.00	----	12.23	≤22.29	Pass	15.5
		5230	Ant1	13.14	≤24.00	----	12.24	≤22.29	Pass	15.5
11AC20	SISO	5180	Ant1	13.18	≤24.00	----	12.28	≤22.29	Pass	15.5
		5200	Ant1	13.01	≤24.00	----	12.11	≤22.29	Pass	15.5
		5240	Ant1	13.11	≤24.00	----	12.21	≤22.29	Pass	15.5
11AC40	SISO	5190	Ant1	13.09	≤24.00	----	12.19	≤22.29	Pass	15.5
		5230	Ant1	13.16	≤24.00	----	12.26	≤22.29	Pass	15.5
11AC80	SISO	5210	Ant1	13.73	≤24.00	----	12.83	≤22.29	Pass	16
Note: The Maximum Conducted Power with duty cycle factor.										



BV Power Table For_U-NII-2A											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5260	Ant1	13.34	≤24.00	≤23.27	12.84	≤30.00	≤29.27	Pass	15.5
		5300	Ant1	13.06	≤24.00	≤23.27	12.56	≤30.00	≤29.27	Pass	15.5
		5320	Ant1	13.21	≤24.00	≤23.27	12.71	≤30.00	≤29.27	Pass	15.5
11N20	SISO	5260	Ant1	13.17	≤24.00	≤23.27	12.67	≤30.00	≤29.27	Pass	15.5
		5300	Ant1	13.03	≤24.00	≤23.27	12.53	≤30.00	≤29.27	Pass	15.5
		5320	Ant1	13.18	≤24.00	≤23.27	12.68	≤30.00	≤29.27	Pass	15.5
11N40	SISO	5270	Ant1	13.10	≤24.00	≤23.27	12.60	≤30.00	≤29.27	Pass	15.5
		5310	Ant1	13.08	≤24.00	≤23.27	12.58	≤30.00	≤29.27	Pass	15.5
11AC20	SISO	5260	Ant1	13.03	≤24.00	≤23.27	12.53	≤30.00	≤29.27	Pass	15.5
		5300	Ant1	13.07	≤24.00	≤23.27	12.57	≤30.00	≤29.27	Pass	
		5320	Ant1	13.34	≤24.00	≤23.27	12.84	≤30.00	≤29.27	Pass	15.5
11AC40	SISO	5270	Ant1	13.23	≤24.00	≤23.27	12.73	≤30.00	≤29.27	Pass	15.5
		5310	Ant1	13.46	≤24.00	≤23.27	12.96	≤30.00	≤29.27	Pass	15.5
11AC80	SISO	5210	Ant1	13.29	≤24.00	≤23.27	12.79	≤30.00	≤29.27	Pass	16
Note:The Maximum Conducted Power with duty cycle factor.											



BV Power Table For_U-NII-2C											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5500	Ant 1	13.34	≤24.00	≤23.26	13.54	≤30.00	≤30.00	Pass	15.5
		5580	Ant 1	13.04	≤24.00	≤23.26	13.24	≤30.00	≤30.00	Pass	15
		5700	Ant 1	13.43	≤24.00	≤23.26	13.63	≤30.00	≤30.00	Pass	15
11N20	SISO	5500	Ant 1	13.27	≤24.00	≤23.26	13.47	≤30.00	≤30.00	Pass	15.5
		5580	Ant 1	13.28	≤24.00	≤23.26	13.48	≤30.00	≤30.00	Pass	15.5
		5700	Ant 1	13.31	≤24.00	≤23.26	13.51	≤30.00	≤30.00	Pass	15
11N40	SISO	5510	Ant 1	13.20	≤24.00	≤23.26	13.40	≤30.00	≤30.00	Pass	15.5
		5550	Ant 1	13.32	≤24.00	≤23.26	13.52	≤30.00	≤30.00	Pass	15.5
		5670	Ant 1	13.28	≤24.00	≤23.26	13.48	≤30.00	≤30.00	Pass	15
11AC20	SISO	5500	Ant 1	13.35	≤24.00	≤23.26	13.55	≤30.00	≤30.00	Pass	15.5
		5580	Ant 1	13.32	≤24.00	≤23.26	13.52	≤30.00	≤30.00	Pass	15.5
		5700	Ant 1	13.15	≤24.00	≤23.26	13.35	≤30.00	≤30.00	Pass	15
11AC40	SISO	5510	Ant 1	13.24	≤24.00	≤23.26	13.44	≤30.00	≤30.00	Pass	15.5
		5550	Ant 1	13.37	≤24.00	≤23.26	13.57	≤30.00	≤30.00	Pass	15.5



**BUREAU
VERITAS**

Test Report No.: W7L-P24050014RF03

		5670	Ant 1	13.34	≤24.00	≤23.26	13.54	≤30.0 0	≤30.0 0	Pass	15
11AC8 0	SIS O	5530	Ant 1	13.54	≤24.00	≤23.26	13.74	≤30.0 0	≤30.0 0	Pass	16

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-3									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	SISO	5745	Ant1	13.37	≤30.00	12.37	≤36.00	Pass	15
		5785	Ant1	12.99	≤30.00	11.99	≤36.00	Pass	15
		5825	Ant1	13.25	≤30.00	12.25	≤36.00	Pass	15.5
11N20	SISO	5745	Ant1	13.13	≤30.00	12.13	≤36.00	Pass	15
		5785	Ant1	13.31	≤30.00	12.31	≤36.00	Pass	15
		5825	Ant1	13.19	≤30.00	12.19	≤36.00	Pass	15.5
11N40	SISO	5755	Ant1	13.37	≤30.00	12.37	≤36.00	Pass	15
		5795	Ant1	13.22	≤30.00	12.22	≤36.00	Pass	15.5
11AC20	SISO	5745	Ant1	13.02	≤30.00	12.02	≤36.00	Pass	15
		5785	Ant1	13.06	≤30.00	12.06	≤36.00	Pass	15
		5825	Ant1	13.14	≤30.00	12.14	≤36.00	Pass	15.5
11AC40	SISO	5755	Ant1	13.20	≤30.00	12.20	≤36.00	Pass	15
		5795	Ant1	13.34	≤30.00	12.34	≤36.00	Pass	15.5
11AC80	SISO	5775	Ant1	13.87	≤30.00	12.87	≤36.00	Pass	16

Note: The Maximum Conducted Power with duty cycle factor.

MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	4.18	≤11.00	PASS
		5200	4.18	≤11.00	PASS
		5240	4.64	≤11.00	PASS
		5260	4.70	≤11.00	PASS
		5300	4.74	≤11.00	PASS
		5320	4.69	≤11.00	PASS
		5500	4.71	≤11.00	PASS
		5580	4.69	≤11.00	PASS
		5700	4.35	≤11.00	PASS
		5745	1.72	≤30.00	PASS
		5785	1.68	≤30.00	PASS
		5825	1.93	≤30.00	PASS
11N20SISO	Ant1	5180	4.41	≤11.00	PASS
		5200	4.41	≤11.00	PASS
		5240	4.48	≤11.00	PASS
		5260	4.48	≤11.00	PASS
		5300	4.61	≤11.00	PASS
		5320	4.40	≤11.00	PASS
		5500	4.72	≤11.00	PASS
		5580	4.87	≤11.00	PASS
		5700	4.25	≤11.00	PASS
		5745	1.50	≤30.00	PASS
		5785	1.87	≤30.00	PASS
		5825	1.66	≤30.00	PASS
11N40SISO	Ant1	5190	1.67	≤11.00	PASS
		5230	1.86	≤11.00	PASS
		5270	1.72	≤11.00	PASS
		5310	1.71	≤11.00	PASS
		5510	1.74	≤11.00	PASS
		5550	2.15	≤11.00	PASS
		5670	1.79	≤11.00	PASS



		5755	-1.41	≤30.00	PASS
		5795	-1.14	≤30.00	PASS
11AC20SISO	Ant1	5180	4.13	≤11.00	PASS
		5200	4.26	≤11.00	PASS
		5240	4.83	≤11.00	PASS
		5260	4.81	≤11.00	PASS
		5300	4.65	≤11.00	PASS
		5320	4.67	≤11.00	PASS
		5500	4.53	≤11.00	PASS
		5580	5.04	≤11.00	PASS
		5700	3.95	≤11.00	PASS
		5745	1.37	≤30.00	PASS
		5785	1.41	≤30.00	PASS
		5825	1.85	≤30.00	PASS
11AC40SISO	Ant1	5190	1.89	≤11.00	PASS
		5230	1.95	≤11.00	PASS
		5270	2.05	≤11.00	PASS
		5310	1.31	≤11.00	PASS
		5510	1.59	≤11.00	PASS
		5550	1.77	≤11.00	PASS
		5670	1.40	≤11.00	PASS
		5755	-1.52	≤30.00	PASS
		5795	-1.52	≤30.00	PASS
11AC80SISO	Ant1	5210	-1.44	≤11.00	PASS
		5290	-1.24	≤11.00	PASS
		5530	-1.53	≤11.00	PASS
		5610	-1.19	≤11.00	PASS
		5775	-3.56	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS

11A_Ant1_5180



11A_Ant1_5200



11A_Ant1_5240



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11A_Ant1_5260



11A_Ant1_5300



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11A_Ant1_5320



11A_Ant1_5500

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd


Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11A_Ant1_5580



11A_Ant1_5700



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11A_Ant1_5745



11A_Ant1_5785



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11A_Ant1_5825




11N20SISO_Ant1_5180



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5200



11N20SISO_Ant1_5240



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5260




11N20SISO_Ant1_5300



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5320



11N20SISO_Ant1_5500



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5580



11N20SISO_Ant1_5700

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5230



11N40SISO_Ant1_5270

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5310



11N40SISO_Ant1_5510

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd


Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5550



11N40SISO_Ant1_5670



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

Room B37, Warehouse A5, No.3 Chiwan 4th Road,
Zhaoshang Street, Nanshan District Shenzhen,
Guangdong, People's Republic of China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200



Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5260



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5300



11AC20SISO_Ant1_5320



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5700



11AC20SISO_Ant1_5745



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5510



11AC40SISO_Ant1_5550



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530



BUREAU
VERITAS

Test Report No.: W7L-P24050014RF03



11AC80SISO_Ant1_5610



11AC80SISO_Ant1_5775