

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.76	19.55	33.01	PASS
Band2	TestMode	9262	22.92	19.71	33.01	PASS
Band2	TestMode	9400	23.33	20.12	33.01	PASS
Band2	Voice	9400	23.26	20.05	33.01	PASS
Band2	TestMode	9538	23.62	20.41	33.01	PASS
Band2	Voice	9538	23.49	20.28	33.01	PASS
Band4	Voice	1312	23.32	20.5	30.00	PASS
Band4	TestMode	1312	23.40	20.58	30.00	PASS
Band4	Voice	1413	23.32	20.5	30.00	PASS
Band4	TestMode	1413	23.41	20.59	30.00	PASS
Band4	TestMode	1513	23.35	20.53	30.00	PASS
Band4	Voice	1513	23.22	20.4	30.00	PASS
Band5	Voice	4132	23.55	16.23	38.45	PASS
Band5	TestMode	4132	23.60	16.28	38.45	PASS
Band5	TestMode	4183	23.67	16.35	38.45	PASS
Band5	Voice	4183	23.68	16.36	38.45	PASS
Band5	Voice	4233	23.70	16.38	38.45	PASS
Band5	TestMode	4233	23.71	16.39	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	22.93	19.72	33.01	PASS
Band2	9262	2	22.37	19.16	33.01	PASS
Band2	9262	3	22.35	19.14	33.01	PASS
Band2	9262	4	22.39	19.18	33.01	PASS
Band2	9400	1	23.31	20.1	33.01	PASS
Band2	9400	2	22.73	19.52	33.01	PASS
Band2	9400	3	22.79	19.58	33.01	PASS
Band2	9400	4	22.79	19.58	33.01	PASS
Band2	9538	1	23.60	20.39	33.01	PASS
Band2	9538	2	22.99	19.78	33.01	PASS
Band2	9538	3	23.06	19.85	33.01	PASS
Band2	9538	4	23.05	19.84	33.01	PASS

Band4	1312	1	23.44	20.62	30.00	PASS
Band4	1312	2	22.89	20.07	30.00	PASS
Band4	1312	3	22.90	20.08	30.00	PASS
Band4	1312	4	22.84	20.02	30.00	PASS
Band4	1413	1	23.44	20.62	30.00	PASS
Band4	1413	2	22.86	20.04	30.00	PASS
Band4	1413	3	22.85	20.03	30.00	PASS
Band4	1413	4	22.88	20.06	30.00	PASS
Band4	1513	1	23.36	20.54	30.00	PASS
Band4	1513	2	22.79	19.97	30.00	PASS
Band4	1513	3	22.80	19.98	30.00	PASS
Band4	1513	4	22.82	20	30.00	PASS
Band5	4132	1	23.68	16.36	38.5	PASS
Band5	4132	2	23.14	15.82	38.5	PASS
Band5	4132	3	23.13	15.81	38.5	PASS
Band5	4132	4	23.13	15.81	38.5	PASS
Band5	4183	1	23.73	16.41	38.5	PASS
Band5	4183	2	23.21	15.89	38.5	PASS
Band5	4183	3	23.19	15.87	38.5	PASS
Band5	4183	4	23.20	15.88	38.5	PASS
Band5	4233	1	23.79	16.47	38.5	PASS
Band5	4233	2	23.24	15.92	38.5	PASS
Band5	4233	3	23.24	15.92	38.5	PASS
Band5	4233	4	23.23	15.91	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	20.90	17.69	33.01	PASS
Band2	9262	2	21.40	18.19	33.01	PASS
Band2	9262	3	21.88	18.67	33.01	PASS
Band2	9262	4	20.93	17.72	33.01	PASS
Band2	9262	5	22.88	19.67	33.01	PASS
Band2	9400	1	21.27	18.06	33.01	PASS
Band2	9400	2	21.75	18.54	33.01	PASS
Band2	9400	3	22.25	19.04	33.01	PASS
Band2	9400	4	21.32	18.11	33.01	PASS
Band2	9400	5	23.25	20.04	33.01	PASS
Band2	9538	1	21.59	18.38	33.01	PASS
Band2	9538	2	22.03	18.82	33.01	PASS
Band2	9538	3	22.54	19.33	33.01	PASS

Band2	9538	4	21.56	18.35	33.01	PASS
Band2	9538	5	23.59	20.38	33.01	PASS
Band4	1312	1	21.44	18.62	30.00	PASS
Band4	1312	2	21.93	19.11	30.00	PASS
Band4	1312	3	22.42	19.6	30.00	PASS
Band4	1312	4	21.45	18.63	30.00	PASS
Band4	1312	5	23.43	20.61	30.00	PASS
Band4	1413	1	21.41	18.59	30.00	PASS
Band4	1413	2	21.91	19.09	30.00	PASS
Band4	1413	3	22.41	19.59	30.00	PASS
Band4	1413	4	21.43	18.61	30.00	PASS
Band4	1413	5	23.39	20.57	30.00	PASS
Band4	1513	1	21.38	18.56	30.00	PASS
Band4	1513	2	21.86	19.04	30.00	PASS
Band4	1513	3	22.35	19.53	30.00	PASS
Band4	1513	4	21.40	18.58	30.00	PASS
Band4	1513	5	23.36	20.54	30.00	PASS
Band5	4132	1	21.72	14.4	38.5	PASS
Band5	4132	2	22.24	14.92	38.5	PASS
Band5	4132	3	22.70	15.38	38.5	PASS
Band5	4132	4	21.73	14.41	38.5	PASS
Band5	4132	5	23.68	16.36	38.5	PASS
Band5	4183	1	21.79	14.47	38.5	PASS
Band5	4183	2	22.29	14.97	38.5	PASS
Band5	4183	3	22.77	15.45	38.5	PASS
Band5	4183	4	21.81	14.49	38.5	PASS
Band5	4183	5	23.77	16.45	38.5	PASS
Band5	4233	1	21.84	14.52	38.5	PASS
Band5	4233	2	22.31	14.99	38.5	PASS
Band5	4233	3	22.81	15.49	38.5	PASS
Band5	4233	4	21.85	14.53	38.5	PASS
Band5	4233	5	23.81	16.49	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.99	13	PASS
Band4	1413	2.85	13	PASS
Band5	4183	2.86	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)



AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1647	4.713	---	PASS
Band2	9400	4.1595	4.711	---	PASS
Band2	9538	4.1811	4.814	---	PASS
Band4	1312	4.1862	4.777	---	PASS
Band4	1413	4.1803	4.714	---	PASS
Band4	1513	4.1832	4.707	---	PASS
Band5	4132	4.1894	4.762	---	PASS
Band5	4183	4.1722	4.716	---	PASS
Band5	4233	4.1854	4.749	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-18.37	-13	PASS
Band2	9538	1910.00	-19.24	-13	PASS
Band4	1312	1710.00	-20.30	-13	PASS
Band4	1513	1755.00	-20.47	-13	PASS
Band5	4132	824.00	-14.57	-13	PASS
Band5	4233	849.00	-16.94	-13	PASS

Test Graphs(WCDMA)





AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-56.96	-43	PASS
Band2	9262	0.15~30MHz	0.16	-48.63	-23	PASS
Band2	9262	30~1000MHz	871.12	-45.23	-13	PASS
Band2	9262	1000~20000MHz	19540.2	-30.76	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-56.91	-43	PASS
Band2	9400	0.15~30MHz	0.16	-46.77	-23	PASS
Band2	9400	30~1000MHz	937.21	-45.61	-13	PASS
Band2	9400	1000~20000MHz	19896.13	-30.6	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-57.99	-43	PASS
Band2	9538	0.15~30MHz	0.15	-46.83	-23	PASS
Band2	9538	30~1000MHz	755.46	-45.54	-13	PASS
Band2	9538	1000~20000MHz	19903.73	-30.56	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-56.04	-43	PASS
Band4	1312	0.15~30MHz	0.16	-46.33	-23	PASS
Band4	1312	30~1000MHz	918.71	-45.6	-13	PASS
Band4	1312	1000~20000MHz	19903.73	-30.47	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-56.47	-43	PASS
Band4	1413	0.15~30MHz	0.15	-47.55	-23	PASS
Band4	1413	30~1000MHz	899.38	-45.32	-13	PASS
Band4	1413	1000~20000MHz	19971.5	-30.15	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-54.65	-43	PASS
Band4	1513	0.15~30MHz	0.15	-48.52	-23	PASS
Band4	1513	30~1000MHz	984.97	-45.52	-13	PASS
Band4	1513	1000~20000MHz	19969.6	-30.43	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-55.61	-33	PASS
Band5	4132	0.15~30MHz	0.15	-47.12	-13	PASS
Band5	4132	30~1000MHz	965.02	-55.06	-13	PASS
Band5	4132	1000~10000MHz	7359.7	-36.92	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-55.24	-33	PASS
Band5	4183	0.15~30MHz	0.16	-47.24	-13	PASS
Band5	4183	30~1000MHz	447.39	-54.38	-13	PASS
Band5	4183	1000~10000MHz	5918.5	-36.39	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-56.74	-33	PASS
Band5	4233	0.15~30MHz	0.17	-48.07	-13	PASS
Band5	4233	30~1000MHz	605.11	-54.81	-13	PASS
Band5	4233	1000~10000MHz	5962	-36.53	-13	PASS


Test Graphs(WCDMA)














AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-12.83	-0.015336	±2.5	Pass
	-20	-10.33	-0.012348		
	-10	-12.40	-0.014822		
	0	-13.36	-0.015969		
	10	-9.30	-0.011116		
	20	-14.34	-0.017141		
	30	-14.05	-0.016794		
	40	-7.02	-0.008391		
	50	-8.39	-0.010029		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.40	-11.66	-0.013937	±2.5	Pass
	3.85	-11.84	-0.014153		
	4.40	-10.01	-0.011965		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-14.18	-0.008184	Within authorized band for BAND IV	Pass
	-20	-12.27	-0.007082		
	-10	-11.97	-0.006909		
	0	-10.89	-0.006285		
	10	-15.32	-0.008842		
	20	-14.88	-0.008588		
	30	-11.09	-0.006401		
	40	-11.78	-0.006799		
	50	-11.12	-0.006418		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.40	-11.97	-0.006909	Within authorized band for BAND IV	Pass
	3.85	-14.68	-0.008473		
	4.40	-10.74	-0.006199		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-14.10	-0.007500	Within authorized band for BAND II	Pass
	-20	-12.72	-0.006766		
	-10	-13.50	-0.007181		
	0	-13.14	-0.006989		
	10	-15.19	-0.008080		
	20	-11.82	-0.006287		
	30	-12.57	-0.006686		
	40	-10.51	-0.005590		
	50	-12.51	-0.006654		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.40	-13.97	-0.007431	Within authorized band for BAND II	Pass
	3.85	-15.43	-0.008207		
	4.40	-16.67	-0.008867		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

