

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5955MHz	Pass	18G	40G	PK	39.83844G	5.20	-48.33	-48.33	-43.13	-21.20	-21.93
6175MHz	Pass	7.5G	18G	AV	12.34673G	5.20	-70.77	-70.77	-65.57	-41.20	-24.37
6175MHz	Pass	7.5G	18G	AV	15.74972G	5.20	-64.55	-64.55	-59.35	-41.20	-18.15
6175MHz	Pass	18G	40G	AV	18.51838G	5.20	-65.76	-65.76	-60.56	-41.20	-19.36
6175MHz	Pass	18G	40G	AV	39.84394G	5.20	-56.99	-56.99	-51.79	-41.20	-10.59
6175MHz	Pass	7.5G	18G	PK	12.36216G	5.20	-63.84	-63.84	-58.64	-21.20	-37.44
6175MHz	Pass	7.5G	18G	PK	17.87334G	5.20	-56.33	-56.33	-51.13	-21.20	-29.93
6175MHz	Pass	18G	40G	PK	18.50875G	5.20	-56.77	-56.77	-51.57	-21.20	-30.37
6175MHz	Pass	18G	40G	PK	39.97938G	5.20	-48.28	-48.28	-43.08	-21.20	-21.88
6415MHz	Pass	7.5G	18G	AV	12.82448G	5.20	-69.50	-69.50	-64.30	-27.00	-37.30
6415MHz	Pass	7.5G	18G	AV	15.7343G	5.20	-64.15	-64.15	-58.95	-41.20	-17.75
6415MHz	Pass	18G	40G	AV	19.24919G	5.20	-65.56	-65.56	-60.36	-41.20	-19.16
6415MHz	Pass	18G	40G	AV	39.86044G	5.20	-57.03	-57.03	-51.83	-41.20	-10.63
6415MHz	Pass	7.5G	18G	PK	12.83334G	5.20	-60.52	-60.52	-55.32	-7.00	-48.32
6415MHz	Pass	7.5G	18G	PK	15.76875G	5.20	-54.95	-54.95	-49.75	-21.20	-28.55
6415MHz	Pass	18G	40G	PK	19.232G	5.20	-57.82	-57.82	-52.62	-21.20	-31.42
6415MHz	Pass	18G	40G	PK	39.85631G	5.20	-47.98	-47.98	-42.78	-21.20	-21.58
6435MHz	Pass	7.5G	18G	AV	12.88059G	5.20	-69.53	-69.53	-64.33	-27.00	-37.33
6435MHz	Pass	7.5G	18G	AV	15.74119G	5.20	-64.35	-64.35	-59.15	-41.20	-17.95
6435MHz	Pass	18G	40G	AV	19.30969G	5.20	-65.81	-65.81	-60.61	-41.20	-19.41
6435MHz	Pass	18G	40G	AV	39.61981G	5.20	-57.18	-57.18	-51.98	-41.20	-10.78
6435MHz	Pass	7.5G	18G	PK	12.85434G	5.20	-60.48	-60.48	-55.28	-7.00	-48.28
6435MHz	Pass	7.5G	18G	PK	15.74348G	5.20	-55.74	-55.74	-50.54	-21.20	-29.34
6435MHz	Pass	18G	40G	PK	19.2925G	5.20	-58.68	-58.68	-53.48	-21.20	-32.28
6435MHz	Pass	18G	40G	PK	39.85219G	5.20	-48.37	-48.37	-43.17	-21.20	-21.97
6475MHz	Pass	7.5G	18G	AV	12.93834G	5.20	-70.11	-70.11	-64.91	-27.00	-37.91
6475MHz	Pass	7.5G	18G	AV	15.74841G	5.20	-64.06	-64.06	-58.86	-41.20	-17.66
6475MHz	Pass	18G	40G	AV	19.42794G	5.20	-64.22	-64.22	-59.02	-41.20	-17.82
6475MHz	Pass	18G	40G	AV	39.88588G	5.20	-56.96	-56.96	-51.76	-41.20	-10.56
6475MHz	Pass	7.5G	18G	PK	12.96722G	5.20	-60.88	-60.88	-55.68	-7.00	-48.68
6475MHz	Pass	7.5G	18G	PK	15.73889G	5.20	-55.92	-55.92	-50.72	-21.20	-29.52
6475MHz	Pass	18G	40G	PK	19.41556G	5.20	-57.20	-57.20	-52.00	-21.20	-30.80
6475MHz	Pass	18G	40G	PK	39.64044G	5.20	-48.00	-48.00	-42.80	-21.20	-21.60
6515MHz	Pass	7.5G	18G	AV	13.01775G	5.20	-69.86	-69.86	-64.66	-27.00	-37.66
6515MHz	Pass	7.5G	18G	AV	15.75628G	5.20	-64.28	-64.28	-59.08	-41.20	-17.88
6515MHz	Pass	18G	40G	AV	19.53588G	5.20	-65.22	-65.22	-60.02	-41.20	-18.82
6515MHz	Pass	18G	40G	AV	39.912G	5.20	-57.12	-57.12	-51.92	-41.20	-10.72
6515MHz	Pass	7.5G	18G	PK	13.02563G	5.20	-62.17	-62.17	-56.97	-7.00	-49.97
6515MHz	Pass	7.5G	18G	PK	15.71166G	5.20	-55.12	-55.12	-49.92	-21.20	-28.72
6515MHz	Pass	18G	40G	PK	19.53244G	5.20	-56.08	-56.08	-50.88	-21.20	-29.68
6515MHz	Pass	18G	40G	PK	38.83056G	5.20	-48.13	-48.13	-42.93	-21.20	-21.73
6535MHz	Pass	7.5G	18G	AV	13.07288G	5.20	-69.77	-69.77	-64.57	-27.00	-37.57

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6535MHz	Pass	7.5G	18G	AV	15.73922G	5.20	-64.00	-64.00	-58.80	-41.20	-17.60
6535MHz	Pass	18G	40G	AV	19.58675G	5.20	-65.86	-65.86	-60.66	-41.20	-19.46
6535MHz	Pass	18G	40G	AV	39.85425G	5.20	-56.73	-56.73	-51.53	-41.20	-10.33
6535MHz	Pass	7.5G	18G	PK	13.06795G	5.20	-62.66	-62.66	-57.46	-7.00	-50.46
6535MHz	Pass	7.5G	18G	PK	15.74578G	5.20	-55.06	-55.06	-49.86	-21.20	-28.66
6535MHz	Pass	18G	40G	PK	19.6225G	5.20	-58.20	-58.20	-53.00	-21.20	-31.80
6535MHz	Pass	18G	40G	PK	38.73363G	5.20	-48.45	-48.45	-43.25	-21.20	-22.05
6715MHz	Pass	7.5G	18G	AV	13.41478G	5.20	-70.29	-70.29	-65.09	-27.00	-38.09
6715MHz	Pass	7.5G	18G	AV	15.73167G	5.20	-64.53	-64.53	-59.33	-41.20	-18.13
6715MHz	Pass	18G	40G	AV	20.1285G	5.20	-66.62	-66.62	-61.42	-41.20	-20.22
6715MHz	Pass	18G	40G	AV	39.86113G	5.20	-57.16	-57.16	-51.96	-41.20	-10.76
6715MHz	Pass	7.5G	18G	PK	13.44398G	5.20	-61.86	-61.86	-56.66	-7.00	-49.66
6715MHz	Pass	7.5G	18G	PK	15.7448G	5.20	-54.94	-54.94	-49.74	-21.20	-28.54
6715MHz	Pass	18G	40G	PK	20.14638G	5.20	-58.14	-58.14	-52.94	-21.20	-31.74
6715MHz	Pass	18G	40G	PK	39.87556G	5.20	-48.26	-48.26	-43.06	-21.20	-21.86
6855MHz	Pass	7.5G	18G	AV	13.70189G	5.20	-69.32	-69.32	-64.12	-27.00	-37.12
6855MHz	Pass	7.5G	18G	AV	15.72183G	5.20	-64.35	-64.35	-59.15	-41.20	-17.95
6855MHz	Pass	18G	40G	AV	20.54719G	5.20	-67.73	-67.73	-62.53	-41.20	-21.33
6855MHz	Pass	18G	40G	AV	39.61706G	5.20	-56.91	-56.91	-51.71	-41.20	-10.51
6855MHz	Pass	7.5G	18G	PK	13.70353G	5.20	-62.05	-62.05	-56.85	-7.00	-49.85
6855MHz	Pass	7.5G	18G	PK	15.74709G	5.20	-55.81	-55.81	-50.61	-21.20	-29.41
6855MHz	Pass	18G	40G	PK	20.55131G	5.20	-58.82	-58.82	-53.62	-21.20	-32.42
6855MHz	Pass	18G	40G	PK	39.85219G	5.20	-48.09	-48.09	-42.89	-21.20	-21.69
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	AV	13.73438G	5.20	-69.76	-69.76	-64.56	-27.00	-37.56
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	AV	15.74414G	5.20	-64.33	-64.33	-59.13	-41.20	-17.93
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	AV	20.62419G	5.20	-68.74	-68.74	-63.54	-41.20	-22.34
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	AV	39.63219G	5.20	-57.22	-57.22	-52.02	-41.20	-10.82
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	PK	13.75111G	5.20	-61.45	-61.45	-56.25	-7.00	-49.25
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	PK	16.06866G	5.20	-55.33	-55.33	-50.13	-21.20	-28.93
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	PK	20.63794G	5.20	-59.86	-59.86	-54.66	-21.20	-33.46
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	PK	39.84531G	5.20	-47.92	-47.92	-42.72	-21.20	-21.52
6895MHz	Pass	7.5G	18G	AV	13.78064G	5.20	-69.74	-69.74	-64.54	-27.00	-37.54
6895MHz	Pass	7.5G	18G	AV	15.75431G	5.20	-64.16	-64.16	-58.96	-41.20	-17.76
6895MHz	Pass	18G	40G	AV	20.70256G	5.20	-68.38	-68.38	-63.18	-41.20	-21.98
6895MHz	Pass	18G	40G	AV	39.83156G	5.20	-57.06	-57.06	-51.86	-41.20	-10.66
6895MHz	Pass	7.5G	18G	PK	13.77408G	5.20	-61.81	-61.81	-56.61	-7.00	-49.61

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6895MHz	Pass	7.5G	18G	PK	15.75169G	5.20	-54.91	-54.91	-49.71	-21.20	-28.51
6895MHz	Pass	18G	40G	PK	20.673G	5.20	-60.13	-60.13	-54.93	-21.20	-33.73
6895MHz	Pass	18G	40G	PK	39.901G	5.20	-48.63	-48.63	-43.43	-21.20	-22.23
7015MHz	Pass	7.5G	18G	AV	14.04642G	5.20	-69.40	-69.40	-64.20	-27.00	-37.20
7015MHz	Pass	7.5G	18G	AV	15.74152G	5.20	-64.48	-64.48	-59.28	-41.20	-18.08
7015MHz	Pass	18G	40G	AV	21.03119G	5.20	-68.35	-68.35	-63.15	-41.20	-21.95
7015MHz	Pass	18G	40G	AV	39.85219G	5.20	-57.23	-57.23	-52.03	-41.20	-10.83
7015MHz	Pass	7.5G	18G	PK	14.01427G	5.20	-60.87	-60.87	-55.67	-7.00	-48.67
7015MHz	Pass	7.5G	18G	PK	17.99048G	5.20	-56.38	-56.38	-51.18	-21.20	-29.98
7015MHz	Pass	18G	40G	PK	21.03256G	5.20	-59.87	-59.87	-54.67	-21.20	-33.47
7015MHz	Pass	18G	40G	PK	39.88313G	5.20	-47.52	-47.52	-42.32	-21.20	-21.12
7095MHz	Pass	7.5G	18G	AV	14.20786G	5.20	-69.17	-69.17	-63.97	-27.00	-36.97
7095MHz	Pass	7.5G	18G	AV	15.73003G	5.20	-64.43	-64.43	-59.23	-41.20	-18.03
7095MHz	Pass	18G	40G	AV	21.29381G	5.20	-67.15	-67.15	-61.95	-41.20	-20.75
7095MHz	Pass	18G	40G	AV	39.83569G	5.20	-57.17	-57.17	-51.97	-41.20	-10.77
7095MHz	Pass	7.5G	18G	PK	14.18227G	5.20	-61.08	-61.08	-55.88	-7.00	-48.88
7095MHz	Pass	7.5G	18G	PK	15.72511G	5.20	-55.37	-55.37	-50.17	-21.20	-28.97
7095MHz	Pass	18G	40G	PK	21.29863G	5.20	-59.80	-59.80	-54.60	-21.20	-33.40
7095MHz	Pass	18G	40G	PK	39.97113G	5.20	-48.70	-48.70	-43.50	-21.20	-22.30
7115MHz	Pass	7.5G	18G	AV	14.23247G	5.20	-68.60	-68.60	-63.40	-27.00	-36.40
7115MHz	Pass	7.5G	18G	AV	15.74381G	5.20	-64.45	-64.45	-59.25	-41.20	-18.05
7115MHz	Pass	18G	40G	AV	21.36256G	5.20	-67.49	-67.49	-62.29	-41.20	-21.09
7115MHz	Pass	18G	40G	AV	39.593G	5.20	-57.22	-57.22	-52.02	-41.20	-10.82
7115MHz	Pass	7.5G	18G	PK	14.22066G	5.20	-60.90	-60.90	-55.70	-7.00	-48.70
7115MHz	Pass	7.5G	18G	PK	15.75136G	5.20	-55.30	-55.30	-50.10	-21.20	-28.90
7115MHz	Pass	18G	40G	PK	21.34538G	5.20	-60.03	-60.03	-54.83	-21.20	-33.63
7115MHz	Pass	18G	40G	PK	39.59506G	5.20	-49.08	-49.08	-43.88	-21.20	-22.68
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX											
5955MHz	Pass	7.5G	18G	AV	11.90147G	5.20	-69.83	-69.83	-64.63	-41.20	-23.43
5955MHz	Pass	7.5G	18G	AV	15.75169G	5.20	-64.54	-64.54	-59.34	-41.20	-18.14
5955MHz	Pass	7.5G	18G	AV	17.87531G	5.20	-65.79	-65.79	-60.59	-41.20	-19.39
5955MHz	Pass	18G	40G	AV	39.99931G	5.20	-57.30	-57.30	-52.10	-41.20	-10.90
5955MHz	Pass	7.5G	18G	PK	11.90409G	5.20	-61.79	-61.79	-56.59	-21.20	-35.39
5955MHz	Pass	7.5G	18G	PK	15.72544G	5.20	-56.73	-56.73	-51.53	-21.20	-30.33
5955MHz	Pass	7.5G	18G	PK	17.85792G	5.20	-57.53	-57.53	-52.33	-21.20	-31.13
5955MHz	Pass	18G	40G	PK	39.92163G	5.20	-49.03	-49.03	-43.83	-21.20	-22.63
6175MHz	Pass	7.5G	18G	AV	12.33689G	5.20	-71.01	-71.01	-65.81	-41.20	-24.61
6175MHz	Pass	7.5G	18G	AV	15.73791G	5.20	-64.25	-64.25	-59.05	-41.20	-17.85
6175MHz	Pass	18G	40G	AV	18.51494G	5.20	-65.34	-65.34	-60.14	-41.20	-18.94
6175MHz	Pass	18G	40G	AV	39.82331G	5.20	-56.74	-56.74	-51.54	-41.20	-10.34
6175MHz	Pass	7.5G	18G	PK	12.34542G	5.20	-63.11	-63.11	-57.91	-21.20	-36.71
6175MHz	Pass	7.5G	18G	PK	15.732G	5.20	-55.11	-55.11	-49.91	-21.20	-28.71

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6175MHz	Pass	18G	40G	PK	18.53763G	5.20	-57.29	-57.29	-52.09	-21.20	-30.89
6175MHz	Pass	18G	40G	PK	39.58475G	5.20	-48.60	-48.60	-43.40	-21.20	-22.20
6415MHz	Pass	7.5G	18G	AV	12.81694G	5.20	-69.70	-69.70	-64.50	-27.00	-37.50
6415MHz	Pass	7.5G	18G	AV	15.74742G	5.20	-63.94	-63.94	-58.74	-41.20	-17.54
6415MHz	Pass	18G	40G	AV	19.23613G	5.20	-65.36	-65.36	-60.16	-41.20	-18.96
6415MHz	Pass	18G	40G	AV	39.89275G	5.20	-57.01	-57.01	-51.81	-41.20	-10.61
6415MHz	Pass	7.5G	18G	PK	12.81431G	5.20	-61.19	-61.19	-55.99	-7.00	-48.99
6415MHz	Pass	7.5G	18G	PK	15.75005G	5.20	-56.52	-56.52	-51.32	-21.20	-30.12
6415MHz	Pass	18G	40G	PK	19.23338G	5.20	-58.03	-58.03	-52.83	-21.20	-31.63
6415MHz	Pass	18G	40G	PK	39.219G	5.20	-48.51	-48.51	-43.31	-21.20	-22.11
6435MHz	Pass	7.5G	18G	AV	12.87764G	5.20	-69.70	-69.70	-64.50	-27.00	-37.50
6435MHz	Pass	7.5G	18G	AV	15.73856G	5.20	-64.49	-64.49	-59.29	-41.20	-18.09
6435MHz	Pass	18G	40G	AV	19.3035G	5.20	-65.65	-65.65	-60.45	-41.20	-19.25
6435MHz	Pass	18G	40G	AV	39.85081G	5.20	-57.09	-57.09	-51.89	-41.20	-10.69
6435MHz	Pass	7.5G	18G	PK	12.85566G	5.20	-61.57	-61.57	-56.37	-7.00	-49.37
6435MHz	Pass	7.5G	18G	PK	15.70969G	5.20	-56.34	-56.34	-51.14	-21.20	-29.94
6435MHz	Pass	18G	40G	PK	19.30831G	5.20	-58.30	-58.30	-53.10	-21.20	-31.90
6435MHz	Pass	18G	40G	PK	39.69888G	5.20	-47.67	-47.67	-42.47	-21.20	-21.27
6475MHz	Pass	7.5G	18G	AV	12.93703G	5.20	-70.45	-70.45	-65.25	-27.00	-38.25
6475MHz	Pass	7.5G	18G	AV	15.7343G	5.20	-64.27	-64.27	-59.07	-41.20	-17.87
6475MHz	Pass	18G	40G	AV	19.42106G	5.20	-64.43	-64.43	-59.23	-41.20	-18.03
6475MHz	Pass	18G	40G	AV	39.98969G	5.20	-56.88	-56.88	-51.68	-41.20	-10.48
6475MHz	Pass	7.5G	18G	PK	12.94228G	5.20	-60.62	-60.62	-55.42	-7.00	-48.42
6475MHz	Pass	7.5G	18G	PK	15.73233G	5.20	-55.81	-55.81	-50.61	-21.20	-29.41
6475MHz	Pass	18G	40G	PK	19.40731G	5.20	-57.01	-57.01	-51.81	-21.20	-30.61
6475MHz	Pass	18G	40G	PK	39.55106G	5.20	-47.65	-47.65	-42.45	-21.20	-21.25
6515MHz	Pass	7.5G	18G	AV	13.02727G	5.20	-70.40	-70.40	-65.20	-27.00	-38.20
6515MHz	Pass	7.5G	18G	AV	15.74644G	5.20	-64.57	-64.57	-59.37	-41.20	-18.17
6515MHz	Pass	18G	40G	AV	19.53313G	5.20	-64.94	-64.94	-59.74	-41.20	-18.54
6515MHz	Pass	18G	40G	AV	39.59988G	5.20	-56.98	-56.98	-51.78	-41.20	-10.58
6515MHz	Pass	7.5G	18G	PK	13.03908G	5.20	-61.60	-61.60	-56.40	-7.00	-49.40
6515MHz	Pass	7.5G	18G	PK	17.7293G	5.20	-56.36	-56.36	-51.16	-21.20	-29.96
6515MHz	Pass	18G	40G	PK	19.53588G	5.20	-56.67	-56.67	-51.47	-21.20	-30.27
6515MHz	Pass	18G	40G	PK	39.846G	5.20	-48.98	-48.98	-43.78	-21.20	-22.58
6535MHz	Pass	7.5G	18G	AV	13.07813G	5.20	-70.46	-70.46	-65.26	-27.00	-38.26
6535MHz	Pass	7.5G	18G	AV	15.73889G	5.20	-64.75	-64.75	-59.55	-41.20	-18.35
6535MHz	Pass	18G	40G	AV	19.58744G	5.20	-65.73	-65.73	-60.53	-41.20	-19.33
6535MHz	Pass	18G	40G	AV	39.90169G	5.20	-57.20	-57.20	-52.00	-41.20	-10.80
6535MHz	Pass	7.5G	18G	PK	13.07648G	5.20	-62.10	-62.10	-56.90	-7.00	-49.90
6535MHz	Pass	7.5G	18G	PK	15.74152G	5.20	-55.40	-55.40	-50.20	-21.20	-29.00
6535MHz	Pass	18G	40G	PK	19.60119G	5.20	-58.14	-58.14	-52.94	-21.20	-31.74
6535MHz	Pass	18G	40G	PK	39.83156G	5.20	-47.65	-47.65	-42.45	-21.20	-21.25

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
6715MHz	Pass	7.5G	18G	AV	13.41544G	5.20	-70.13	-70.13	-64.93	-27.00	-37.93
6715MHz	Pass	7.5G	18G	AV	15.7297G	5.20	-64.07	-64.07	-58.87	-41.20	-17.67
6715MHz	Pass	18G	40G	AV	20.134G	5.20	-66.63	-66.63	-61.43	-41.20	-20.23
6715MHz	Pass	18G	40G	AV	39.85425G	5.20	-56.85	-56.85	-51.65	-41.20	-10.45
6715MHz	Pass	7.5G	18G	PK	13.42036G	5.20	-61.41	-61.41	-56.21	-7.00	-49.21
6715MHz	Pass	7.5G	18G	PK	15.74939G	5.20	-54.51	-54.51	-49.31	-21.20	-28.11
6715MHz	Pass	18G	40G	PK	20.16013G	5.20	-58.77	-58.77	-53.57	-21.20	-32.37
6715MHz	Pass	18G	40G	PK	39.62531G	5.20	-48.84	-48.84	-43.64	-21.20	-22.44
6855MHz	Pass	7.5G	18G	AV	13.69369G	5.20	-69.30	-69.30	-64.10	-27.00	-37.10
6855MHz	Pass	7.5G	18G	AV	15.74053G	5.20	-64.24	-64.24	-59.04	-41.20	-17.84
6855MHz	Pass	18G	40G	AV	20.55063G	5.20	-67.93	-67.93	-62.73	-41.20	-21.53
6855MHz	Pass	18G	40G	AV	39.87075G	5.20	-57.10	-57.10	-51.90	-41.20	-10.70
6855MHz	Pass	7.5G	18G	PK	13.6973G	5.20	-62.17	-62.17	-56.97	-7.00	-49.97
6855MHz	Pass	7.5G	18G	PK	15.74939G	5.20	-56.53	-56.53	-51.33	-21.20	-30.13
6855MHz	Pass	18G	40G	PK	20.56988G	5.20	-58.84	-58.84	-53.64	-21.20	-32.44
6855MHz	Pass	18G	40G	PK	39.98281G	5.20	-47.97	-47.97	-42.77	-21.20	-21.57
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	AV	13.73208G	5.20	-69.26	-69.26	-64.06	-27.00	-37.06
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	AV	15.73692G	5.20	-64.26	-64.26	-59.06	-41.20	-17.86
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	AV	20.64069G	5.20	-68.58	-68.58	-63.38	-41.20	-22.18
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	AV	39.86869G	5.20	-56.71	-56.71	-51.51	-41.20	-10.31
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	PK	13.74291G	5.20	-62.11	-62.11	-56.91	-7.00	-49.91
6875MHz Straddle 6.525-6.875GHz	Pass	7.5G	18G	PK	16.09523G	5.20	-56.03	-56.03	-50.83	-21.20	-29.63
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	PK	20.61663G	5.20	-60.17	-60.17	-54.97	-21.20	-33.77
6875MHz Straddle 6.525-6.875GHz	Pass	18G	40G	PK	39.56481G	5.20	-49.30	-49.30	-44.10	-21.20	-22.90
6895MHz	Pass	7.5G	18G	AV	13.77473G	5.20	-69.76	-69.76	-64.56	-27.00	-37.56
6895MHz	Pass	7.5G	18G	AV	15.7402G	5.20	-64.24	-64.24	-59.04	-41.20	-17.84
6895MHz	Pass	18G	40G	AV	20.66956G	5.20	-68.32	-68.32	-63.12	-41.20	-21.92
6895MHz	Pass	18G	40G	AV	39.59919G	5.20	-56.87	-56.87	-51.67	-41.20	-10.47
6895MHz	Pass	7.5G	18G	PK	13.78031G	5.20	-61.65	-61.65	-56.45	-7.00	-49.45
6895MHz	Pass	7.5G	18G	PK	15.76777G	5.20	-55.75	-55.75	-50.55	-21.20	-29.35
6895MHz	Pass	18G	40G	PK	20.66681G	5.20	-60.23	-60.23	-55.03	-21.20	-33.83
6895MHz	Pass	18G	40G	PK	39.99794G	5.20	-48.50	-48.50	-43.30	-21.20	-22.10
7015MHz	Pass	7.5G	18G	AV	14.04445G	5.20	-69.23	-69.23	-64.03	-27.00	-37.03
7015MHz	Pass	7.5G	18G	AV	15.76547G	5.20	-64.51	-64.51	-59.31	-41.20	-18.11
7015MHz	Pass	18G	40G	AV	21.06075G	5.20	-68.30	-68.30	-63.10	-41.20	-21.90
7015MHz	Pass	18G	40G	AV	39.8295G	5.20	-56.95	-56.95	-51.75	-41.20	-10.55


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
7015MHz	Pass	7.5G	18G	PK	14.04216G	5.20	-60.08	-60.08	-54.88	-7.00	-47.88
7015MHz	Pass	7.5G	18G	PK	15.70641G	5.20	-56.50	-56.50	-51.30	-21.20	-30.10
7015MHz	Pass	18G	40G	PK	21.04631G	5.20	-60.80	-60.80	-55.60	-21.20	-34.40
7015MHz	Pass	18G	40G	PK	39.94431G	5.20	-48.53	-48.53	-43.33	-21.20	-22.13
7095MHz	Pass	7.5G	18G	AV	14.17538G	5.20	-69.09	-69.09	-63.89	-27.00	-36.89
7095MHz	Pass	7.5G	18G	AV	15.74053G	5.20	-64.48	-64.48	-59.28	-41.20	-18.08
7095MHz	Pass	18G	40G	AV	21.28694G	5.20	-67.30	-67.30	-62.10	-41.20	-20.90
7095MHz	Pass	18G	40G	AV	39.59919G	5.20	-57.12	-57.12	-51.92	-41.20	-10.72
7095MHz	Pass	7.5G	18G	PK	14.20753G	5.20	-60.67	-60.67	-55.47	-7.00	-48.47
7095MHz	Pass	7.5G	18G	PK	15.73889G	5.20	-54.15	-54.15	-48.95	-21.20	-27.75
7095MHz	Pass	18G	40G	PK	21.29725G	5.20	-59.95	-59.95	-54.75	-21.20	-33.55
7095MHz	Pass	18G	40G	PK	39.65213G	5.20	-49.05	-49.05	-43.85	-21.20	-22.65
7115MHz	Pass	7.5G	18G	AV	14.24428G	5.20	-68.73	-68.73	-63.53	-27.00	-36.53
7115MHz	Pass	7.5G	18G	AV	15.74152G	5.20	-64.23	-64.23	-59.03	-41.20	-17.83
7115MHz	Pass	18G	40G	AV	21.32956G	5.20	-67.38	-67.38	-62.18	-41.20	-20.98
7115MHz	Pass	18G	40G	AV	39.88038G	5.20	-57.44	-57.44	-52.24	-41.20	-11.04
7115MHz	Pass	7.5G	18G	PK	14.21278G	5.20	-61.55	-61.55	-56.35	-7.00	-49.35
7115MHz	Pass	7.5G	18G	PK	17.75686G	5.20	-56.51	-56.51	-51.31	-21.20	-30.11
7115MHz	Pass	18G	40G	PK	21.33438G	5.20	-59.57	-59.57	-54.37	-21.20	-33.17
7115MHz	Pass	18G	40G	PK	39.62531G	5.20	-48.69	-48.69	-43.49	-21.20	-22.29

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	11.90803G	-62.79	-62.79
7.5G	18G	1M	PK	15.72773G	-56.82	-56.82
7.5G	18G	1M	PK	17.86252G	-57.63	-57.63
18G	40G	1M	PK	39.5875G	-48.52	-48.52

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	11.92214G	-71.02	-71.02
7.5G	18G	1M	AV	15.74841G	-64.56	-64.56
7.5G	18G	1M	AV	17.86514G	-65.65	-65.65
18G	40G	1M	AV	39.86456G	-57.19	-57.19



5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6175MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.34838G	-64.02	-64.02
7.5G	18G	1M	PK	15.73364G	-55.81	-55.81
18G	40G	1M	PK	18.51838G	-56.88	-56.88
18G	40G	1M	PK	38.8285G	-49.13	-49.13

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6175MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.34444G	-71.34	-71.34
7.5G	18G	1M	AV	15.7507G	-64.29	-64.29
18G	40G	1M	AV	18.52869G	-65.68	-65.68
18G	40G	1M	AV	39.89894G	-57.18	-57.18



5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.82448G	-62.02	-62.02
7.5G	18G	1M	PK	15.75202G	-55.38	-55.38
18G	40G	1M	PK	19.23956G	-57.77	-57.77
18G	40G	1M	PK	39.58819G	-49.55	-49.55

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.82613G	-69.48	-69.48
7.5G	18G	1M	AV	15.73627G	-64.38	-64.38
18G	40G	1M	AV	19.23613G	-65.50	-65.50
18G	40G	1M	AV	39.9615G	-57.19	-57.19



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.86222G	-61.60	-61.60
7.5G	18G	1M	PK	16.04831G	-56.43	-56.43
18G	40G	1M	PK	19.31038G	-57.95	-57.95
18G	40G	1M	PK	39.89894G	-48.86	-48.86

6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.87698G	-69.69	-69.69
7.5G	18G	1M	AV	15.74447G	-64.84	-64.84
18G	40G	1M	AV	19.29181G	-65.40	-65.40
18G	40G	1M	AV	39.85081G	-57.35	-57.35



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.94523G	-61.60	-61.60
7.5G	18G	1M	PK	15.94627G	-55.39	-55.39
18G	40G	1M	PK	19.42725G	-55.23	-55.23
18G	40G	1M	PK	38.75219G	-48.11	-48.11

6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.96591G	-70.27	-70.27
7.5G	18G	1M	AV	16.06702G	-64.28	-64.28
18G	40G	1M	AV	19.41763G	-64.53	-64.53
18G	40G	1M	AV	39.97938G	-57.25	-57.25



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6515MHz



6.425-6.525GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6515MHz






6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6535MHz



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz






6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.42069G	-62.09	-62.09
7.5G	18G	1M	PK	15.72773G	-55.67	-55.67
18G	40G	1M	PK	20.15875G	-58.76	-58.76
18G	40G	1M	PK	38.77763G	-49.01	-49.01

6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.42889G	-70.42	-70.42
7.5G	18G	1M	AV	15.73988G	-64.36	-64.36
18G	40G	1M	AV	20.134G	-66.48	-66.48
18G	40G	1M	AV	39.80956G	-57.20	-57.20



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.70058G	-61.97	-61.97
7.5G	18G	1M	PK	15.7635G	-55.86	-55.86
18G	40G	1M	PK	20.55819G	-60.10	-60.10
18G	40G	1M	PK	39.94844G	-49.02	-49.02

6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.70353G	-69.49	-69.49
7.5G	18G	1M	AV	15.73561G	-64.64	-64.64
18G	40G	1M	AV	20.55681G	-68.01	-68.01
18G	40G	1M	AV	39.85219G	-57.23	-57.23



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6875MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.80427G	-60.75	-60.75
7.5G	18G	1M	PK	15.67425G	-56.12	-56.12
18G	40G	1M	PK	20.67163G	-60.73	-60.73
18G	40G	1M	PK	39.90238G	-48.64	-48.64

6.875-7.125GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.79803G	-69.71	-69.71
7.5G	18G	1M	AV	15.74086G	-64.48	-64.48
18G	40G	1M	AV	20.67025G	-67.61	-67.61
18G	40G	1M	AV	39.98556G	-56.93	-56.93



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.02345G	-61.25	-61.25
7.5G	18G	1M	PK	15.75661G	-55.59	-55.59
18G	40G	1M	PK	21.05113G	-60.54	-60.54
18G	40G	1M	PK	39.72569G	-48.84	-48.84

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.01952G	-68.79	-68.79
7.5G	18G	1M	AV	15.76088G	-64.39	-64.39
18G	40G	1M	AV	21.03463G	-68.16	-68.16
18G	40G	1M	AV	39.86113G	-57.03	-57.03



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.20392G	-61.01	-61.01
7.5G	18G	1M	PK	15.72445G	-56.06	-56.06
18G	40G	1M	PK	21.28075G	-58.50	-58.50
18G	40G	1M	PK	39.86869G	-48.03	-48.03

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.17734G	-69.09	-69.09
7.5G	18G	1M	AV	15.75497G	-64.41	-64.41
18G	40G	1M	AV	21.27319G	-66.67	-66.67
18G	40G	1M	AV	39.5655G	-57.26	-57.26



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.23247G	-61.02	-61.02
7.5G	18G	1M	PK	15.74644G	-56.34	-56.34
18G	40G	1M	PK	21.35225G	-60.46	-60.46
18G	40G	1M	PK	39.98625G	-49.23	-49.23

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.21344G	-68.97	-68.97
7.5G	18G	1M	AV	15.75923G	-64.52	-64.52
18G	40G	1M	AV	21.34675G	-66.77	-66.77
18G	40G	1M	AV	39.87213G	-56.49	-56.49



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	11.91328G	-62.40	-62.40
7.5G	18G	1M	PK	15.75923G	-55.91	-55.91
7.5G	18G	1M	PK	17.85366G	-57.43	-57.43
18G	40G	1M	PK	39.83844G	-48.33	-48.33

5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	11.90377G	-70.36	-70.36
7.5G	18G	1M	AV	15.74972G	-64.42	-64.42
7.5G	18G	1M	AV	17.84841G	-65.93	-65.93
18G	40G	1M	AV	39.846G	-56.72	-56.72



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6175MHz



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6175MHz






5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.83334G	-60.52	-60.52
7.5G	18G	1M	PK	15.76875G	-54.95	-54.95
18G	40G	1M	PK	19.232G	-57.82	-57.82
18G	40G	1M	PK	39.85631G	-47.98	-47.98

5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.82448G	-69.50	-69.50
7.5G	18G	1M	AV	15.7343G	-64.15	-64.15
18G	40G	1M	AV	19.24919G	-65.56	-65.56
18G	40G	1M	AV	39.86044G	-57.03	-57.03



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.85434G	-60.48	-60.48
7.5G	18G	1M	PK	15.74348G	-55.74	-55.74
18G	40G	1M	PK	19.2925G	-58.68	-58.68
18G	40G	1M	PK	39.85219G	-48.37	-48.37

6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.88059G	-69.53	-69.53
7.5G	18G	1M	AV	15.74119G	-64.35	-64.35
18G	40G	1M	AV	19.30969G	-65.81	-65.81
18G	40G	1M	AV	39.61981G	-57.18	-57.18



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.96722G	-60.88	-60.88
7.5G	18G	1M	PK	15.73889G	-55.92	-55.92
18G	40G	1M	PK	19.41556G	-57.20	-57.20
18G	40G	1M	PK	39.64044G	-48.00	-48.00

6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.93834G	-70.11	-70.11
7.5G	18G	1M	AV	15.74841G	-64.06	-64.06
18G	40G	1M	AV	19.42794G	-64.22	-64.22
18G	40G	1M	AV	39.88588G	-56.96	-56.96



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6515MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.02563G	-62.17	-62.17
7.5G	18G	1M	PK	15.71166G	-55.12	-55.12
18G	40G	1M	PK	19.53244G	-56.08	-56.08
18G	40G	1M	PK	38.83056G	-48.13	-48.13

6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6515MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.01775G	-69.86	-69.86
7.5G	18G	1M	AV	15.75628G	-64.28	-64.28
18G	40G	1M	AV	19.53588G	-65.22	-65.22
18G	40G	1M	AV	39.912G	-57.12	-57.12



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.06795G	-62.66	-62.66
7.5G	18G	1M	PK	15.74578G	-55.06	-55.06
18G	40G	1M	PK	19.6225G	-58.20	-58.20
18G	40G	1M	PK	38.73363G	-48.45	-48.45

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.07288G	-69.77	-69.77
7.5G	18G	1M	AV	15.73922G	-64.00	-64.00
18G	40G	1M	AV	19.58675G	-65.86	-65.86
18G	40G	1M	AV	39.85425G	-56.73	-56.73



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6715MHz



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6715MHz






6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.70353G	-62.05	-62.05
7.5G	18G	1M	PK	15.74709G	-55.81	-55.81
18G	40G	1M	PK	20.55131G	-58.82	-58.82
18G	40G	1M	PK	39.85219G	-48.09	-48.09

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6855MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.70189G	-69.32	-69.32
7.5G	18G	1M	AV	15.72183G	-64.35	-64.35
18G	40G	1M	AV	20.54719G	-67.73	-67.73
18G	40G	1M	AV	39.61706G	-56.91	-56.91



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6875MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.77408G	-61.81	-61.81
7.5G	18G	1M	PK	15.75169G	-54.91	-54.91
18G	40G	1M	PK	20.673G	-60.13	-60.13
18G	40G	1M	PK	39.901G	-48.63	-48.63

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.78064G	-69.74	-69.74
7.5G	18G	1M	AV	15.75431G	-64.16	-64.16
18G	40G	1M	AV	20.70256G	-68.38	-68.38
18G	40G	1M	AV	39.83156G	-57.06	-57.06



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.01427G	-60.87	-60.87
7.5G	18G	1M	PK	17.99048G	-56.38	-56.38
18G	40G	1M	PK	21.03256G	-59.87	-59.87
18G	40G	1M	PK	39.88313G	-47.52	-47.52

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.04642G	-69.40	-69.40
7.5G	18G	1M	AV	15.74152G	-64.48	-64.48
18G	40G	1M	AV	21.03119G	-68.35	-68.35
18G	40G	1M	AV	39.85219G	-57.23	-57.23



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.18227G	-61.08	-61.08
7.5G	18G	1M	PK	15.72511G	-55.37	-55.37
18G	40G	1M	PK	21.29863G	-59.80	-59.80
18G	40G	1M	PK	39.97113G	-48.70	-48.70

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.20786G	-69.17	-69.17
7.5G	18G	1M	AV	15.73003G	-64.43	-64.43
18G	40G	1M	AV	21.29381G	-67.15	-67.15
18G	40G	1M	AV	39.83569G	-57.17	-57.17



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.22066G	-60.90	-60.90
7.5G	18G	1M	PK	15.75136G	-55.30	-55.30
18G	40G	1M	PK	21.34538G	-60.03	-60.03
18G	40G	1M	PK	39.59506G	-49.08	-49.08

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.23247G	-68.60	-68.60
7.5G	18G	1M	AV	15.74381G	-64.45	-64.45
18G	40G	1M	AV	21.36256G	-67.49	-67.49
18G	40G	1M	AV	39.5993G	-57.22	-57.22



5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	11.90409G	-61.79	-61.79
7.5G	18G	1M	PK	15.72544G	-56.73	-56.73
7.5G	18G	1M	PK	17.85792G	-57.53	-57.53
18G	40G	1M	PK	39.92163G	-49.03	-49.03

5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

5955MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	11.90147G	-69.83	-69.83
7.5G	18G	1M	AV	15.75169G	-64.54	-64.54
7.5G	18G	1M	AV	17.87531G	-65.79	-65.79
18G	40G	1M	AV	39.99931G	-57.30	-57.30



5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6175MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.34542G	-63.11	-63.11
7.5G	18G	1M	PK	15.732G	-55.11	-55.11
18G	40G	1M	PK	18.53763G	-57.29	-57.29
18G	40G	1M	PK	39.58475G	-48.60	-48.60

5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6175MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.33689G	-71.01	-71.01
7.5G	18G	1M	AV	15.73791G	-64.25	-64.25
18G	40G	1M	AV	18.51494G	-65.34	-65.34
18G	40G	1M	AV	39.82331G	-56.74	-56.74



5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.81431G	-61.19	-61.19
7.5G	18G	1M	PK	15.75005G	-56.52	-56.52
18G	40G	1M	PK	19.23338G	-58.03	-58.03
18G	40G	1M	PK	39.219G	-48.51	-48.51

5.925-6.425GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6415MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.81694G	-69.70	-69.70
7.5G	18G	1M	AV	15.74742G	-63.94	-63.94
18G	40G	1M	AV	19.23613G	-65.36	-65.36
18G	40G	1M	AV	39.89275G	-57.01	-57.01



6.425-6.525GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.85566G	-61.57	-61.57
7.5G	18G	1M	PK	15.70969G	-56.34	-56.34
18G	40G	1M	PK	19.30831G	-58.30	-58.30
18G	40G	1M	PK	39.69888G	-47.67	-47.67

6.425-6.525GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6435MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.87764G	-69.70	-69.70
7.5G	18G	1M	AV	15.73856G	-64.49	-64.49
18G	40G	1M	AV	19.3035G	-65.65	-65.65
18G	40G	1M	AV	39.85081G	-57.09	-57.09



6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	12.94228G	-60.62	-60.62
7.5G	18G	1M	PK	15.73233G	-55.81	-55.81
18G	40G	1M	PK	19.40731G	-57.01	-57.01
18G	40G	1M	PK	39.55106G	-47.65	-47.65

6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6475MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	12.93703G	-70.45	-70.45
7.5G	18G	1M	AV	15.7343G	-64.27	-64.27
18G	40G	1M	AV	19.42106G	-64.43	-64.43
18G	40G	1M	AV	39.98969G	-56.88	-56.88



6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6515MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.03908G	-61.60	-61.60
7.5G	18G	1M	PK	17.7293G	-56.36	-56.36
18G	40G	1M	PK	19.53588G	-56.67	-56.67
18G	40G	1M	PK	39.846G	-48.98	-48.98

6.425-6.525GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6515MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.02727G	-70.40	-70.40
7.5G	18G	1M	AV	15.74644G	-64.57	-64.57
18G	40G	1M	AV	19.53313G	-64.94	-64.94
18G	40G	1M	AV	39.59988G	-56.98	-56.98



6.525-6.875GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.07648G	-62.10	-62.10
7.5G	18G	1M	PK	15.74152G	-55.40	-55.40
18G	40G	1M	PK	19.60119G	-58.14	-58.14
18G	40G	1M	PK	39.83156G	-47.65	-47.65

6.525-6.875GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6535MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.07813G	-70.46	-70.46
7.5G	18G	1M	AV	15.73889G	-64.75	-64.75
18G	40G	1M	AV	19.58744G	-65.73	-65.73
18G	40G	1M	AV	39.90169G	-57.20	-57.20



6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.42036G	-61.41	-61.41
7.5G	18G	1M	PK	15.74939G	-54.51	-54.51
18G	40G	1M	PK	20.16013G	-58.77	-58.77
18G	40G	1M	PK	39.62531G	-48.84	-48.84

6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6715MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.41544G	-70.13	-70.13
7.5G	18G	1M	AV	15.7297G	-64.07	-64.07
18G	40G	1M	AV	20.134G	-66.63	-66.63
18G	40G	1M	AV	39.85425G	-56.85	-56.85



6.525-6.875GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6855MHz



6.525-6.875GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6855MHz






6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]


6875MHz Straddle 6.525-6.875GHz



6.525-6.875GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6875MHz Straddle 6.525-6.875GHz






6.875-7.125GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psun(dBm)	P1(dBm)
7.5G	18G	1M	PK	13.78031G	-61.65	-61.65
7.5G	18G	1M	PK	15.76777G	-55.75	-55.75
18G	40G	1M	PK	20.66681G	-60.23	-60.23
18G	40G	1M	PK	39.99794G	-48.50	-48.50

6.875-7.125GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

6895MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psun(dBm)	P1(dBm)
7.5G	18G	1M	AV	13.77473G	-69.76	-69.76
7.5G	18G	1M	AV	15.7402G	-64.24	-64.24
18G	40G	1M	AV	20.66956G	-68.32	-68.32
18G	40G	1M	AV	39.99919G	-56.87	-56.87



6.875-7.125GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psun(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.04216G	-60.08	-60.08
7.5G	18G	1M	PK	15.70641G	-56.50	-56.50
18G	40G	1M	PK	21.04631G	-60.80	-60.80
18G	40G	1M	PK	39.94431G	-48.53	-48.53

6.875-7.125GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7015MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psun(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.04445G	-69.23	-69.23
7.5G	18G	1M	AV	15.76547G	-64.51	-64.51
18G	40G	1M	AV	21.06075G	-68.30	-68.30
18G	40G	1M	AV	39.8295G	-56.95	-56.95



6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.20753G	-60.67	-60.67
7.5G	18G	1M	PK	15.73889G	-54.15	-54.15
18G	40G	1M	PK	21.29725G	-59.95	-59.95
18G	40G	1M	PK	39.65213G	-49.05	-49.05

6.875-7.125GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7095MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.17538G	-69.09	-69.09
7.5G	18G	1M	AV	15.74053G	-64.48	-64.48
18G	40G	1M	AV	21.28694G	-67.30	-67.30
18G	40G	1M	AV	39.59919G	-57.12	-57.12



6.875-7.125GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [PK]

7115MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	PK	14.21278G	-61.55	-61.55
7.5G	18G	1M	PK	17.75686G	-56.51	-56.51
18G	40G	1M	PK	21.33438G	-59.57	-59.57
18G	40G	1M	PK	39.62531G	-48.69	-48.69

6.875-7.125GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

CSE [AV]

7115MHz



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	Psum(dBm)	P1(dBm)
7.5G	18G	1M	AV	14.24428G	-68.73	-68.73
7.5G	18G	1M	AV	15.74152G	-64.23	-64.23
18G	40G	1M	AV	21.32956G	-67.38	-67.38
18G	40G	1M	AV	39.88038G	-57.44	-57.44



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	350.1M	42.51	46.00	-3.49	Vertical



Unwanted Emissions into Restricted Frequency Bands Below 1GHz

Appendix D.5

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	39.42M	23.12	40.00	-16.88	-9.08	3	Horizontal	-	-	-	32.20	18.44	0.59	28.11		
PK	131.24M	25.16	43.50	-18.34	-9.92	3	Horizontal	-	-	-	35.08	17.20	1.13	28.25		
PK	250.19M	27.48	46.00	-18.52	-9.77	3	Horizontal	-	-	-	37.25	16.91	1.57	28.25		
PK	324.88M	25.66	46.00	-20.34	-7.22	3	Horizontal	-	-	-	32.88	19.20	1.80	28.22		
PK	350.11M	36.72	46.00	-9.28	-6.88	3	Horizontal	-	-	-	43.60	19.50	1.82	28.20		
PK	450.01M	34.20	46.00	-11.80	-4.11	3	Horizontal	-	-	-	38.31	22.10	1.98	28.19		



Unwanted Emissions into Restricted Frequency Bands Below 1GHz

Appendix D.5

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	38.67M	32.28	40.00	-7.72	-9.16	3	Vertical	-	-	-	41.44	18.37	0.58	28.11		
PK	250.19M	27.11	46.00	-18.89	-9.77	3	Vertical	-	-	-	36.88	16.91	1.57	28.25		
QP	350.1M	42.51	46.00	-3.49	-6.88	3	Vertical	112	1.27	-	49.39	19.50	1.82	28.20		
QP	450.01M	42.26	46.00	-3.74	-4.11	3	Vertical	214	1.00	-	46.37	22.10	1.98	28.19		
PK	750.13M	37.16	46.00	-8.84	1.83	3	Vertical	-	-	-	35.33	27.00	2.75	27.92		
PK	849.65M	37.61	46.00	-8.39	3.12	3	Vertical	-	-	-	34.49	27.99	2.89	27.76		

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	17.865G	42.83	54.00	-11.17	3	Vertical	217	1.00	-
802.11ax HEW20_RU52_Index38_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	17.865G	42.79	54.00	-11.21	3	Horizontal	208	1.00	-
802.11ax HEW20_RU106_Index53_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	17.865G	42.86	54.00	-11.14	3	Horizontal	218	1.00	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	19.425G	41.51	54.00	-12.49	3	Horizontal	171	1.00	-
802.11ax HEW20_RU52_Index38_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	19.305G	41.42	54.00	-12.58	3	Vertical	186	1.00	-
802.11ax HEW20_RU106_Index53_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	19.425G	41.52	54.00	-12.48	3	Vertical	108	1.00	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	20.625G	41.74	54.00	-12.26	3	Horizontal	205	1.00	-
802.11ax HEW20_RU52_Index38_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	20.625G	41.69	54.00	-12.31	3	Horizontal	221	1.00	-
802.11ax HEW20_RU106_Index53_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	20.625G	41.74	54.00	-12.26	3	Horizontal	209	1.00	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_RU26_Index3_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	21.345G	42.26	54.00	-11.74	3	Horizontal	248	1.00	-
802.11ax HEW20_RU52_Index38_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	21.285G	42.32	54.00	-11.68	3	Horizontal	248	1.00	-
802.11ax HEW20_RU106_Index53_ 20MHz_Nss1,(MCS0)_1TX	Pass	AV	21.285G	42.14	54.00	-11.86	3	Horizontal	255	1.00	-




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

5955MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)				
AV	4G	33.25	54.00	-20.75	35.52	3	Horizontal	183	1.86	-	29.70	6.02	37.99				
PK	4G	44.36	74.00	-29.64	46.63	3	Horizontal	183	1.86	-	29.70	6.02	37.99				
AV	11.91G	42.57	54.00	-11.43	36.24	3	Horizontal	108	1.00	-	39.00	10.22	42.89				
PK	11.91G	55.54	74.00	-18.46	49.21	3	Horizontal	108	1.00	-	39.00	10.22	42.89				
AV	17.865G	42.72	54.00	-11.28	32.35	3	Horizontal	218	1.00	-	45.37	12.71	47.71				
PK	17.865G	54.01	74.00	-19.99	43.64	3	Horizontal	218	1.00	-	45.37	12.71	47.71				




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

5955MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.43	54.00	-22.57	33.70	3	Vertical	188	1.79	-	29.70	6.02	37.99			
PK	4G	43.92	74.00	-30.08	46.19	3	Vertical	188	1.79	-	29.70	6.02	37.99			
AV	11.91G	42.56	54.00	-11.44	36.23	3	Vertical	138	1.00	-	39.00	10.22	42.89			
PK	11.91G	55.67	74.00	-18.33	49.34	3	Vertical	138	1.00	-	39.00	10.22	42.89			
AV	17.865G	42.83	54.00	-11.17	32.46	3	Vertical	217	1.00	-	45.37	12.71	47.71			
PK	17.865G	54.00	74.00	-20.00	43.63	3	Vertical	217	1.00	-	45.37	12.71	47.71			



5.925-6.425GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.27	54.00	-20.73	35.54	3	Horizontal	187	1.89	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	187	1.89	-	29.70	6.02	37.99			
AV	12.35G	42.62	54.00	-11.38	35.82	3	Horizontal	248	1.00	-	39.00	10.31	42.51			
PK	12.35G	55.55	74.00	-18.45	48.75	3	Horizontal	248	1.00	-	39.00	10.31	42.51			
AV	18.525G	41.70	54.00	-12.30	39.99	3	Horizontal	155	1.00	-	38.20	12.99	49.48			
PK	18.525G	55.33	74.00	-18.67	53.62	3	Horizontal	155	1.00	-	38.20	12.99	49.48			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.47	54.00	-22.53	33.74	3	Vertical	181	1.72	-	29.70	6.02	37.99			
PK	4G	43.51	74.00	-30.49	45.78	3	Vertical	181	1.72	-	29.70	6.02	37.99			
AV	12.35G	42.59	54.00	-11.41	35.79	3	Vertical	155	1.00	-	39.00	10.31	42.51			
PK	12.35G	56.49	74.00	-17.51	49.69	3	Vertical	155	1.00	-	39.00	10.31	42.51			
AV	18.525G	41.67	54.00	-12.33	39.96	3	Vertical	126	1.00	-	38.20	12.99	49.48			
PK	18.525G	55.28	74.00	-18.72	53.57	3	Vertical	126	1.00	-	38.20	12.99	49.48			



5.925-6.425GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.37	54.00	-20.63	35.64	3	Horizontal	188	1.87	-	29.70	6.02	37.99			
PK	4G	44.47	74.00	-29.53	46.74	3	Horizontal	188	1.87	-	29.70	6.02	37.99			
AV	12.83G	42.92	68.20	-25.28	36.09	3	Horizontal	192	1.00	-	39.66	10.45	43.28			
PK	12.83G	55.96	88.20	-32.24	49.13	3	Horizontal	192	1.00	-	39.66	10.45	43.28			
AV	19.245G	41.28	54.00	-12.72	39.36	3	Horizontal	172	1.00	-	38.00	13.30	49.38			
PK	19.245G	54.41	74.00	-19.59	52.49	3	Horizontal	172	1.00	-	38.00	13.30	49.38			



5.925-6.425GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.50	54.00	-22.50	33.77	3	Vertical	185	1.76	-	29.70	6.02	37.99			
PK	4G	43.59	74.00	-30.41	45.86	3	Vertical	185	1.76	-	29.70	6.02	37.99			
AV	12.83G	42.89	68.20	-25.31	36.06	3	Vertical	221	1.00	-	39.66	10.45	43.28			
PK	12.83G	56.83	88.20	-31.37	50.00	3	Vertical	221	1.00	-	39.66	10.45	43.28			
AV	19.245G	41.23	54.00	-12.77	39.31	3	Vertical	168	1.00	-	38.00	13.30	49.38			
PK	19.245G	54.38	74.00	-19.62	52.46	3	Vertical	168	1.00	-	38.00	13.30	49.38			



6.425-6.525GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.27	54.00	-20.73	35.54	3	Horizontal	187	1.88	-	29.70	6.02	37.99			
PK	4G	44.46	74.00	-29.54	46.73	3	Horizontal	187	1.88	-	29.70	6.02	37.99			
AV	12.87G	42.66	68.20	-25.54	35.96	3	Horizontal	194	1.00	-	39.62	10.47	43.39			
PK	12.87G	55.88	88.20	-32.32	49.18	3	Horizontal	194	1.00	-	39.62	10.47	43.39			
AV	19.305G	41.39	54.00	-12.61	39.53	3	Horizontal	168	1.00	-	37.89	13.34	49.37			
PK	19.305G	54.92	74.00	-19.08	53.06	3	Horizontal	168	1.00	-	37.89	13.34	49.37			



6.425-6.525GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.29	54.00	-22.71	33.56	3	Vertical	186	1.84	-	29.70	6.02	37.99			
PK	4G	43.49	74.00	-30.51	45.76	3	Vertical	186	1.84	-	29.70	6.02	37.99			
AV	12.87G	42.93	68.20	-25.27	36.23	3	Vertical	211	1.00	-	39.62	10.47	43.39			
PK	12.87G	56.94	88.20	-31.26	50.24	3	Vertical	211	1.00	-	39.62	10.47	43.39			
AV	19.305G	41.29	54.00	-12.71	39.43	3	Vertical	183	1.00	-	37.89	13.34	49.37			
PK	19.305G	55.02	74.00	-18.98	53.16	3	Vertical	183	1.00	-	37.89	13.34	49.37			



6.425-6.525GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.27	54.00	-20.73	35.54	3	Horizontal	186	1.88	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	186	1.88	-	29.70	6.02	37.99			
AV	12.95G	43.37	68.20	-24.83	36.80	3	Horizontal	209	1.00	-	39.70	10.49	43.62			
PK	12.95G	57.32	88.20	-30.88	50.75	3	Horizontal	209	1.00	-	39.70	10.49	43.62			
AV	19.425G	41.51	54.00	-12.49	39.69	3	Horizontal	171	1.00	-	37.75	13.41	49.34			
PK	19.425G	54.97	74.00	-19.03	53.15	3	Horizontal	171	1.00	-	37.75	13.41	49.34			



6.425-6.525GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.46	54.00	-22.54	33.73	3	Vertical	189	1.77	-	29.70	6.02	37.99			
PK	4G	44.53	74.00	-29.47	46.80	3	Vertical	189	1.77	-	29.70	6.02	37.99			
AV	12.95G	43.28	68.20	-24.92	36.71	3	Vertical	221	1.00	-	39.70	10.49	43.62			
PK	12.95G	57.40	88.20	-30.80	50.83	3	Vertical	221	1.00	-	39.70	10.49	43.62			
AV	19.425G	41.41	54.00	-12.59	39.59	3	Vertical	106	1.00	-	37.75	13.41	49.34			
PK	19.425G	54.92	74.00	-19.08	53.10	3	Vertical	106	1.00	-	37.75	13.41	49.34			



6.425-6.525GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.29	54.00	-20.71	35.56	3	Horizontal	189	1.87	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	189	1.87	-	29.70	6.02	37.99			
AV	13.03G	42.57	68.20	-25.63	36.17	3	Horizontal	251	1.00	-	39.68	10.52	43.80			
PK	13.03G	54.82	88.20	-33.38	48.42	3	Horizontal	251	1.00	-	39.68	10.52	43.80			
AV	19.545G	41.42	54.00	-12.58	39.47	3	Horizontal	106	1.00	-	37.80	13.46	49.31			
PK	19.545G	55.03	74.00	-18.97	53.08	3	Horizontal	106	1.00	-	37.80	13.46	49.31			



6.425-6.525GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.56	54.00	-22.44	33.83	3	Vertical	185	1.86	-	29.70	6.02	37.99			
PK	4G	43.79	74.00	-30.21	46.06	3	Vertical	185	1.86	-	29.70	6.02	37.99			
AV	13.03G	42.58	68.20	-25.62	36.18	3	Vertical	208	1.00	-	39.68	10.52	43.80			
PK	13.03G	54.82	88.20	-33.38	48.42	3	Vertical	208	1.00	-	39.68	10.52	43.80			
AV	19.545G	41.32	54.00	-12.68	39.37	3	Vertical	120	1.00	-	37.80	13.46	49.31			
PK	19.545G	55.08	74.00	-18.92	53.13	3	Vertical	120	1.00	-	37.80	13.46	49.31			



6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.24	54.00	-20.76	35.51	3	Horizontal	186	1.89	-	29.70	6.02	37.99			
PK	4G	44.56	74.00	-29.44	46.83	3	Horizontal	186	1.89	-	29.70	6.02	37.99			
AV	13.07G	42.57	68.20	-25.63	36.38	3	Horizontal	126	1.00	-	39.52	10.53	43.86			
PK	13.07G	56.13	88.20	-32.07	49.94	3	Horizontal	126	1.00	-	39.52	10.53	43.86			
AV	19.605G	41.43	54.00	-12.57	39.45	3	Horizontal	210	1.00	-	37.80	13.46	49.28			
PK	19.605G	55.24	74.00	-18.76	53.26	3	Horizontal	210	1.00	-	37.80	13.46	49.28			



6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.32	54.00	-22.68	33.59	3	Vertical	188	1.76	-	29.70	6.02	37.99			
PK	4G	43.47	74.00	-30.53	45.74	3	Vertical	188	1.76	-	29.70	6.02	37.99			
AV	13.07G	42.69	68.20	-25.51	36.50	3	Vertical	185	1.00	-	39.52	10.53	43.86			
PK	13.07G	56.01	88.20	-32.19	49.82	3	Vertical	185	1.00	-	39.52	10.53	43.86			
AV	19.605G	41.43	54.00	-12.57	39.45	3	Vertical	216	1.00	-	37.80	13.46	49.28			
PK	19.605G	55.22	74.00	-18.78	53.24	3	Vertical	216	1.00	-	37.80	13.46	49.28			



6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6715MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.47	54.00	-20.53	35.74	3	Horizontal	187	1.99	-	29.70	6.02	37.99			
PK	4G	44.55	74.00	-29.45	46.82	3	Horizontal	187	1.99	-	29.70	6.02	37.99			
AV	13.43G	43.56	68.20	-24.64	37.24	3	Horizontal	215	1.00	-	40.12	10.61	44.41			
PK	13.43G	57.54	88.20	-30.66	51.22	3	Horizontal	215	1.00	-	40.12	10.61	44.41			
AV	20.145G	41.24	54.00	-12.76	38.69	3	Horizontal	187	1.00	-	37.90	13.59	48.94			
PK	20.145G	54.44	74.00	-19.56	51.89	3	Horizontal	187	1.00	-	37.90	13.59	48.94			



6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6715MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.29	54.00	-22.71	33.56	3	Vertical	188	1.81	-	29.70	6.02	37.99			
PK	4G	43.57	74.00	-30.43	45.84	3	Vertical	188	1.81	-	29.70	6.02	37.99			
AV	13.43G	43.52	68.20	-24.68	37.20	3	Vertical	214	1.00	-	40.12	10.61	44.41			
PK	13.43G	57.13	88.20	-31.07	50.81	3	Vertical	214	1.00	-	40.12	10.61	44.41			
AV	20.145G	41.14	54.00	-12.86	38.59	3	Vertical	108	1.00	-	37.90	13.59	48.94			
PK	20.145G	54.57	74.00	-19.43	52.02	3	Vertical	108	1.00	-	37.90	13.59	48.94			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6855MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.32	54.00	-20.68	35.59	3	Horizontal	185	1.89	-	29.70	6.02	37.99			
PK	4G	44.40	74.00	-29.60	46.67	3	Horizontal	185	1.89	-	29.70	6.02	37.99			
AV	13.71G	43.95	68.20	-24.25	37.58	3	Horizontal	161	1.00	-	40.40	10.68	44.71			
PK	13.71G	58.24	88.20	-29.96	51.87	3	Horizontal	161	1.00	-	40.40	10.68	44.71			
AV	20.565G	41.41	54.00	-12.59	38.23	3	Horizontal	215	1.00	-	37.90	13.80	48.52			
PK	20.565G	53.89	74.00	-20.11	50.71	3	Horizontal	215	1.00	-	37.90	13.80	48.52			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6855MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.49	54.00	-22.51	33.76	3	Vertical	185	1.81	-	29.70	6.02	37.99			
PK	4G	43.79	74.00	-30.21	46.06	3	Vertical	185	1.81	-	29.70	6.02	37.99			
AV	13.71G	43.91	68.20	-24.29	37.54	3	Vertical	206	1.00	-	40.40	10.68	44.71			
PK	13.71G	57.51	88.20	-30.69	51.14	3	Vertical	206	1.00	-	40.40	10.68	44.71			
AV	20.565G	41.53	54.00	-12.47	38.35	3	Vertical	191	1.00	-	37.90	13.80	48.52			
PK	20.565G	54.34	74.00	-19.66	51.16	3	Vertical	191	1.00	-	37.90	13.80	48.52			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.30	54.00	-20.70	35.57	3	Horizontal	188	1.89	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	188	1.89	-	29.70	6.02	37.99			
AV	13.75G	44.27	68.20	-23.93	37.91	3	Horizontal	186	1.00	-	40.40	10.70	44.74			
PK	13.75G	57.53	88.20	-30.67	51.17	3	Horizontal	186	1.00	-	40.40	10.70	44.74			
AV	20.625G	41.74	54.00	-12.26	38.49	3	Horizontal	205	1.00	-	37.90	13.82	48.47			
PK	20.625G	54.68	74.00	-19.32	51.43	3	Horizontal	205	1.00	-	37.90	13.82	48.47			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.49	54.00	-22.51	33.76	3	Vertical	185	1.86	-	29.70	6.02	37.99			
PK	4G	43.80	74.00	-30.20	46.07	3	Vertical	185	1.86	-	29.70	6.02	37.99			
AV	13.75G	44.21	68.20	-23.99	37.85	3	Vertical	205	1.00	-	40.40	10.70	44.74			
PK	13.75G	58.04	88.20	-30.16	51.68	3	Vertical	205	1.00	-	40.40	10.70	44.74			
AV	20.625G	41.65	54.00	-12.35	38.40	3	Vertical	121	1.00	-	37.90	13.82	48.47			
PK	20.625G	54.73	74.00	-19.27	51.48	3	Vertical	121	1.00	-	37.90	13.82	48.47			



6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.27	54.00	-20.73	35.54	3	Horizontal	187	1.87	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	187	1.87	-	29.70	6.02	37.99			
AV	13.79G	44.80	68.20	-23.40	38.23	3	Horizontal	218	1.00	-	40.64	10.71	44.78			
PK	13.79G	57.91	88.20	-30.29	51.34	3	Horizontal	218	1.00	-	40.64	10.71	44.78			
AV	20.685G	41.80	54.00	-12.20	38.47	3	Horizontal	123	1.00	-	37.90	13.85	48.42			
PK	20.685G	54.77	74.00	-19.23	51.44	3	Horizontal	123	1.00	-	37.90	13.85	48.42			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

6895MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.39	54.00	-22.61	33.66	3	Vertical	191	1.74	-	29.70	6.02	37.99			
PK	4G	43.60	74.00	-30.40	45.87	3	Vertical	191	1.74	-	29.70	6.02	37.99			
AV	13.79G	44.66	68.20	-23.54	38.09	3	Vertical	247	1.00	-	40.64	10.71	44.78			
PK	13.79G	57.90	88.20	-30.30	51.33	3	Vertical	247	1.00	-	40.64	10.71	44.78			
AV	20.685G	41.76	54.00	-12.24	38.43	3	Vertical	156	1.00	-	37.90	13.85	48.42			
PK	20.685G	54.82	74.00	-19.18	51.49	3	Vertical	156	1.00	-	37.90	13.85	48.42			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

7015MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.56	54.00	-20.44	35.83	3	Horizontal	185	1.89	-	29.70	6.02	37.99			
PK	4G	44.89	74.00	-29.11	47.16	3	Horizontal	185	1.89	-	29.70	6.02	37.99			
AV	14.03G	45.40	68.20	-22.80	38.34	3	Horizontal	215	1.00	-	41.30	10.77	45.01			
PK	14.03G	58.31	88.20	-29.89	51.25	3	Horizontal	215	1.00	-	41.30	10.77	45.01			
AV	21.045G	42.01	54.00	-11.99	38.03	3	Horizontal	161	1.00	-	38.09	13.99	48.10			
PK	21.045G	54.40	74.00	-19.60	50.42	3	Horizontal	161	1.00	-	38.09	13.99	48.10			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.49	54.00	-22.51	33.76	3	Vertical	186	1.84	-	29.70	6.02	37.99			
PK	4G	43.64	74.00	-30.36	45.91	3	Vertical	186	1.84	-	29.70	6.02	37.99			
AV	14.03G	45.20	68.20	-23.00	38.14	3	Vertical	177	1.00	-	41.30	10.77	45.01			
PK	14.03G	58.32	88.20	-29.88	51.26	3	Vertical	177	1.00	-	41.30	10.77	45.01			
AV	21.045G	41.68	54.00	-12.32	37.70	3	Vertical	218	1.00	-	38.09	13.99	48.10			
PK	21.045G	54.50	74.00	-19.50	50.52	3	Vertical	218	1.00	-	38.09	13.99	48.10			



6.875-7.125GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.29	54.00	-20.71	35.56	3	Horizontal	188	1.92	-	29.70	6.02	37.99			
PK	4G	44.69	74.00	-29.31	46.96	3	Horizontal	188	1.92	-	29.70	6.02	37.99			
AV	14.19G	45.58	68.20	-22.62	38.36	3	Horizontal	151	1.00	-	41.54	10.83	45.15			
PK	14.19G	58.82	88.20	-29.38	51.60	3	Horizontal	151	1.00	-	41.54	10.83	45.15			
AV	21.285G	42.21	54.00	-11.79	37.97	3	Horizontal	248	1.00	-	38.10	14.01	47.87			
PK	21.285G	54.68	74.00	-19.32	50.44	3	Horizontal	248	1.00	-	38.10	14.01	47.87			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.50	54.00	-22.50	33.77	3	Vertical	189	1.90	-	29.70	6.02	37.99			
PK	4G	43.66	74.00	-30.34	45.93	3	Vertical	189	1.90	-	29.70	6.02	37.99			
AV	14.19G	45.56	68.20	-22.64	38.34	3	Vertical	206	1.00	-	41.54	10.83	45.15			
PK	14.19G	59.11	88.20	-29.09	51.89	3	Vertical	206	1.00	-	41.54	10.83	45.15			
AV	21.285G	42.18	54.00	-11.82	37.94	3	Vertical	176	1.00	-	38.10	14.01	47.87			
PK	21.285G	55.77	74.00	-18.23	51.53	3	Vertical	176	1.00	-	38.10	14.01	47.87			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.28	54.00	-20.72	35.55	3	Horizontal	186	1.88	-	29.70	6.02	37.99			
PK	4G	44.69	74.00	-29.31	46.96	3	Horizontal	186	1.88	-	29.70	6.02	37.99			
AV	14.23G	46.22	68.20	-21.98	38.78	3	Horizontal	151	1.00	-	41.78	10.84	45.18			
PK	14.23G	59.60	88.20	-28.60	52.16	3	Horizontal	151	1.00	-	41.78	10.84	45.18			
AV	21.345G	42.26	54.00	-11.74	37.96	3	Horizontal	248	1.00	-	38.10	14.02	47.82			
PK	21.345G	55.91	74.00	-18.09	51.61	3	Horizontal	248	1.00	-	38.10	14.02	47.82			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_1TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.49	54.00	-22.51	33.76	3	Vertical	186	1.89	-	29.70	6.02	37.99			
PK	4G	43.99	74.00	-30.01	46.26	3	Vertical	186	1.89	-	29.70	6.02	37.99			
AV	14.23G	46.04	68.20	-22.16	38.60	3	Vertical	208	1.00	-	41.78	10.84	45.18			
PK	14.23G	59.30	88.20	-28.90	51.86	3	Vertical	208	1.00	-	41.78	10.84	45.18			
AV	21.345G	42.16	54.00	-11.84	37.86	3	Vertical	151	1.00	-	38.10	14.02	47.82			
PK	21.345G	55.77	74.00	-18.23	51.47	3	Vertical	151	1.00	-	38.10	14.02	47.82			



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.31	54.00	-20.69	35.58	3	Horizontal	186	1.89	-	29.70	6.02	37.99			
PK	4G	44.46	74.00	-29.54	46.73	3	Horizontal	186	1.89	-	29.70	6.02	37.99			
AV	11.91G	42.57	54.00	-11.43	36.24	3	Horizontal	123	1.00	-	39.00	10.22	42.89			
PK	11.91G	55.60	74.00	-18.40	49.27	3	Horizontal	123	1.00	-	39.00	10.22	42.89			
AV	17.865G	42.79	54.00	-11.21	32.42	3	Horizontal	208	1.00	-	45.37	12.71	47.71			
PK	17.865G	54.03	74.00	-19.97	43.66	3	Horizontal	208	1.00	-	45.37	12.71	47.71			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

5955MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.29	54.00	-22.71	33.56	3	Vertical	188	1.87	-	29.70	6.02	37.99			
PK	4G	43.82	74.00	-30.18	46.09	3	Vertical	188	1.87	-	29.70	6.02	37.99			
AV	11.91G	42.70	54.00	-11.30	36.37	3	Vertical	131	1.00	-	39.00	10.22	42.89			
PK	11.91G	55.80	74.00	-18.20	49.47	3	Vertical	131	1.00	-	39.00	10.22	42.89			
AV	17.865G	42.75	54.00	-11.25	32.38	3	Vertical	217	1.00	-	45.37	12.71	47.71			
PK	17.865G	53.97	74.00	-20.03	43.60	3	Vertical	217	1.00	-	45.37	12.71	47.71			



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.26	54.00	-20.74	35.53	3	Horizontal	187	1.86	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	187	1.86	-	29.70	6.02	37.99			
AV	12.35G	42.60	54.00	-11.40	35.80	3	Horizontal	248	1.00	-	39.00	10.31	42.51			
PK	12.35G	55.45	74.00	-18.55	48.65	3	Horizontal	248	1.00	-	39.00	10.31	42.51			
AV	18.525G	41.65	54.00	-12.35	39.94	3	Horizontal	157	1.00	-	38.20	12.99	49.48			
PK	18.525G	55.36	74.00	-18.64	53.65	3	Horizontal	157	1.00	-	38.20	12.99	49.48			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.46	54.00	-22.54	33.73	3	Vertical	179	1.69	-	29.70	6.02	37.99			
PK	4G	43.54	74.00	-30.46	45.81	3	Vertical	179	1.69	-	29.70	6.02	37.99			
AV	12.35G	42.64	54.00	-11.36	35.84	3	Vertical	158	1.00	-	39.00	10.31	42.51			
PK	12.35G	56.65	74.00	-17.35	49.85	3	Vertical	158	1.00	-	39.00	10.31	42.51			
AV	18.525G	41.67	54.00	-12.33	39.96	3	Vertical	131	1.00	-	38.20	12.99	49.48			
PK	18.525G	55.38	74.00	-18.62	53.67	3	Vertical	131	1.00	-	38.20	12.99	49.48			



5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.56	54.00	-20.44	35.83	3	Horizontal	186	1.89	-	29.70	6.02	37.99			
PK	4G	44.46	74.00	-29.54	46.73	3	Horizontal	186	1.89	-	29.70	6.02	37.99			
AV	12.83G	42.97	68.20	-25.23	36.14	3	Horizontal	214	1.00	-	39.66	10.45	43.28			
PK	12.83G	56.01	88.20	-32.19	49.18	3	Horizontal	214	1.00	-	39.66	10.45	43.28			
AV	19.245G	41.41	54.00	-12.59	39.49	3	Horizontal	182	1.00	-	38.00	13.30	49.38			
PK	19.245G	54.42	74.00	-19.58	52.50	3	Horizontal	182	1.00	-	38.00	13.30	49.38			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6415MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.50	54.00	-22.50	33.77	3	Vertical	185	1.87	-	29.70	6.02	37.99			
PK	4G	43.59	74.00	-30.41	45.86	3	Vertical	185	1.87	-	29.70	6.02	37.99			
AV	12.83G	42.92	68.20	-25.28	36.09	3	Vertical	203	1.00	-	39.66	10.45	43.28			
PK	12.83G	56.83	88.20	-31.37	50.00	3	Vertical	203	1.00	-	39.66	10.45	43.28			
AV	19.245G	41.22	54.00	-12.78	39.30	3	Vertical	165	1.00	-	38.00	13.30	49.38			
PK	19.245G	54.47	74.00	-19.53	52.55	3	Vertical	165	1.00	-	38.00	13.30	49.38			



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.40	54.00	-20.60	35.67	3	Horizontal	187	1.89	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	187	1.89	-	29.70	6.02	37.99			
AV	12.87G	42.79	68.20	-25.41	36.09	3	Horizontal	210	1.00	-	39.62	10.47	43.39			
PK	12.87G	55.89	88.20	-32.31	49.19	3	Horizontal	210	1.00	-	39.62	10.47	43.39			
AV	19.305G	41.37	54.00	-12.63	39.51	3	Horizontal	131	1.00	-	37.89	13.34	49.37			
PK	19.305G	54.92	74.00	-19.08	53.06	3	Horizontal	131	1.00	-	37.89	13.34	49.37			



6.425-6.525GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.33	54.00	-22.67	33.60	3	Vertical	188	1.79	-	29.70	6.02	37.99			
PK	4G	43.57	74.00	-30.43	45.84	3	Vertical	188	1.79	-	29.70	6.02	37.99			
AV	12.87G	43.09	68.20	-25.11	36.39	3	Vertical	211	1.00	-	39.62	10.47	43.39			
PK	12.87G	56.98	88.20	-31.22	50.28	3	Vertical	211	1.00	-	39.62	10.47	43.39			
AV	19.305G	41.42	54.00	-12.58	39.56	3	Vertical	186	1.00	-	37.89	13.34	49.37			
PK	19.305G	55.02	74.00	-18.98	53.16	3	Vertical	186	1.00	-	37.89	13.34	49.37			



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.24	54.00	-20.76	35.51	3	Horizontal	187	1.94	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	187	1.94	-	29.70	6.02	37.99			
AV	12.95G	43.30	68.20	-24.90	36.73	3	Horizontal	221	1.00	-	39.70	10.49	43.62			
PK	12.95G	57.34	88.20	-30.86	50.77	3	Horizontal	221	1.00	-	39.70	10.49	43.62			
AV	19.425G	41.34	54.00	-12.66	39.52	3	Horizontal	172	1.00	-	37.75	13.41	49.34			
PK	19.425G	54.81	74.00	-19.19	52.99	3	Horizontal	172	1.00	-	37.75	13.41	49.34			



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.40	54.00	-22.60	33.67	3	Vertical	188	1.77	-	29.70	6.02	37.99			
PK	4G	44.59	74.00	-29.41	46.86	3	Vertical	188	1.77	-	29.70	6.02	37.99			
AV	12.95G	43.34	68.20	-24.86	36.77	3	Vertical	218	1.00	-	39.70	10.49	43.62			
PK	12.95G	57.43	88.20	-30.77	50.86	3	Vertical	218	1.00	-	39.70	10.49	43.62			
AV	19.425G	41.37	54.00	-12.63	39.55	3	Vertical	110	1.00	-	37.75	13.41	49.34			
PK	19.425G	54.92	74.00	-19.08	53.10	3	Vertical	110	1.00	-	37.75	13.41	49.34			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6515MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.28	54.00	-20.72	35.55	3	Horizontal	186	1.87	-	29.70	6.02	37.99			
PK	4G	44.39	74.00	-29.61	46.66	3	Horizontal	186	1.87	-	29.70	6.02	37.99			
AV	13.03G	42.53	68.20	-25.67	36.13	3	Horizontal	251	1.00	-	39.68	10.52	43.80			
PK	13.03G	54.92	88.20	-33.28	48.52	3	Horizontal	251	1.00	-	39.68	10.52	43.80			
AV	19.545G	41.41	54.00	-12.59	39.46	3	Horizontal	106	1.00	-	37.80	13.46	49.31			
PK	19.545G	55.04	74.00	-18.96	53.09	3	Horizontal	106	1.00	-	37.80	13.46	49.31			



6.425-6.525GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.70	54.00	-22.30	33.97	3	Vertical	187	1.72	-	29.70	6.02	37.99			
PK	4G	43.79	74.00	-30.21	46.06	3	Vertical	187	1.72	-	29.70	6.02	37.99			
AV	13.03G	42.45	68.20	-25.75	36.05	3	Vertical	208	1.00	-	39.68	10.52	43.80			
PK	13.03G	54.73	88.20	-33.47	48.33	3	Vertical	208	1.00	-	39.68	10.52	43.80			
AV	19.545G	41.30	54.00	-12.70	39.35	3	Vertical	121	1.00	-	37.80	13.46	49.31			
PK	19.545G	55.15	74.00	-18.85	53.20	3	Vertical	121	1.00	-	37.80	13.46	49.31			



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.39	54.00	-20.61	35.66	3	Horizontal	187	1.88	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	187	1.88	-	29.70	6.02	37.99			
AV	13.07G	42.57	68.20	-25.63	36.38	3	Horizontal	132	1.00	-	39.52	10.53	43.86			
PK	13.07G	56.01	88.20	-32.19	49.82	3	Horizontal	132	1.00	-	39.52	10.53	43.86			
AV	19.605G	41.42	54.00	-12.58	39.44	3	Horizontal	211	1.00	-	37.80	13.46	49.28			
PK	19.605G	55.21	74.00	-18.79	53.23	3	Horizontal	211	1.00	-	37.80	13.46	49.28			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.30	54.00	-22.70	33.57	3	Vertical	189	1.77	-	29.70	6.02	37.99			
PK	4G	43.49	74.00	-30.51	45.76	3	Vertical	189	1.77	-	29.70	6.02	37.99			
AV	13.07G	42.59	68.20	-25.61	36.40	3	Vertical	185	1.00	-	39.52	10.53	43.86			
PK	13.07G	55.88	88.20	-32.32	49.69	3	Vertical	185	1.00	-	39.52	10.53	43.86			
AV	19.605G	41.42	54.00	-12.58	39.44	3	Vertical	216	1.00	-	37.80	13.46	49.28			
PK	19.605G	55.24	74.00	-18.76	53.26	3	Vertical	216	1.00	-	37.80	13.46	49.28			



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6715MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.42	54.00	-20.58	35.69	3	Horizontal	188	1.96	-	29.70	6.02	37.99			
PK	4G	44.64	74.00	-29.36	46.91	3	Horizontal	188	1.96	-	29.70	6.02	37.99			
AV	13.43G	43.53	68.20	-24.67	37.21	3	Horizontal	211	1.00	-	40.12	10.61	44.41			
PK	13.43G	57.54	88.20	-30.66	51.22	3	Horizontal	211	1.00	-	40.12	10.61	44.41			
AV	20.145G	41.24	54.00	-12.76	38.69	3	Horizontal	185	1.00	-	37.90	13.59	48.94			
PK	20.145G	54.66	74.00	-19.34	52.11	3	Horizontal	185	1.00	-	37.90	13.59	48.94			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6715MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.28	54.00	-22.72	33.55	3	Vertical	191	1.89	-	29.70	6.02	37.99			
PK	4G	43.59	74.00	-30.41	45.86	3	Vertical	191	1.89	-	29.70	6.02	37.99			
AV	13.43G	43.46	68.20	-24.74	37.14	3	Vertical	218	1.00	-	40.12	10.61	44.41			
PK	13.43G	57.24	88.20	-30.96	50.92	3	Vertical	218	1.00	-	40.12	10.61	44.41			
AV	20.145G	41.23	54.00	-12.77	38.68	3	Vertical	107	1.00	-	37.90	13.59	48.94			
PK	20.145G	54.59	74.00	-19.41	52.04	3	Vertical	107	1.00	-	37.90	13.59	48.94			



6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6855MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.28	54.00	-20.72	35.55	3	Horizontal	184	1.92	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	184	1.92	-	29.70	6.02	37.99			
AV	13.71G	43.88	68.20	-24.32	37.51	3	Horizontal	177	1.00	-	40.40	10.68	44.71			
PK	13.71G	58.26	88.20	-29.94	51.89	3	Horizontal	177	1.00	-	40.40	10.68	44.71			
AV	20.565G	41.30	54.00	-12.70	38.12	3	Horizontal	213	1.00	-	37.90	13.80	48.52			
PK	20.565G	53.89	74.00	-20.11	50.71	3	Horizontal	213	1.00	-	37.90	13.80	48.52			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.38	54.00	-22.62	33.65	3	Vertical	184	1.82	-	29.70	6.02	37.99			
PK	4G	43.79	74.00	-30.21	46.06	3	Vertical	184	1.82	-	29.70	6.02	37.99			
AV	13.71G	43.91	68.20	-24.29	37.54	3	Vertical	210	1.00	-	40.40	10.68	44.71			
PK	13.71G	57.70	88.20	-30.50	51.33	3	Vertical	210	1.00	-	40.40	10.68	44.71			
AV	20.565G	41.40	54.00	-12.60	38.22	3	Vertical	186	1.00	-	37.90	13.80	48.52			
PK	20.565G	54.32	74.00	-19.68	51.14	3	Vertical	186	1.00	-	37.90	13.80	48.52			



6.525-6.875GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.29	54.00	-20.71	35.56	3	Horizontal	189	1.94	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	189	1.94	-	29.70	6.02	37.99			
AV	13.75G	44.22	68.20	-23.98	37.86	3	Horizontal	180	1.00	-	40.40	10.70	44.74			
PK	13.75G	57.53	88.20	-30.67	51.17	3	Horizontal	180	1.00	-	40.40	10.70	44.74			
AV	20.625G	41.69	54.00	-12.31	38.44	3	Horizontal	221	1.00	-	37.90	13.82	48.47			
PK	20.625G	54.71	74.00	-19.29	51.46	3	Horizontal	221	1.00	-	37.90	13.82	48.47			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.525-6.875GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.38	54.00	-22.62	33.65	3	Vertical	186	1.87	-	29.70	6.02	37.99			
PK	4G	43.67	74.00	-30.33	45.94	3	Vertical	186	1.87	-	29.70	6.02	37.99			
AV	13.75G	44.12	68.20	-24.08	37.76	3	Vertical	208	1.00	-	40.40	10.70	44.74			
PK	13.75G	57.90	88.20	-30.30	51.54	3	Vertical	208	1.00	-	40.40	10.70	44.74			
AV	20.625G	41.65	54.00	-12.35	38.40	3	Vertical	120	1.00	-	37.90	13.82	48.47			
PK	20.625G	54.70	74.00	-19.30	51.45	3	Vertical	120	1.00	-	37.90	13.82	48.47			



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6895MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.27	54.00	-20.73	35.54	3	Horizontal	189	1.99	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	189	1.99	-	29.70	6.02	37.99			
AV	13.79G	44.81	68.20	-23.39	38.24	3	Horizontal	208	1.00	-	40.64	10.71	44.78			
PK	13.79G	57.90	88.20	-30.30	51.33	3	Horizontal	208	1.00	-	40.64	10.71	44.78			
AV	20.685G	41.84	54.00	-12.16	38.51	3	Horizontal	121	1.00	-	37.90	13.85	48.42			
PK	20.685G	54.80	74.00	-19.20	51.47	3	Horizontal	121	1.00	-	37.90	13.85	48.42			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

6895MHz_TX




Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	31.26	54.00	-22.74	33.53	3	Vertical	186	1.79	-	29.70	6.02	37.99			
PK	4G	43.47	74.00	-30.53	45.74	3	Vertical	186	1.79	-	29.70	6.02	37.99			
AV	13.79G	44.66	68.20	-23.54	38.09	3	Vertical	217	1.00	-	40.64	10.71	44.78			
PK	13.79G	57.90	88.20	-30.30	51.33	3	Vertical	217	1.00	-	40.64	10.71	44.78			
AV	20.685G	41.80	54.00	-12.20	38.47	3	Vertical	161	1.00	-	37.90	13.85	48.42			
PK	20.685G	54.83	74.00	-19.17	51.50	3	Vertical	161	1.00	-	37.90	13.85	48.42			



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.62	54.00	-20.38	35.89	3	Horizontal	184	1.86	-	29.70	6.02	37.99			
PK	4G	44.70	74.00	-29.30	46.97	3	Horizontal	184	1.86	-	29.70	6.02	37.99			
AV	14.03G	45.38	68.20	-22.82	38.32	3	Horizontal	208	1.00	-	41.30	10.77	45.01			
PK	14.03G	58.51	88.20	-29.69	51.45	3	Horizontal	208	1.00	-	41.30	10.77	45.01			
AV	21.045G	41.74	54.00	-12.26	37.76	3	Horizontal	161	1.00	-	38.09	13.99	48.10			
PK	21.045G	54.50	74.00	-19.50	50.52	3	Horizontal	161	1.00	-	38.09	13.99	48.10			



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.26	54.00	-22.74	33.53	3	Vertical	191	1.73	-	29.70	6.02	37.99			
PK	4G	43.59	74.00	-30.41	45.86	3	Vertical	191	1.73	-	29.70	6.02	37.99			
AV	14.03G	45.23	68.20	-22.97	38.17	3	Vertical	170	1.00	-	41.30	10.77	45.01			
PK	14.03G	58.50	88.20	-29.70	51.44	3	Vertical	170	1.00	-	41.30	10.77	45.01			
AV	21.045G	41.55	54.00	-12.45	37.57	3	Vertical	218	1.00	-	38.09	13.99	48.10			
PK	21.045G	54.50	74.00	-19.50	50.52	3	Vertical	218	1.00	-	38.09	13.99	48.10			



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.31	54.00	-20.69	35.58	3	Horizontal	194	1.89	-	29.70	6.02	37.99			
PK	4G	44.70	74.00	-29.30	46.97	3	Horizontal	194	1.89	-	29.70	6.02	37.99			
AV	14.19G	45.49	68.20	-22.71	38.27	3	Horizontal	151	1.00	-	41.54	10.83	45.15			
PK	14.19G	58.69	88.20	-29.51	51.47	3	Horizontal	151	1.00	-	41.54	10.83	45.15			
AV	21.285G	42.32	54.00	-11.68	38.08	3	Horizontal	248	1.00	-	38.10	14.01	47.87			
PK	21.285G	54.68	74.00	-19.32	50.44	3	Horizontal	248	1.00	-	38.10	14.01	47.87			



6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.56	54.00	-22.44	33.83	3	Vertical	186	1.82	-	29.70	6.02	37.99			
PK	4G	43.79	74.00	-30.21	46.06	3	Vertical	186	1.82	-	29.70	6.02	37.99			
AV	14.19G	45.57	68.20	-22.63	38.35	3	Vertical	211	1.00	-	41.54	10.83	45.15			
PK	14.19G	59.10	88.20	-29.10	51.88	3	Vertical	211	1.00	-	41.54	10.83	45.15			
AV	21.285G	42.21	54.00	-11.79	37.97	3	Vertical	179	1.00	-	38.10	14.01	47.87			
PK	21.285G	55.83	74.00	-18.17	51.59	3	Vertical	179	1.00	-	38.10	14.01	47.87			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.70	54.00	-20.30	35.97	3	Horizontal	184	1.88	-	29.70	6.02	37.99			
PK	4G	44.79	74.00	-29.21	47.06	3	Horizontal	184	1.88	-	29.70	6.02	37.99			
AV	14.23G	45.96	68.20	-22.24	38.52	3	Horizontal	253	1.00	-	41.78	10.84	45.18			
PK	14.23G	59.38	88.20	-28.82	51.94	3	Horizontal	253	1.00	-	41.78	10.84	45.18			
AV	21.345G	42.03	54.00	-11.97	37.73	3	Horizontal	103	1.00	-	38.10	14.02	47.82			
PK	21.345G	55.86	74.00	-18.14	51.56	3	Horizontal	103	1.00	-	38.10	14.02	47.82			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

6.875-7.125GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_1TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.48	54.00	-22.52	33.75	3	Vertical	185	1.79	-	29.70	6.02	37.99			
PK	4G	43.71	74.00	-30.29	45.98	3	Vertical	185	1.79	-	29.70	6.02	37.99			
AV	14.23G	45.89	68.20	-22.31	38.45	3	Vertical	213	1.00	-	41.78	10.84	45.18			
PK	14.23G	59.23	88.20	-28.97	51.79	3	Vertical	213	1.00	-	41.78	10.84	45.18			
AV	21.345G	41.92	54.00	-12.08	37.62	3	Vertical	151	1.00	-	38.10	14.02	47.82			
PK	21.345G	55.75	74.00	-18.25	51.45	3	Vertical	151	1.00	-	38.10	14.02	47.82			



5.925-6.425GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.24	54.00	-20.76	35.26	3	Horizontal	186	1.87	-	29.70	6.28	38.00			
PK	4G	44.46	74.00	-29.54	46.48	3	Horizontal	186	1.87	-	29.70	6.28	38.00			
AV	11.91G	42.60	54.00	-11.40	36.51	3	Horizontal	108	1.00	-	39.00	10.01	42.92			
PK	11.91G	55.62	74.00	-18.38	49.53	3	Horizontal	108	1.00	-	39.00	10.01	42.92			
AV	17.865G	42.86	54.00	-11.14	32.41	3	Horizontal	218	1.00	-	45.37	12.87	47.79			
PK	17.865G	54.02	74.00	-19.98	43.57	3	Horizontal	218	1.00	-	45.37	12.87	47.79			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.29	54.00	-22.71	33.31	3	Vertical	189	1.92	-	29.70	6.28	38.00			
PK	4G	43.71	74.00	-30.29	45.73	3	Vertical	189	1.92	-	29.70	6.28	38.00			
AV	11.91G	42.71	54.00	-11.29	36.62	3	Vertical	133	1.00	-	39.00	10.01	42.92			
PK	11.91G	55.68	74.00	-18.32	49.59	3	Vertical	133	1.00	-	39.00	10.01	42.92			
AV	17.865G	42.78	54.00	-11.22	32.33	3	Vertical	216	1.00	-	45.37	12.87	47.79			
PK	17.865G	53.96	74.00	-20.04	43.51	3	Vertical	216	1.00	-	45.37	12.87	47.79			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

6175MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	4G	33.32	54.00	-20.68	35.59	3	Horizontal	189	1.86	-	29.70	6.02	37.99			
PK	4G	44.49	74.00	-29.51	46.76	3	Horizontal	189	1.86	-	29.70	6.02	37.99			
AV	12.35G	42.62	54.00	-11.38	35.82	3	Horizontal	244	1.00	-	39.00	10.31	42.51			
PK	12.35G	55.41	74.00	-18.59	48.61	3	Horizontal	244	1.00	-	39.00	10.31	42.51			
AV	18.525G	41.67	54.00	-12.33	39.96	3	Horizontal	158	1.00	-	38.20	12.99	49.48			
PK	18.525G	55.40	74.00	-18.60	53.69	3	Horizontal	158	1.00	-	38.20	12.99	49.48			




Unwanted Emissions into Restricted Frequency Bands Above 1GHz

Appendix D.6

5.925-6.425GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	31.42	54.00	-22.58	33.69	3	Vertical	187	1.77	-	29.70	6.02	37.99			
PK	4G	43.60	74.00	-30.40	45.87	3	Vertical	187	1.77	-	29.70	6.02	37.99			
AV	12.35G	42.65	54.00	-11.35	35.85	3	Vertical	168	1.00	-	39.00	10.31	42.51			
PK	12.35G	56.44	74.00	-17.56	49.64	3	Vertical	168	1.00	-	39.00	10.31	42.51			
AV	18.525G	41.66	54.00	-12.34	39.95	3	Vertical	122	1.00	-	38.20	12.99	49.48			
PK	18.525G	55.25	74.00	-18.75	53.54	3	Vertical	122	1.00	-	38.20	12.99	49.48			



5.925-6.425GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_1TX

6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4G	33.50	54.00	-20.50	35.77	3	Horizontal	185	1.88	-	29.70	6.02	37.99			
PK	4G	44.46	74.00	-29.54	46.73	3	Horizontal	185	1.88	-	29.70	6.02	37.99			
AV	12.83G	42.99	68.20	-25.21	36.16	3	Horizontal	217	1.00	-	39.66	10.45	43.28			
PK	12.83G	55.93	88.20	-32.27	49.10	3	Horizontal	217	1.00	-	39.66	10.45	43.28			
AV	19.245G	41.38	54.00	-12.62	39.46	3	Horizontal	168	1.00	-	38.00	13.30	49.38			
PK	19.245G	54.45	74.00	-19.55	52.53	3	Horizontal	168	1.00	-	38.00	13.30	49.38			