






NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-58.96	-76.11	-17.2	-40.0	36.1	Vertical	PK	360	PASS
2	191.99	-38.23	-59.98	-21.8	-40.0	20.0	Vertical	PK	120	PASS
3	614.425	-59.19	-68.65	-9.5	-40.0	28.7	Vertical	PK	20	PASS
4	2999	-67.19	-50.04	17.2	-40.0	10.0	Vertical	PK	40	PASS
5	10805.8689	-74.06	-53.50	20.6	-40.0	13.5	Vertical	PK	100	PASS
6	16862.777	-80.11	-44.88	35.2	-40.0	4.9	Vertical	PK	180	PASS

N48 641666 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7625	-59.69	-74.98	-15.3	-40.0	35.0	Horizontal	PK	20	PASS
2	191.99	-38.17	-57.16	-19.0	-40.0	17.2	Horizontal	PK	20	PASS
3	652.8612	-59.52	-68.61	-9.1	-40.0	28.6	Horizontal	PK	20	PASS
4	2998	-66.89	-51.89	15.0	-40.0	11.9	Horizontal	PK	0	PASS
5	10796.9624	-74.79	-54.64	20.2	-40.0	14.6	Horizontal	PK	240	PASS
6	17669.5209	-81.81	-45.32	36.5	-40.0	5.3	Horizontal	PK	320	PASS

N48 646332 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-58.67	-75.82	-17.2	-40.0	35.8	Vertical	PK	340	PASS
2	191.99	-38.20	-59.95	-21.8	-40.0	20.0	Vertical	PK	100	PASS
3	652.8612	-58.25	-67.30	-9.1	-40.0	27.3	Vertical	PK	220	PASS
4	2998	-66.98	-49.94	17.0	-40.0	9.9	Vertical	PK	100	PASS
5	11067.4396	-75.35	-53.08	22.3	-40.0	13.1	Vertical	PK	120	PASS
6	16911.5285	-80.24	-44.39	35.9	-40.0	4.4	Vertical	PK	140	PASS

N48 646332 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-58.43	-73.98	-15.6	-13.0	61.0	Horizontal	PK	280	PASS
2	191.99	-38.44	-57.43	-19.0	-13.0	44.4	Horizontal	PK	360	PASS
3	2986	-55.75	-40.98	14.8	-13.0	28.0	Horizontal	PK	20	PASS
4	5006.3127	-60.42	-54.33	6.1	-13.0	41.3	Horizontal	PK	120	PASS
5	10888.3715	-63.53	-42.65	20.9	-13.0	29.7	Horizontal	PK	340	PASS
6	17411.7004	-65.81	-29.74	36.1	-13.0	16.7	Horizontal	PK	320	PASS

N66 342500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-57.32	-74.28	-17.0	-13.0	61.3	Vertical	PK	340	PASS
2	191.99	-38.47	-60.22	-21.8	-13.0	47.2	Vertical	PK	60	PASS
3	3000	-57.67	-40.41	17.3	-13.0	27.4	Vertical	PK	60	PASS
4	7949.2172	-59.64	-46.90	12.7	-13.0	33.9	Vertical	PK	360	PASS
5	11100.7219	-64.83	-42.43	22.4	-13.0	29.4	Vertical	PK	360	PASS
6	16941.0607	-65.18	-29.77	35.4	-13.0	16.8	Vertical	PK	140	PASS

N66 342500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-59.48	-75.03	-15.6	-13.0	62.0	Horizontal	PK	160	PASS
2	191.99	-38.39	-57.38	-19.0	-13.0	44.4	Horizontal	PK	20	PASS
3	2999	-56.18	-41.16	15.0	-13.0	28.2	Horizontal	PK	260	PASS
4	7895.778	-59.84	-46.80	13.0	-13.0	33.8	Horizontal	PK	120	PASS
5	10881.34	-63.72	-42.90	20.8	-13.0	29.9	Horizontal	PK	280	PASS
6	17588.8934	-66.45	-29.94	36.5	-13.0	16.9	Horizontal	PK	360	PASS

N66 349000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-58.92	-76.07	-17.2	-13.0	63.1	Vertical	PK	240	PASS
2	191.99	-38.43	-60.18	-21.8	-13.0	47.2	Vertical	PK	180	PASS
3	2998	-57.10	-40.06	17.0	-13.0	27.1	Vertical	PK	140	PASS
4	7892.0279	-59.97	-47.61	12.4	-13.0	34.6	Vertical	PK	280	PASS
5	11108.2221	-63.67	-41.37	22.3	-13.0	28.4	Vertical	PK	160	PASS
6	17824.2133	-66.61	-30.44	36.2	-13.0	17.4	Vertical	PK	40	PASS

N66 349000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-59.05	-74.85	-15.8	-13.0	61.9	Horizontal	PK	20	PASS
2	191.99	-36.74	-55.73	-19.0	-13.0	42.7	Horizontal	PK	240	PASS
3	2973.5	-56.85	-42.03	14.8	-13.0	29.0	Horizontal	PK	100	PASS
4	7994.6873	-60.31	-46.93	13.4	-13.0	33.9	Horizontal	PK	320	PASS
5	12593.7373	-65.26	-42.02	23.2	-13.0	29.0	Horizontal	PK	180	PASS
6	17466.0771	-66.17	-30.24	35.9	-13.0	17.2	Horizontal	PK	60	PASS

N66 355500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.705	-58.24	-75.29	-17.1	-13.0	62.3	Vertical	PK	260	PASS
2	191.99	-38.72	-60.47	-21.8	-13.0	47.5	Vertical	PK	260	PASS
3	2992	-56.11	-39.74	16.4	-13.0	26.7	Vertical	PK	300	PASS
4	7915.9349	-60.17	-47.61	12.6	-13.0	34.6	Vertical	PK	360	PASS
5	10932.9042	-63.37	-42.28	21.1	-13.0	29.3	Vertical	PK	300	PASS
6	17374.668	-65.99	-30.55	35.4	-13.0	17.6	Vertical	PK	240	PASS

N66 355500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-59.86	-76.82	-17.0	-13.0	63.8	Vertical	PK	300	PASS
2	191.99	-37.86	-59.61	-21.8	-13.0	46.6	Vertical	PK	20	PASS
3	1252	-56.18	-57.27	-1.1	-13.0	44.3	Vertical	PK	280	PASS
4	2999.5	-57.18	-39.97	17.2	-13.0	27.0	Vertical	PK	120	PASS
5	7989.0622	-60.57	-47.60	13.0	-13.0	34.6	Vertical	PK	160	PASS
6	17962.9676	-66.22	-29.82	36.4	-13.0	16.8	Vertical	PK	100	PASS

N71 133100 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.4625	-57.74	-73.33	-15.6	-13.0	60.3	Horizontal	PK	20	PASS
2	191.99	-38.97	-57.96	-19.0	-13.0	45.0	Horizontal	PK	20	PASS
3	2457	-55.55	-45.26	10.3	-13.0	32.3	Horizontal	PK	140	PASS
4	2977	-56.52	-41.78	14.7	-13.0	28.8	Horizontal	PK	160	PASS
5	7919.2162	-59.22	-46.10	13.1	-13.0	33.1	Horizontal	PK	280	PASS
6	17973.2804	-66.22	-29.60	36.6	-13.0	16.6	Horizontal	PK	340	PASS

N71 133100 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.9775	-57.95	-74.84	-16.9	-13.0	61.8	Vertical	PK	20	PASS
2	191.99	-38.51	-60.26	-21.8	-13.0	47.3	Vertical	PK	340	PASS
3	3000	-56.91	-39.65	17.3	-13.0	26.7	Vertical	PK	300	PASS
4	7974.0617	-60.61	-47.73	12.9	-13.0	34.7	Vertical	PK	220	PASS
5	11067.4396	-64.96	-42.69	22.3	-13.0	29.7	Vertical	PK	360	PASS
6	17829.8384	-66.18	-30.03	36.2	-13.0	17.0	Vertical	PK	260	PASS

N71 136100 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.9475	-58.23	-75.35	-17.1	-13.0	62.4	Vertical	PK	20	PASS
2	191.99	-38.77	-60.52	-21.8	-13.0	47.5	Vertical	PK	20	PASS
3	2999	-57.55	-40.40	17.2	-13.0	27.4	Vertical	PK	100	PASS
4	7912.6535	-59.52	-46.99	12.5	-13.0	34.0	Vertical	PK	100	PASS
5	12427.3259	-63.66	-41.17	22.5	-13.0	28.2	Vertical	PK	320	PASS
6	16923.2476	-66.03	-30.35	35.7	-13.0	17.4	Vertical	PK	360	PASS

N71 136100 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.9475	-57.71	-73.47	-15.8	-13.0	60.5	Horizontal	PK	20	PASS
2	191.99	-38.48	-57.47	-19.0	-13.0	44.5	Horizontal	PK	20	PASS
3	2989	-56.34	-41.51	14.8	-13.0	28.5	Horizontal	PK	140	PASS
4	7820.7756	-59.44	-46.88	12.6	-13.0	33.9	Horizontal	PK	100	PASS
5	10921.6538	-64.32	-43.35	21.0	-13.0	30.4	Horizontal	PK	340	PASS
6	17993.9061	-65.92	-29.35	36.6	-13.0	16.4	Horizontal	PK	80	PASS

N71 139100 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-59.42	-74.93	-15.5	-13.0	61.9	Horizontal	PK	160	PASS
2	191.99	-38.69	-57.68	-19.0	-13.0	44.7	Horizontal	PK	20	PASS
3	2965	-56.91	-41.93	15.0	-13.0	28.9	Horizontal	PK	160	PASS
4	7854.9955	-59.94	-47.17	12.8	-13.0	34.2	Horizontal	PK	280	PASS
5	12540.2981	-65.14	-41.79	23.4	-13.0	28.8	Horizontal	PK	280	PASS
6	17902.497	-66.16	-29.36	36.8	-13.0	16.4	Horizontal	PK	80	PASS

N71 139100 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




3450-3550MHz




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-57.01	-72.52	-15.5	-25.0	47.5	Horizontal	PK	360	PASS
2	191.99	-37.82	-56.81	-19.0	-25.0	31.8	Horizontal	PK	20	PASS
3	2986.5	-55.78	-40.99	14.8	-25.0	16.0	Horizontal	PK	320	PASS
4	5004.9064	-59.65	-53.55	6.1	-25.0	28.6	Horizontal	PK	360	PASS
5	7969.374	-60.50	-47.21	13.3	-25.0	22.2	Horizontal	PK	360	PASS
6	17411.7004	-66.54	-30.47	36.1	-25.0	5.5	Horizontal	PK	340	PASS

N77 630334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-59.44	-76.59	-17.2	-25.0	51.6	Vertical	PK	20	PASS
2	191.99	-38.22	-59.97	-21.8	-25.0	35.0	Vertical	PK	100	PASS
3	2999	-57.04	-39.89	17.2	-25.0	14.9	Vertical	PK	240	PASS
4	7978.2806	-60.67	-47.77	12.9	-25.0	22.8	Vertical	PK	120	PASS
5	11087.1277	-64.32	-41.96	22.4	-25.0	17.0	Vertical	PK	20	PASS
6	16930.2791	-66.00	-30.43	35.6	-25.0	5.4	Vertical	PK	220	PASS

N77 630334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7625	-60.62	-75.91	-15.3	-25.0	50.9	Horizontal	PK	20	PASS
2	191.99	-38.31	-57.30	-19.0	-25.0	32.3	Horizontal	PK	20	PASS
3	2950	-56.68	-41.79	14.9	-25.0	16.8	Horizontal	PK	280	PASS
4	7916.8724	-60.14	-47.02	13.1	-25.0	22.0	Horizontal	PK	320	PASS
5	10851.8079	-63.35	-42.76	20.6	-25.0	17.8	Horizontal	PK	340	PASS
6	17918.435	-65.92	-29.17	36.8	-25.0	4.2	Horizontal	PK	20	PASS

N77 633334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-56.87	-73.83	-17.0	-25.0	48.8	Vertical	PK	20	PASS
2	191.99	-38.27	-60.02	-21.8	-25.0	35.0	Vertical	PK	20	PASS
3	2411.5	-51.83	-41.65	10.2	-25.0	16.7	Vertical	PK	300	PASS
4	2995	-56.54	-39.84	16.7	-25.0	14.8	Vertical	PK	40	PASS
5	11077.7524	-63.74	-41.42	22.3	-25.0	16.4	Vertical	PK	80	PASS
6	16941.5294	-65.68	-30.27	35.4	-25.0	5.3	Vertical	PK	40	PASS

N77 633334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.705	-58.01	-73.68	-15.7	-25.0	48.7	Horizontal	PK	280	PASS
2	191.99	-38.33	-57.32	-19.0	-25.0	32.3	Horizontal	PK	20	PASS
3	1307.5	-55.76	-55.65	0.1	-25.0	30.7	Horizontal	PK	120	PASS
4	2998.5	-56.50	-41.49	15.0	-25.0	16.5	Horizontal	PK	120	PASS
5	7914.9973	-59.80	-46.69	13.1	-25.0	21.7	Horizontal	PK	60	PASS
6	17396.2311	-66.31	-30.30	36.0	-25.0	5.3	Horizontal	PK	60	PASS


N77 636332 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.0988	-57.43	-74.34	-16.9	-25.0	49.3	Vertical	PK	60	PASS
2	191.99	-38.14	-59.89	-21.8	-25.0	34.9	Vertical	PK	20	PASS
3	2998.5	-56.59	-39.49	17.1	-25.0	14.5	Vertical	PK	180	PASS
4	7918.7475	-59.31	-46.74	12.6	-25.0	21.7	Vertical	PK	240	PASS
5	11081.5025	-64.80	-42.47	22.3	-25.0	17.5	Vertical	PK	120	PASS
6	16909.1847	-66.15	-30.26	35.9	-25.0	5.3	Vertical	PK	360	PASS


N77 636332 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V

3700-3980MHz




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-59.62	-75.13	-15.5	-13.0	62.1	Horizontal	PK	160	PASS
2	191.99	-38.38	-57.37	-19.0	-13.0	44.4	Horizontal	PK	20	PASS
3	2459	-53.59	-43.29	10.3	-13.0	30.3	Horizontal	PK	280	PASS
4	2998.5	-56.61	-41.60	15.0	-13.0	28.6	Horizontal	PK	200	PASS
5	10896.3405	-63.95	-43.00	21.0	-13.0	30.0	Horizontal	PK	220	PASS
6	17410.2941	-65.65	-29.57	36.1	-13.0	16.6	Horizontal	PK	360	PASS

N77 656000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-59.64	-76.57	-16.9	-13.0	63.6	Vertical	PK	340	PASS
2	191.99	-38.38	-60.13	-21.8	-13.0	47.1	Vertical	PK	20	PASS
3	2429	-56.26	-44.94	11.3	-13.0	31.9	Vertical	PK	100	PASS
4	3000	-57.61	-40.35	17.3	-13.0	27.4	Vertical	PK	260	PASS
5	11074.9398	-64.08	-41.77	22.3	-13.0	28.8	Vertical	PK	220	PASS
6	17450.1391	-65.54	-29.99	35.6	-13.0	17.0	Vertical	PK	220	PASS

N77 656000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-58.69	-74.20	-15.5	-13.0	61.2	Horizontal	PK	20	PASS
2	191.99	-38.08	-57.07	-19.0	-13.0	44.1	Horizontal	PK	120	PASS
3	2998	-56.42	-41.42	15.0	-13.0	28.4	Horizontal	PK	40	PASS
4	7914.5286	-59.91	-46.80	13.1	-13.0	33.8	Horizontal	PK	200	PASS
5	11961.8426	-64.12	-43.07	21.1	-13.0	30.1	Horizontal	PK	180	PASS
6	17930.1541	-66.83	-30.11	36.7	-13.0	17.1	Horizontal	PK	220	PASS

N77 665000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.705	-58.14	-75.19	-17.1	-13.0	62.2	Vertical	PK	20	PASS
2	191.99	-38.29	-60.04	-21.8	-13.0	47.0	Vertical	PK	100	PASS
3	2993.5	-56.66	-40.12	16.5	-13.0	27.1	Vertical	PK	120	PASS
4	4998.8125	-60.04	-54.53	5.5	-13.0	41.5	Vertical	PK	180	PASS
5	11096.503	-63.74	-41.35	22.4	-13.0	28.4	Vertical	PK	60	PASS
6	16968.7178	-65.06	-30.05	35.0	-13.0	17.1	Vertical	PK	360	PASS

N77 665000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-59.35	-75.15	-15.8	-13.0	62.2	Horizontal	PK	240	PASS
2	191.99	-38.38	-57.37	-19.0	-13.0	44.4	Horizontal	PK	20	PASS
3	2464.5	-52.37	-42.06	10.3	-13.0	29.1	Horizontal	PK	280	PASS
4	2998	-56.46	-41.46	15.0	-13.0	28.5	Horizontal	PK	220	PASS
5	7947.8109	-59.30	-46.07	13.2	-13.0	33.1	Horizontal	PK	360	PASS
6	17938.1231	-66.23	-29.52	36.7	-13.0	16.5	Horizontal	PK	20	PASS


N77 6470000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.4625	-58.08	-75.07	-17.0	-13.0	62.1	Vertical	PK	260	PASS
2	191.99	-38.78	-60.53	-21.8	-13.0	47.5	Vertical	PK	20	PASS
3	2998	-56.23	-39.19	17.0	-13.0	26.2	Vertical	PK	220	PASS
4	7895.778	-59.80	-47.39	12.4	-13.0	34.4	Vertical	PK	300	PASS
5	11099.7844	-64.15	-41.74	22.4	-13.0	28.7	Vertical	PK	140	PASS
6	17443.5764	-65.54	-29.97	35.6	-13.0	17.0	Vertical	PK	280	PASS


N77 6470000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V

3450-3550MHz




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7625	-58.47	-73.76	-15.3	-25.0	48.8	Horizontal	PK	20	PASS
2	191.99	-38.45	-57.44	-19.0	-25.0	32.4	Horizontal	PK	40	PASS
3	2997.5	-56.10	-41.10	15.0	-25.0	16.1	Horizontal	PK	240	PASS
4	7838.5887	-59.91	-47.23	12.7	-25.0	22.2	Horizontal	PK	320	PASS
5	10970.4053	-64.49	-43.52	21.0	-25.0	18.5	Horizontal	PK	280	PASS
6	17949.3734	-66.65	-29.97	36.7	-25.0	5.0	Horizontal	PK	120	PASS

N78 630334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.8262	-59.32	-76.41	-17.1	-25.0	51.4	Vertical	PK	160	PASS
2	191.99	-38.56	-60.31	-21.8	-25.0	35.3	Vertical	PK	20	PASS
3	2996	-57.06	-40.24	16.8	-25.0	15.2	Vertical	PK	120	PASS
4	7885.4652	-59.50	-47.22	12.3	-25.0	22.2	Vertical	PK	160	PASS
5	11047.2827	-64.32	-42.13	22.2	-25.0	17.1	Vertical	PK	140	PASS
6	17819.5256	-66.18	-29.99	36.2	-25.0	5.0	Vertical	PK	360	PASS

N78 630334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-57.59	-73.10	-15.5	-25.0	48.1	Horizontal	PK	20	PASS
2	191.99	-38.22	-57.21	-19.0	-25.0	32.2	Horizontal	PK	120	PASS
3	2961.5	-56.26	-41.22	15.0	-25.0	16.2	Horizontal	PK	280	PASS
4	5012.4066	-60.17	-54.07	6.1	-25.0	29.1	Horizontal	PK	360	PASS
5	7968.9053	-60.40	-47.11	13.3	-25.0	22.1	Horizontal	PK	240	PASS
6	17486.7027	-66.13	-30.25	35.9	-25.0	5.3	Horizontal	PK	360	PASS

N78 633334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-56.94	-73.87	-16.9	-25.0	48.9	Vertical	PK	240	PASS
2	191.99	-38.68	-60.43	-21.8	-25.0	35.4	Vertical	PK	20	PASS
3	2997	-57.02	-40.09	16.9	-25.0	15.1	Vertical	PK	220	PASS
4	7951.561	-59.95	-47.20	12.8	-25.0	22.2	Vertical	PK	220	PASS
5	12508.4221	-64.67	-41.16	23.5	-25.0	16.2	Vertical	PK	40	PASS
6	16901.6844	-65.69	-29.70	36.0	-25.0	4.7	Vertical	PK	80	PASS

N78 633334 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7625	-59.06	-74.35	-15.3	-25.0	49.4	Horizontal	PK	40	PASS
2	191.99	-38.30	-57.29	-19.0	-25.0	32.3	Horizontal	PK	20	PASS
3	2967	-56.32	-41.37	15.0	-25.0	16.4	Horizontal	PK	80	PASS
4	3675.9586	-57.76	-56.01	1.8	-25.0	31.0	Horizontal	PK	340	PASS
5	7984.3745	-59.28	-45.93	13.4	-25.0	20.9	Horizontal	PK	160	PASS
6	17389.1997	-65.84	-29.99	35.9	-25.0	5.0	Horizontal	PK	180	PASS


N78 636332 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.8562	-60.07	-77.00	-16.9	-25.0	52.0	Vertical	PK	360	PASS
2	191.99	-38.52	-60.27	-21.8	-25.0	35.3	Vertical	PK	160	PASS
3	2998	-57.32	-40.28	17.0	-25.0	15.3	Vertical	PK	260	PASS
4	4988.0309	-59.71	-54.36	5.4	-25.0	29.4	Vertical	PK	160	PASS
5	7963.7489	-59.85	-47.03	12.8	-25.0	22.0	Vertical	PK	300	PASS
6	16941.5294	-65.94	-30.53	35.4	-25.0	5.5	Vertical	PK	360	PASS


N78 636332 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V

3700-3800MHz




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-57.68	-73.23	-15.6	-13.0	60.2	Horizontal	PK	220	PASS
2	191.99	-38.30	-57.29	-19.0	-13.0	44.3	Horizontal	PK	20	PASS
3	2465	-52.87	-42.56	10.3	-13.0	29.6	Horizontal	PK	0	PASS
4	2994	-56.75	-41.83	14.9	-13.0	28.8	Horizontal	PK	60	PASS
5	7951.561	-59.97	-46.74	13.2	-13.0	33.7	Horizontal	PK	100	PASS
6	17937.1855	-65.62	-28.91	36.7	-13.0	15.9	Horizontal	PK	140	PASS

N78 647000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.9775	-59.69	-76.58	-16.9	-13.0	63.6	Vertical	PK	20	PASS
2	191.99	-38.39	-60.14	-21.8	-13.0	47.1	Vertical	PK	20	PASS
3	2555	-55.67	-43.30	12.4	-13.0	30.3	Vertical	PK	100	PASS
4	3000	-56.52	-39.26	17.3	-13.0	26.3	Vertical	PK	160	PASS
5	7938.9043	-60.08	-47.39	12.7	-13.0	34.4	Vertical	PK	320	PASS
6	16890.9028	-65.83	-30.00	35.8	-13.0	17.0	Vertical	PK	100	PASS

N78 647000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.4625	-58.34	-73.93	-15.6	-13.0	60.9	Horizontal	PK	260	PASS
2	191.99	-38.04	-57.03	-19.0	-13.0	44.0	Horizontal	PK	320	PASS
3	2457	-55.48	-45.19	10.3	-13.0	32.2	Horizontal	PK	100	PASS
4	2982.5	-56.42	-41.71	14.7	-13.0	28.7	Horizontal	PK	80	PASS
5	7868.1209	-59.50	-46.64	12.9	-13.0	33.6	Horizontal	PK	120	PASS
6	17409.3565	-66.29	-30.21	36.1	-13.0	17.2	Horizontal	PK	340	PASS

N78 650000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.8562	-59.37	-76.30	-16.9	-13.0	63.3	Vertical	PK	260	PASS
2	191.99	-38.36	-60.11	-21.8	-13.0	47.1	Vertical	PK	280	PASS
3	2994.5	-56.70	-40.05	16.7	-13.0	27.1	Vertical	PK	340	PASS
4	3576.1118	-56.31	-54.86	1.5	-13.0	41.9	Vertical	PK	140	PASS
5	7967.9677	-59.83	-46.98	12.9	-13.0	34.0	Vertical	PK	120	PASS
6	17799.3687	-65.75	-29.47	36.3	-13.0	16.5	Vertical	PK	320	PASS

N78 650000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-59.32	-75.12	-15.8	-13.0	62.1	Horizontal	PK	20	PASS
2	191.99	-38.40	-57.39	-19.0	-13.0	44.4	Horizontal	PK	20	PASS
3	2951.5	-55.50	-40.53	15.0	-13.0	27.5	Horizontal	PK	220	PASS
4	3713.9286	-57.16	-55.52	1.6	-13.0	42.5	Horizontal	PK	360	PASS
5	7986.2496	-60.25	-46.90	13.4	-13.0	33.9	Horizontal	PK	280	PASS
6	17935.7792	-67.18	-30.47	36.7	-13.0	17.5	Horizontal	PK	40	PASS

N78 653000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-57.29	-74.22	-16.9	-13.0	61.2	Vertical	PK	280	PASS
2	191.99	-38.54	-60.29	-21.8	-13.0	47.3	Vertical	PK	140	PASS
3	2460	-53.87	-43.58	10.3	-13.0	30.6	Vertical	PK	260	PASS
4	2991	-56.68	-40.42	16.3	-13.0	27.4	Vertical	PK	60	PASS
5	7981.0932	-60.46	-47.54	12.9	-13.0	34.5	Vertical	PK	300	PASS
6	16934.0292	-65.49	-29.97	35.5	-13.0	17.0	Vertical	PK	120	PASS

N78 653000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.





4. Test Equipment Utilized

4.1 Conducted Test Equipment

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Power Splitter	NW521	1506A	Weinschel	N/A	N/A
Directional Coupler (10-67GHz)	N/A	110067016	KRYTAR	N/A	N/A
Attenuator	N/A	20dB	Resnet	N/A	N/A
Attenuator (DC-40GHz)	N/A	10dB	RFTOP	N/A	N/A
EXA Signal Analyzer	MY54170556	N9030A	Keysight	2023.10.07	2024.10.06
System Simulator	6262012906	MT8000A	Anritsu	2024.06.03	2025.06.02
System Simulator	6261830572	MT8821C	Anritsu	2024.01.25	2025.01.24
System Simulator	MY58300665	E7515B	Anritsu	2023.10.07	2024.10.06
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
RF cable (DC-40GHz)	N/A	NYK360	Qualwave	N/A	N/A
Coaxial cable	CB02	RF02	Morlab	N/A	N/A
SMA connector	CN01	RF03	HUBER-SUHNER	N/A	N/A
Temperature Chamber	S02217710100089001	KMT-36LF1A0	KOMEG	2024.09.18	2025.09.17
Test system	N/A	WCS FCC V22.02.041801	CeSheng	N/A	N/A
Minitype 5GC	2302M1205	MINIPC-M1	CWWK	N/A	N/A
n48 Integrated microbase station	2209DR6000177	SCE5164-B48	SERCOM	N/A	N/A



**4.2 Radiated Test Equipment**

Equipment Name	Type	Serial No.	Manufacturer	Cal. Date	Cal. Due
Bi-Log Antenna	VULB 9163	9163-274	SCHWARZB ECK	2024/6/29	2025/6/28
Horn Antenna	BBHA 9120D	9120D-963	SCHWARZB ECK	2024/6/3	2025/6/2
Signal&Spectrum Analyzer	FSW	1406.6000K03-183151-sS	R&S	2024/5/30	2025/5/29
Signal Analyzer	N9020A	MY56060145	Agilent	2024/5/30	2025/5/29
6db Attenuator	BW-N6W5+	E191001	Mini-circuits	2024/9/11	2025/9/10
Preamplifier (2GHz-18GHz)	S020180L3203	61171/61172	LUCIX CORP.	2024/5/30	2025/5/29
Preamplifier (10MHz-6GHz)	S10M100L3802	46732	LUCIX CORP.	2024/5/30	2025/5/29
System Simulator	CMW500	152038	R&S	2024/9/11	2025/9/10
System Simulator	MT8000A	6262148249	anritsu	2024/6/30	2025/6/29
System Simulator	MT8821C	6261830572	anritsu	2024/1/25	2025/1/24
RF Coaxial Cable (DC-18GHz)	PE330	MRE001	Pasternack	2024/5/30	2025/5/29
RF Coaxial Cable (DC-18GHz)	CLU18	MRE002	Pasternack	2024/5/30	2025/5/29
RF Coaxial Cable (DC-18GHz)	CLU18	MRE003	Pasternack	2024/5/30	2025/5/29
RF Coaxial Cable (DC-40GHz)	QA360-40-KK-0.5	22290045	Qualwave	2024/9/11	2025/9/10
RF Coaxial Cable (DC-40GHz)	QA360-40-KKF-2	22290046	Qualwave	2024/9/11	2025/9/10
RF Coaxial Cable (DC-18GHz)	QA500-18-NN-5	22120181	Qualwave	2024/9/11	2025/9/10

END OF REPORT