


EUT External Photograph


(1) EUT Photo




(2) EUT Photo




(3) EUT Photo




(4) EUT Photo



(5) EUT Photo




(6) EUT Photo



(7) EUT Photo



(8) EUT Photo




CONVERSION TABLE


in.	mm.
1/8	3.175
1/4	6.350
3/8	9.525
1/2	12.700
5/8	15.875
3/4	19.050
7/8	22.225
1	25.400
1 1/8	28.575
1 1/4	31.750
1 3/8	34.925
1 1/2	38.100
1 5/8	41.275
1 3/4	44.450
1 7/8	47.625
2	50.800
2 1/8	53.975
2 1/4	57.150
2 3/8	60.325
2 1/2	63.500
2 5/8	66.675
2 3/4	69.850
2 7/8	73.025
3	76.200
3 1/8	79.375
3 1/4	82.550
3 3/8	85.725
3 1/2	88.900
3 5/8	92.075
3 3/4	95.250
3 7/8	98.425
4	101.600

A black, hexagonal camera module, identified by the 'HECATE' text on its base, is shown against a blue background. The module features a central lens and a small display area above it showing a stylized 'H' logo. A ruler is placed horizontally next to the module for scale, and a thin cable extends from the side of the device.


(11) EUT Photo




(12) EUT Photo



(13) EUT Photo



(14) EUT Photo



(15) EUT Photo



(16) EUT Photo

