### RADIO FREQUENCY INVESTIGATION LTD. Conformance Testing Department

# Test Of:Error! Reference source not found. Error! Reference source not found.To:FCC Part 24: 2001 and FCC Part 15: 2001

# Transmitter Conducted Measurements: Call Mode: (Occupied Bandwidth): Section 24.238

1. The EUT, HP GSM test and spectrum analyser were configured for conducted antenna port measurements.

2.A temporary antenna port was provided by the applicant to allow for conducted measurements.


3. The device was operating in its normal mode of operation.

4. Measurements were performed to determine the Occupied Bandwidth of the fundamental emission from the EUT at the bottom middle and top channels.

5. The Occupied Bandwidth was measured using the built in occupied bandwidth function of the Rohde and Schwarz FSEB spectrum analyser. It was set to measure the bandwidth where 99% of the signal power was contained. The analyser settings were set as per those outlined in the FSEB user manual for this measurement, i.e. RBW <= 1/20 of occupied bandwidth.

#### **Results:**

Channel	Frequency (MHz)	Resolution Bandwidth (kHz)	Video Bandwidth (kHz)	Occupied Bandwidth (kHz)	Plot
Bottom (512)	1850.2	3	10	243.162	1
Middle (660)	1879.8	3	10	243.152	2
Тор (810)	1909.8	3	10	244.874	3




Plot 1. Occupied Bandwidth. Bottom Channel.

NHL-4 GSM 1900 Mobile Phone Tested for NOKIA By RFI Ltd.


#### RADIO FREQUENCY INVESTIGATION LTD. Conformance Testing Department

# Test Of:Error! Reference source not found. Error! Reference source not found.To:FCC Part 24: 2001 and FCC Part 15: 2001



Plot 2. Occupied Bandwidth. Middle Channel.

NHL-4 GSM 1900 Mobile Phone Tested for NOKIA By RFI Ltd.



## RADIO FREQUENCY INVESTIGATION LTD. Conformance Testing Department

Test Of:Error! Reference source not found. Error! Reference source not found.To:FCC Part 24: 2001 and FCC Part 15: 2001

Plot 3. Occupied Bandwidth. Top Channel.

NHL-4 GSM 1900 Mobile Phone Tested for NOKIA By RFI Ltd.