



Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.11	0.09	12.20	30.00	Complies
157	5785	12.56	0.09	12.65	30.00	Complies
165	5825	12.29	0.09	12.38	30.00	Complies



Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.35	0.09	12.44	30.00	Complies
157	5785	12.49	0.09	12.58	30.00	Complies
165	5825	12.38	0.09	12.47	30.00	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.33	30.00	Complies
157	5785	15.63	30.00	Complies
165	5825	15.44	30.00	Complies


Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.29	0.16	9.45	30.00	Complies
159	5795	9.16	0.16	9.32	30.00	Complies

CH151




CH159




Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.46	0.16	9.62	30.00	Complies
159	5795	10.00	0.16	10.16	30.00	Complies

CH151



CH159




Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.55	30.00	Complies
159	5795	12.78	30.00	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.57	0.31	5.88	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.77	0.31	6.08	30.00	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.99	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9551
120	5179.9600
102	5179.9600
Maximum Deviation (MHz)	0.0449
Maximum Deviation (ppm)	8.6631

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9600
10	5179.9399
20	5179.9399
30	5179.9551
40	5179.9400
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	11.6047

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9400
120	5744.9600
108	5744.9199
Maximum Deviation (MHz)	0.0801
Maximum Deviation (ppm)	13.9469

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9400
10	5744.9350
20	5744.9400
30	5744.9400
40	5744.9400
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3142

End of Test Report