


Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	51.09	16.79	67.88	109.40	-41.52	Peak	
2	5725.0000	52.76	16.80	69.56	122.20	-52.64	Peak	
3 *	5746.6000	85.49	16.81	102.30	122.20	-19.90	Peak	No Limit
4	5850.0000	45.48	16.87	62.35	122.20	-59.85	Peak	
5	5860.0000	44.74	16.88	61.62	109.40	-47.78	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11545.3500	26.11	14.69	40.80	54.00	-13.20	AVG	
2	11551.2100	36.98	14.70	51.68	74.00	-22.32	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

The worst case of simultaneous transmission:

Test Mode	TX WLAN 2.4G AX20 Mode 2437MHz + WLAN 5G A Mode 5200MHz	Polarization	Vertical
-----------	---	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		9747.385	31.47	11.63	43.10	54.00	-10.90	AVG	
2		9748.012	38.94	11.63	50.57	68.30	-17.73	peak	
3	*	10399.079	39.79	12.31	52.10	54.00	-1.90	AVG	
4		10400.431	47.45	12.31	59.76	68.30	-8.54	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX WLAN 2.4G AX20 Mode 2437MHz + WLAN 5G A Mode 5200MHz	Polarization	Horizontal
-----------	---	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		9647.245	37.81	11.47	49.28	68.30	-19.02	peak	
2		9648.357	28.67	11.47	40.14	54.00	-13.86	AVG	
3	*	10400.426	38.25	12.31	50.56	54.00	-3.44	AVG	
4		10401.375	43.97	12.31	56.28	68.30	-12.02	peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	41.89	19.50
40	5200	36.89	20.20
48	5240	36.05	18.50

CH36




Date: 18.JUN.2021 11:27:29

CH40
26 dB Bandwidth




Date: 18.JUN.2021 11:28:41

CH48




Date: 18.JUN.2021 11:29:38


99 % Occupied Bandwidth



Date: 18.JUN.2021 11:27:08



Date: 18.JUN.2021 11:27:53




Date: 18.JUN.2021 11:29:05

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	28.50	18.40
40	5200	29.50	18.60
48	5240	28.99	18.40

CH36




Date: 18.JUN.2021 11:30:47

CH40
26 dB Bandwidth




Date: 18.JUN.2021 11:32:05

CH48




Date: 18.JUN.2021 11:33:08


99 % Occupied Bandwidth



Date: 18.JUN.2021 11:30:09



Date: 18.JUN.2021 11:31:24




Date: 18.JUN.2021 11:32:30

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	94.39	41.80
46	5230	87.59	44.00

CH38




Date: 18.JUN.2021 14:42:51

CH46 26 dB Bandwidth




Date: 18.JUN.2021 14:43:40

99 % Occupied Bandwidth



Date: 18.JUN.2021 11:33:51




Date: 18.JUN.2021 11:34:53

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	173.80	85.20

CH42 26 dB Bandwidth



Date: 18 JUN 2021 11:36:43

99 % Occupied Bandwidth




Date: 18 JUN 2021 11:36:24

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	27.09	19.40
40	5200	27.29	19.50
48	5240	25.70	19.40

CH36




Date: 18.JUN.2021 11:42:07

CH40
26 dB Bandwidth




Date: 18.JUN.2021 11:43:08

CH48




Date: 18.JUN.2021 11:44:13


99 % Occupied Bandwidth



Date: 18.JUN.2021 11:42:25



Date: 18.JUN.2021 11:42:27




Date: 18.JUN.2021 11:43:25

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	179.99	88.40

CH42 26 dB Bandwidth



Date: 18 JUN 2021 11:48:53

99 % Occupied Bandwidth




Date: 18 JUN 2021 11:48:19

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.35	36.00	0.50	Complies
157	5785	16.55	37.08	0.50	Complies
165	5825	16.45	37.80	0.50	Complies

CH149




Date: 18.JUN.2021 09:55:18

CH157
6 dB Bandwidth




Date: 18.JUN.2021 09:56:56

CH165




Date: 18.JUN.2021 09:58:16


99 % Occupied Bandwidth



Date: 18.JUN.2021 10:36:18



Date: 18.JUN.2021 10:36:53




Date: 18.JUN.2021 10:37:37

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.65	18.70	0.50	Complies
157	5785	17.65	20.00	0.50	Complies
165	5825	17.65	20.60	0.50	Complies

CH149




Date: 18.JUN.2021 10:29:28

CH157
6 dB Bandwidth




Date: 18.JUN.2021 10:30:59

CH165




Date: 18.JUN.2021 10:32:28


99 % Occupied Bandwidth



Date: 18.JUN.2021 10:29:35



Date: 18.JUN.2021 10:30:05




Date: 18.JUN.2021 10:31:34

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.50	41.40	0.50	Complies
159	5795	36.50	49.40	0.50	Complies

CH151




Date: 18.JUN.2021 10:04:25

CH159 6 dB Bandwidth




Date: 18.JUN.2021 10:05:57

99 % Occupied Bandwidth



Date: 18.JUN.2021 10:05:38




Date: 18.JUN.2021 10:05:10

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.39	78.00	0.50	Complies

CH155 6 dB Bandwidth



Date: 18 JUN 2021 10:07:57

99 % Occupied Bandwidth




Date: 18 JUN 2021 10:06:57

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.10	19.70	0.50	Complies
157	5785	18.99	19.90	0.50	Complies
165	5825	18.95	20.30	0.50	Complies

CH149




Date: 18.JUN.2021 10:18:10

CH157
6 dB Bandwidth




Date: 18.JUN.2021 10:19:58

CH165




Date: 18.JUN.2021 10:21:30


99 % Occupied Bandwidth



Date: 18.JUN.2021 10:17:18



Date: 18.JUN.2021 10:19:07




Date: 18.JUN.2021 10:20:39

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.01	41.40	0.50	Complies
159	5795	38.30	46.20	0.50	Complies

CH151




Date: 18.JUN.2021 10:23:19

CH159 6 dB Bandwidth




Date: 18.JUN.2021 10:24:52

99 % Occupied Bandwidth



Date: 18.JUN.2021 10:22:24




Date: 18.JUN.2021 10:24:00

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.80	78.80	0.50	Complies

CH155 6 dB Bandwidth



Date: 18 JUN 2021 10:26:47

99 % Occupied Bandwidth



Date: 18 JUN 2021 10:25:44

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.08	0.11	21.19	30.00	1.0000	Complies
40	5200	25.13	0.11	25.24	30.00	1.0000	Complies
48	5240	25.98	0.11	26.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.98	0.00	18.98	30.00	1.0000	Complies
40	5200	21.22	0.00	21.22	30.00	1.0000	Complies
48	5240	21.46	0.00	21.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.07	0.00	21.07	30.00	1.0000	Complies
40	5200	23.15	0.00	23.15	30.00	1.0000	Complies
48	5240	23.01	0.00	23.01	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.16	30.00	1.0000	Complies
40	5200	25.30	30.00	1.0000	Complies
48	5240	25.31	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.13	0.10	21.23	30.00	1.0000	Complies
46	5230	23.16	0.10	23.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.76	0.10	21.86	30.00	1.0000	Complies
46	5230	23.58	0.10	23.68	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.57	30.00	1.0000	Complies
46	5230	26.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.02	0.00	19.02	30.00	1.0000	Complies
40	5200	21.31	0.00	21.31	30.00	1.0000	Complies
48	5240	21.55	0.00	21.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.13	0.00	21.13	30.00	1.0000	Complies
40	5200	23.18	0.00	23.18	30.00	1.0000	Complies
48	5240	23.09	0.00	23.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.21	30.00	1.0000	Complies
40	5200	25.36	30.00	1.0000	Complies
48	5240	25.40	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.26	0.00	21.26	30.00	1.0000	Complies
46	5230	23.31	0.00	23.31	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.93	0.00	21.93	30.00	1.0000	Complies
46	5230	23.67	0.00	23.67	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.62	30.00	1.0000	Complies
46	5230	26.50	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.44	0.22	21.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.68	0.22	21.90	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.79	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.36	0.00	18.36	30.00	1.0000	Complies
40	5200	21.33	0.00	21.33	30.00	1.0000	Complies
48	5240	21.39	0.00	21.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.23	0.00	20.23	30.00	1.0000	Complies
40	5200	23.17	0.00	23.17	30.00	1.0000	Complies
48	5240	23.26	0.00	23.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.41	30.00	1.0000	Complies
40	5200	25.36	30.00	1.0000	Complies
48	5240	25.44	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.34	0.00	21.34	30.00	1.0000	Complies
46	5230	23.42	0.00	23.42	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.98	0.00	21.98	30.00	1.0000	Complies
46	5230	23.71	0.00	23.71	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.68	30.00	1.0000	Complies
46	5230	26.58	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.25	0.11	21.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.41	0.11	21.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.91	0.11	28.02	30.00	1.0000	Complies
157	5785	27.69	0.11	27.80	30.00	1.0000	Complies
165	5825	27.79	0.11	27.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.98	0.00	23.98	30.00	1.0000	Complies
157	5785	23.87	0.00	23.87	30.00	1.0000	Complies
165	5825	23.93	0.00	23.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.04	0.00	25.04	30.00	1.0000	Complies
157	5785	24.99	0.00	24.99	30.00	1.0000	Complies
165	5825	24.95	0.00	24.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.55	30.00	1.0000	Complies
157	5785	27.48	30.00	1.0000	Complies
165	5825	27.48	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.17	0.10	24.27	30.00	1.0000	Complies
159	5795	24.31	0.10	24.41	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.89	0.10	24.99	30.00	1.0000	Complies
159	5795	24.93	0.10	25.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.65	30.00	1.0000	Complies
159	5795	27.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.19	0.00	24.19	30.00	1.0000	Complies
157	5785	24.12	0.00	24.12	30.00	1.0000	Complies
165	5825	24.18	0.00	24.18	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.40	0.00	25.40	30.00	1.0000	Complies
157	5785	25.36	0.00	25.36	30.00	1.0000	Complies
165	5825	25.32	0.00	25.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.85	30.00	1.0000	Complies
157	5785	27.79	30.00	1.0000	Complies
165	5825	27.80	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.52	0.00	24.52	30.00	1.0000	Complies
159	5795	24.67	0.00	24.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.16	0.00	25.16	30.00	1.0000	Complies
159	5795	25.17	0.00	25.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.86	30.00	1.0000	Complies
159	5795	27.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.74	0.22	22.96	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.15	0.22	24.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.19	0.00	24.19	30.00	1.0000	Complies
157	5785	24.08	0.00	24.08	30.00	1.0000	Complies
165	5825	24.14	0.00	24.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.32	0.00	25.32	30.00	1.0000	Complies
157	5785	25.27	0.00	25.27	30.00	1.0000	Complies
165	5825	25.23	0.00	25.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.80	30.00	1.0000	Complies
157	5785	27.73	30.00	1.0000	Complies
165	5825	27.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.79	0.00	24.79	30.00	1.0000	Complies
159	5795	24.86	0.00	24.86	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.41	0.00	25.41	30.00	1.0000	Complies
159	5795	25.33	0.00	25.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.12	30.00	1.0000	Complies
159	5795	28.11	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.46	0.11	22.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.82	0.11	23.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.32	30.00	1.0000	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.47	0.00	18.47	30.00	1.0000	Complies
40	5200	20.73	0.00	20.73	30.00	1.0000	Complies
48	5240	20.97	0.00	20.97	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.58	0.00	19.58	30.00	1.0000	Complies
40	5200	22.61	0.00	22.61	30.00	1.0000	Complies
48	5240	22.61	0.00	22.61	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.07	28.00	0.6310	Complies
40	5200	24.78	28.00	0.6310	Complies
48	5240	24.88	28.00	0.6310	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.62	0.10	20.72	30.00	1.0000	Complies
46	5230	22.59	0.10	22.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.25	0.10	21.35	30.00	1.0000	Complies
46	5230	23.01	0.10	23.11	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.06	28.00	0.6310	Complies
46	5230	25.91	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.64	0.00	18.64	30.00	1.0000	Complies
40	5200	20.84	0.00	20.84	30.00	1.0000	Complies
48	5240	21.08	0.00	21.08	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.59	0.00	20.59	30.00	1.0000	Complies
40	5200	22.71	0.00	22.71	30.00	1.0000	Complies
48	5240	22.62	0.00	22.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.73	28.00	0.6310	Complies
40	5200	24.89	28.00	0.6310	Complies
48	5240	24.93	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.78	0.00	20.78	30.00	1.0000	Complies
46	5230	22.84	0.00	22.84	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.35	0.00	21.35	30.00	1.0000	Complies
46	5230	23.18	0.00	23.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.08	28.00	0.6310	Complies
46	5230	26.02	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.97	0.22	21.19	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.21	0.22	21.43	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.32	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.91	0.00	17.91	30.00	1.0000	Complies
40	5200	20.84	0.00	20.84	30.00	1.0000	Complies
48	5240	20.94	0.00	20.94	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.76	0.00	19.76	30.00	1.0000	Complies
40	5200	22.21	0.00	22.21	30.00	1.0000	Complies
48	5240	22.79	0.00	22.79	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.94	28.00	0.6310	Complies
40	5200	24.59	28.00	0.6310	Complies
48	5240	24.97	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.89	0.00	20.89	30.00	1.0000	Complies
46	5230	22.96	0.00	22.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.51	0.00	21.51	30.00	1.0000	Complies
46	5230	23.24	0.00	23.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.22	28.00	0.6310	Complies
46	5230	26.11	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.77	0.11	20.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.95	0.11	21.06	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.98	28.00	0.6310	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.54	0.00	23.54	30.00	1.0000	Complies
157	5785	23.41	0.00	23.41	30.00	1.0000	Complies
165	5825	23.49	0.00	23.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.58	0.00	24.58	30.00	1.0000	Complies
157	5785	24.52	0.00	24.52	30.00	1.0000	Complies
165	5825	24.47	0.00	24.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.10	28.00	0.6310	Complies
157	5785	27.01	28.00	0.6310	Complies
165	5825	27.02	28.00	0.6310	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.77	0.10	23.87	30.00	1.0000	Complies
159	5795	23.83	0.10	23.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.43	0.10	24.53	30.00	1.0000	Complies
159	5795	24.59	0.10	24.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.22	28.00	0.6310	Complies
159	5795	27.34	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.66	0.00	23.66	30.00	1.0000	Complies
157	5785	23.56	0.00	23.56	30.00	1.0000	Complies
165	5825	23.61	0.00	23.61	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.84	0.00	24.84	30.00	1.0000	Complies
157	5785	24.79	0.00	24.79	30.00	1.0000	Complies
165	5825	24.75	0.00	24.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.30	28.00	0.6310	Complies
157	5785	27.23	28.00	0.6310	Complies
165	5825	27.23	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.12	0.00	24.12	30.00	1.0000	Complies
159	5795	23.89	0.00	23.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.89	0.00	24.89	30.00	1.0000	Complies
159	5795	24.91	0.00	24.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.53	28.00	0.6310	Complies
159	5795	27.44	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.29	0.22	22.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.68	0.22	23.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.27	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.72	0.00	23.72	30.00	1.0000	Complies
157	5785	23.61	0.00	23.61	30.00	1.0000	Complies
165	5825	23.69	0.00	23.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.85	0.00	24.85	30.00	1.0000	Complies
157	5785	24.81	0.00	24.81	30.00	1.0000	Complies
165	5825	24.76	0.00	24.76	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.33	28.00	0.6310	Complies
157	5785	27.26	28.00	0.6310	Complies
165	5825	27.27	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.31	0.00	24.31	30.00	1.0000	Complies
159	5795	24.38	0.00	24.38	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.06	0.00	25.06	30.00	1.0000	Complies
159	5795	25.14	0.00	25.14	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.71	28.00	0.6310	Complies
159	5795	27.79	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.98	0.11	22.09	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.34	0.11	23.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.84	28.00	0.6310	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.57	0.11	14.68	17.00	Complies
40	5200	14.53	0.11	14.64	17.00	Complies
48	5240	14.16	0.11	14.27	17.00	Complies

CH36




Date: 18.JUN.2021 10:55:05

CH40



Date: 18.JUN.2021 10:55:40


CH48



Date: 18.JUN.2021 10:56:21


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.76	0.00	11.76	17.00	Complies
40	5200	11.63	0.00	11.63	17.00	Complies
48	5240	11.16	0.00	11.16	17.00	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.02	0.00	10.02	17.00	Complies
40	5200	10.19	0.00	10.19	17.00	Complies
48	5240	10.13	0.00	10.13	17.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.99	14.99	Complies
40	5200	13.98	14.99	Complies
48	5240	13.69	14.99	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.24	0.00	11.24	17.00	Complies
46	5230	11.97	0.00	11.97	17.00	Complies

CH38



Date: 18.JUN.2021 11:11:16

CH46




Date: 18.JUN.2021 11:11:52

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.51	0.00	10.51	17.00	Complies
46	5230	10.68	0.00	10.68	17.00	Complies

CH38



Date: 18.JUN.2021 14:01:01

CH46




Date: 18.JUN.2021 14:01:50

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.90	14.99	Complies
46	5230	14.38	14.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.94	0.22	9.16	17.00	Complies



Date: 18 JUN 2021 11:13:08

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.35	0.22	7.57	17.00	Complies




Date: 18 JUN 2021 14:06:52

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.45	14.99	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.98	0.00	11.98	17.00	Complies
40	5200	11.98	0.00	11.98	17.00	Complies
48	5240	11.48	0.00	11.48	17.00	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.69	0.00	10.69	17.00	Complies
40	5200	11.13	0.00	11.13	17.00	Complies
48	5240	10.97	0.00	10.97	17.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.39	14.99	Complies
40	5200	14.59	14.99	Complies
48	5240	14.24	14.99	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.53	0.00	11.53	17.00	Complies
46	5230	11.88	0.00	11.88	17.00	Complies




Date: 18 JUN 2021 11:18:15




Date: 18 JUN 2021 11:18:46

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.46	0.00	10.46	17.00	Complies
46	5230	10.69	0.00	10.69	17.00	Complies



Date: 18 JUN 2021 14:10:45




Date: 18 JUN 2021 14:11:17

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.04	14.99	Complies
46	5230	14.34	14.99	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.02	0.11	9.13	17.00	Complies



Date: 18 JUN 2021 11:19:37

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.80	0.11	7.91	17.00	Complies



Date: 18 JUN 2021 14:11:57


Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.58	14.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.92	0.11	17.03	30.00	Complies
157	5785	16.32	0.11	16.43	30.00	Complies
165	5825	15.99	0.11	16.10	30.00	Complies

CH149




Date: 18.JUN.2021 09:55:33

CH157



Date: 18.JUN.2021 09:57:11


CH165




Date: 18.JUN.2021 09:58:31

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.17	0.00	12.17	30.00	Complies
157	5785	11.78	0.00	11.78	30.00	Complies
165	5825	11.86	0.00	11.86	30.00	Complies



Date: 18.JUN.2021 10:29:43




Date: 18.JUN.2021 10:31:15




Date: 18.JUN.2021 10:32:43

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.07	0.00	12.07	30.00	Complies
157	5785	11.70	0.00	11.70	30.00	Complies
165	5825	11.73	0.00	11.73	30.00	Complies



Date: 18.JUN.2021 10:43:31



Date: 18.JUN.2021 10:44:09





Date: 18.JUN.2021 10:44:35

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.13	27.99	Complies
157	5785	14.75	27.99	Complies
165	5825	14.81	27.99	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.62	0.00	10.62	30.00	Complies
159	5795	10.15	0.00	10.15	30.00	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.93	0.00	9.93	30.00	Complies
159	5795	9.64	0.00	9.64	30.00	Complies




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.30	27.99	Complies
159	5795	12.91	27.99	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.84	0.22	6.06	30.00	Complies



Date: 18 JUN 2021 10:08:18

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.19	0.22	5.41	30.00	Complies




Date: 18 JUN 2021 10:47:55

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.76	27.99	Complies


Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.34	0.00	11.34	30.00	Complies
157	5785	10.91	0.00	10.91	30.00	Complies
165	5825	11.02	0.00	11.02	30.00	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.72	0.00	11.72	30.00	Complies
157	5785	11.11	0.00	11.11	30.00	Complies
165	5825	10.74	0.00	10.74	30.00	Complies




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.54	27.99	Complies
157	5785	14.02	27.99	Complies
165	5825	13.89	27.99	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.27	0.00	9.27	30.00	Complies
159	5795	8.87	0.00	8.87	30.00	Complies




Date: 18 JUN 2021 10:23:40




Date: 18 JUN 2021 10:25:14

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.68	0.00	9.68	30.00	Complies
159	5795	9.21	0.00	9.21	30.00	Complies



Date: 18 JUN 2021 10:50:27




Date: 18 JUN 2021 10:51:01

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.49	27.99	Complies
159	5795	12.05	27.99	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.06	0.11	5.17	30.00	Complies



Date: 18 JUN 2021 10:27:08

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.33	0.11	5.44	30.00	Complies



Date: 18 JUN 2021 10:51:46

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.32	27.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
40.8	5180.0040
48	5180.0036
55.2	5180.0032
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7722

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5180.0028
10	5180.0024
20	5180.0020
30	5180.0016
40	5180.0016
45	5180.0012
Maximum Deviation (MHz)	0.0028
Maximum Deviation (ppm)	0.5405

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
40.8	5745.0016
48	5745.0016
55.2	5745.0012
Maximum Deviation (MHz)	0.0016
Maximum Deviation (ppm)	0.2785

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0012
10	5745.0012
20	5745.0012
30	5745.0008
40	5745.0012
45	5745.0012
Maximum Deviation (MHz)	0.0012
Maximum Deviation (ppm)	0.2089

End of Test Report