



802.11a CH165




Report No.: R2406A0726-R3

Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1292.250000	40.74		68.20	27.46	500.0	100.0	٧	223.0	-8.1
1401.625000		29.60	54.00	24.40	500.0	100.0	٧	0.0	-7.5
1705.250000		30.33	54.00	23.67	500.0	100.0	V	359.0	-5.9
1832.125000	42.60		68.20	25.60	500.0	100.0	٧	359.0	-5.2
2590.750000	44.77		68.20	23.43	500.0	100.0	Н	125.0	-2.2
2802.500000		33.67	54.00	20.33	500.0	200.0	Н	327.0	-1.4
3545.375000	49.21		68.20	18.99	500.0	200.0	٧	133.0	1.4
3990.750000		38.17	54.00	15.83	500.0	200.0	٧	9.0	2.9
4500.000000		38.50	54.00	15.50	500.0	200.0	٧	113.0	4.3
5222.750000	48.65	1	68.20	19.55	500.0	100.0	Н	249.0	5.4
7005.125000	52.99	(68.20	15.21	500.0	200.0	٧	45.0	6.5
7531.875000		41.18	54.00	12.82	500.0	100.0	V	237.0	7.4




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
(101112)	(uspviii)	(аврулп)	(ubµv/iii)	(ub)	(ms)	(CIII)		(ueg)	(ub/iii)
8517.500000	43.67	-	68.20	24.53	500.0	200.0	Н	305.0	-1.6
9001.250000	1	31.97	54.00	22.03	500.0	200.0	Н	296.0	-1.4
9472.500000	(****)	33.13	54.00	20.87	500.0	100.0	Н	19.0	-0.2
9707.500000	44.51	\$1.00 m	68.20	23.69	500.0	100.0	٧	233.0	-0.7
10518.750000	43.33	-	68.20	24.87	500.0	100.0	Н	15.0	-0.9
11650.000000		36.91	54.00	17.09	500.0	200.0	٧	234.0	0.0
13340.000000	1	35.24	54.00	18.76	500.0	200.0	٧	188.0	3.3
13490.000000	47.01		68.20	21.19	500.0	200.0	Н	106.0	3.5
15261.250000	48.61	-	68.20	19.59	500.0	200.0	Н	4.0	5.9
15576.250000		37.89	54.00	16.11	500.0	200.0	٧	82.0	6.6
17673.750000	51.82		68.20	16.38	500.0	200.0	٧	183.0	10.2
17756.250000		40.45	54.00	13.55	500.0	100.0	Н	60.0	10.3






Report No.: R2406A0726-R3

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1122.500000		27.85	54.00	26.15	500.0	100.0	Н	53.0	-9.2
1285.250000	40.24	9	68.20	27.96	500.0	100.0	٧	204.0	-8.1
1484.750000		28.89	54.00	25.11	500.0	200.0	Н	355.0	-6.9
1709.625000		30.35	54.00	23.65	500.0	100.0	٧	302.0	-5.9
1955.500000	42.70		68.20	25.50	500.0	100.0	٧	137.0	-4.6
2680.875000	44.47	9	68.20	23.73	500.0	200.0	V	111.0	-1.9
2812.125000		33.63	54.00	20.38	500.0	100.0	٧	67.0	-1.3
3424.625000	48.35		68.20	19.85	500.0	200.0	٧	77.0	1.0
3988.125000		37.88	54.00	16.12	500.0	100.0	٧	346.0	2.9
5564.000000	50.74		68.20	17.46	500.0	100.0	Н	0.0	6.1
6907.125000	57.61	(68.20	10.59	500.0	100.0	٧	6.0	6.6
7485.500000		40.88	54.00	13.12	500.0	100.0	V	350.0	7.2




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8423.750000	-	30.95	54.00	23.05	500.0	100.0	Н	124.0	-1.9
8965.000000	43.34		68.20	24.86	500.0	100.0	٧	188.0	-1.4
9467.500000	(****)	33.03	54.00	20.97	500.0	100.0	Н	315.0	-0.3
9505.000000	44.62	\$100 A	68.20	23.58	500.0	100.0	Н	77.0	-0.4
10510.000000	43.42		68.20	24.78	500.0	100.0	Н	41.0	-0.9
11937.500000		32.84	54.00	21.16	500.0	100.0	٧	188.0	0.3
13297.500000	1	35.19	54.00	18.81	500.0	200.0	Н	299.0	3.3
13573.750000	47.19		68.20	21.01	500.0	100.0	Н	16.0	3.7
15297.500000	49.06	-	68.20	19.14	500.0	200.0	Н	290.0	5.9
15565.000000		38.14	54.00	15.86	500.0	200.0	Н	0.0	6.6
17670.000000	51.02		68.20	17.18	500.0	200.0	Н	351.0	10.2
17750.000000		40.30	54.00	13.70	500.0	100.0	Н	181.0	10.3






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1054.250000		28.07	54.00	25.93	500.0	100.0	Н	99.0	-9.6
1288.750000	40.96		68.20	27.24	500.0	100.0	٧	134.0	-8.1
1404.250000		29.30	54.00	24.70	500.0	200.0	Н	310.0	-7.4
1721.875000	(4)	30.11	54.00	23.89	500.0	100.0	٧	162.0	-5.8
1955.500000	43.02		68.20	25.18	500.0	100.0	٧	332.0	-4.6
2509.375000	44.40	(***	68.20	23.80	500.0	200.0	Н	129.0	-2.4
2823.500000		33.70	54.00	20.30	500.0	100.0	V	250.0	-1.3
3411.500000	48.00	(****	68.20	20.20	500.0	200.0	٧	286.0	1.0
3982.875000		38.12	54.00	15.88	500.0	200.0	٧	340.0	2.8
4470.250000	49.36	-	68.20	18.84	500.0	100.0	Н	192.0	4.1
6933.375000	57.59	9	68.20	10.61	500.0	100.0	٧	19.0	6.6
7545.000000		40.85	54.00	13.15	500.0	200.0	Н	192.0	7.4




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)	P331W33331A3	(deg)	(dB/m)
8053.750000		31.76	54.00	22.24	500.0	200.0	Н	91.0	-1.5
8991.250000	43.57		68.20	24.63	500.0	200.0	٧	140.0	-1.4
9468.750000	(****)	32.62	54.00	21.38	500.0	200.0	٧	337.0	-0.3
9503.750000	44.18	\$100 A	68.20	24.02	500.0	100.0	H	222.0	-0.4
10553.750000	43.73		68.20	24.47	500.0	100.0	٧	305.0	-0.8
11725.000000		32.81	54.00	21.19	500.0	200.0	Н	101.0	0.0
13311.250000	1===3	35.04	54.00	18.96	500.0	100.0	٧	134.0	3.3
13557.500000	46.72		68.20	21.48	500.0	100.0	Н	170.0	3.7
15301.250000	48.61	-	68.20	19.59	500.0	100.0	Н	62.0	5.9
15600.000000		38.06	54.00	15.94	500.0	100.0	Н	118.0	6.7
17666.250000	51.63		68.20	16.57	500.0	200.0	٧	180.0	10.2
17866.250000		40.10	54.00	13.90	500.0	200.0	٧	73.0	10.2






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
(141112)	(αΒμίλιι)	(αΒμτ/πι)	(αΒμτ/πι)	(ub)	(ms)	(OIII)		(uog)	(ab/m)
1094.500000		27.23	54.00	26.77	500.0	100.0	Н	100.0	-9.3
1275.625000	40.06		68.20	28.14	500.0	100.0	٧	279.0	-8.2
1405.125000		29.29	54.00	24.71	500.0	100.0	٧	349.0	-7.4
1705.250000		30.51	54.00	23.49	500.0	100.0	٧	296.0	-5.9
1991.375000	42.74		68.20	25.46	500.0	100.0	٧	218.0	-4.5
2509.375000	44.83	(***	68.20	23.37	500.0	200.0	٧	114.0	-2.4
2820.000000		33.77	54.00	20.23	500.0	200.0	Н	326.0	-1.3
3481.500000	48.83		68.20	19.37	500.0	200.0	Н	340.0	1.2
3864.750000		38.16	54.00	15.84	500.0	200.0	٧	23.0	2.4
5581.500000	50.53		68.20	17.67	500.0	100.0	Н	119.0	6.2
6986.750000	58.16	(4-4	68.20	10.04	500.0	100.0	٧	18.0	6.6
7495.125000		40.96	54.00	13.04	500.0	200.0	V	119.0	7.2






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)	P391W3333163	(deg)	(dB/m)
8572.500000	42.79		68.20	25.41	500.0	200.0	Н	320.0	-1.7
9001.250000		31.74	54.00	22.26	500.0	100.0	٧	185.0	-1.4
9457.500000		32.79	54.00	21.21	500.0	200.0	Н	74.0	-0.3
9663.750000	43.97		68.20	24.23	500.0	100.0	H	45.0	-0.8
10566.250000	43.55		68.20	24.65	500.0	100.0	Н	138.0	-0.8
11205.000000		32.72	54.00	21.28	500.0	100.0	Н	133.0	-0.4
13312.500000	1	34.87	54.00	19.13	500.0	200.0	٧	309.0	3.3
13552.500000	46.52		68.20	21.68	500.0	100.0	Н	296.0	3.6
15306.250000	48.80		68.20	19.40	500.0	100.0	Н	231.0	5.9
15577.500000		37.74	54.00	16.26	500.0	200.0	Н	299.0	6.6
17680.000000	51.25		68.20	16.95	500.0	200.0	Н	155.0	10.2
17863.750000		40.34	54.00	13.66	500.0	200.0	٧	28.0	10.2






Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.875000	42.74	(68.20	25.46	500.0	100.0	Н	0.0	-8.1
1392.000000		29.43	54.00	24.57	500.0	100.0	V	276.0	-7.5
1681.625000		30.34	54.00	23.66	500.0	200.0	٧	296.0	-6.0
1927.500000	43.27		68.20	24.93	500.0	200.0	Н	159.0	-4.8
2647.625000	45.36		68.20	22.84	500.0	200.0	Н	304.0	-1.9
2808.625000		33.74	54.00	20.26	500.0	100.0	٧	341.0	-1.3
3588.250000	48.47		68.20	19.73	500.0	100.0	Н	235.0	1.5
3986.375000		37.97	54.00	16.03	500.0	100.0	٧	240.0	2.9
4908.625000		38.50	54.00	15.50	500.0	200.0	Н	64.0	5.1
5642.750000	50.01	(444	68.20	18.19	500.0	200.0	Н	132.0	6.0
7013.875000	57.20	-	68.20	11.00	500.0	100.0	٧	21.0	6.5
7649.125000		40.93	54.00	13.07	500.0	100.0	Н	230.0	7.7




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8043.750000		31.72	54.00	22.28	500.0	100.0	٧	36.0	-1.5
8531.250000	43.33		68.20	24.87	500.0	200.0	٧	254.0	-1.6
9453.750000	(****)	33.02	54.00	20.98	500.0	100.0	Н	255.0	-0.4
10147.500000	44.34	\$2.54E	68.20	23.86	500.0	200.0	٧	172.0	-0.8
10566.250000	44.13		68.20	24.07	500.0	100.0	٧	253.0	-0.8
10671.250000		32.84	54.00	21.16	500.0	100.0	٧	70.0	-0.7
13302.500000	1	34.86	54.00	19.14	500.0	200.0	٧	185.0	3.3
13538.750000	46.75		68.20	21.45	500.0	100.0	٧	21.0	3.6
15255.000000	48.21	1	68.20	19.99	500.0	200.0	٧	214.0	5.8
15590.000000		37.99	54.00	16.01	500.0	100.0	٧	36.0	6.7
17673.750000	51.62		68.20	16.58	500.0	200.0	Н	98.0	10.2
17753.750000		40.13	54.00	13.87	500.0	100.0	٧	222.0	10.3

Report No.: R2406A0726-R3

802.11n (HT20) CH60



Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.125000		27.94	54.00	26.06	500.0	100.0	٧	354.0	-9.2
1266.875000	39.75		68.20	28.45	500.0	100.0	V	189.0	-8.2
1400.750000		29.27	54.00	24.73	500.0	100.0	٧	340.0	-7.5
1687.750000		30.71	54.00	23.29	500.0	100.0	٧	88.0	-5.9
1994.000000	43.04		68.20	25.16	500.0	200.0	Н	315.0	-4.5
2609.125000	45.19	()	68.20	23.01	500.0	200.0	٧	93.0	-2.′
2823.500000		33.57	54.00	20.43	500.0	200.0	Н	130.0	-1.3
3447.375000	48.45		68.20	19.75	500.0	200.0	Н	274.0	1.1
3984.625000		38.05	54.00	15.95	500.0	200.0	Н	330.0	2.8
4440.500000	49.94		68.20	18.26	500.0	100.0	Н	75.0	3.9
7067.250000	56.21	()	68.20	11.99	500.0	100.0	٧	23.0	6.0
7524.000000		41.26	54.00	12.74	500.0	200.0	V	5.0	7.3




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)	2501253333	(deg)	(dB/m)
8277.500000		29.59	54.00	24.41	500.0	100.0	Н	122.0	-1.8
8522.500000	43.41		68.20	24.79	500.0	200.0	Н	104.0	-1.6
9456.250000	(****)	32.88	54.00	21.12	500.0	100.0	٧	87.0	-0.3
10146.250000	44.65	**************************************	68.20	23.55	500.0	100.0	٧	153.0	-0.8
10568.750000	43.70	-	68.20	24.50	500.0	100.0	٧	41.0	-0.8
10670.000000		33.08	54.00	20.92	500.0	200.0	٧	0.0	-0.7
13301.250000	1	34.76	54.00	19.24	500.0	200.0	Н	99.0	3.3
13555.000000	46.70		68.20	21.50	500.0	100.0	٧	153.0	3.7
15297.500000	48.46	-	68.20	19.74	500.0	200.0	٧	333.0	5.9
15581.250000		37.74	54.00	16.26	500.0	100.0	Н	351.0	6.7
17691.250000	50.94		68.20	17.26	500.0	100.0	٧	61.0	10.2
17907.500000		39.92	54.00	14.08	500.0	200.0	٧	169.0	10.2




Report No.: R2406A0726-R3

802.11n (HT20) CH64



Frequency (MHz)	MaxPeak (dBµV/m)	Average	Limit	Margin	Meas. Time	Height	Pol	Azimuth	Corr.
(IVIF12)	(ивруин)	(dBµV/m)	(dBµV/m)	(dB)	(ms)	(cm)		(deg)	(dB/m)
1105.000000		27.28	54.00	26.72	500.0	200.0	Н	337.0	-9.2
1288.750000	39.96		68.20	28.24	500.0	200.0	٧	136.0	-8.1
1409.500000		29.33	54.00	24.67	500.0	100.0	٧	189.0	-7.4
1702.625000		30.34	54.00	23.66	500.0	100.0	٧	292.0	-5.9
1952.000000	42.97		68.20	25.23	500.0	100.0	٧	175.0	-4.6
2669.500000	44.07	(68.20	24.13	500.0	100.0	٧	27.0	-1.9
2751.750000		33.61	54.00	20.39	500.0	100.0	V	213.0	-1.6
3484.125000	48.68		68.20	19.52	500.0	100.0	Н	153.0	1.2
3989.875000		38.02	54.00	15.98	500.0	100.0	Н	0.0	2.9
4472.875000	48.99		68.20	19.21	500.0	200.0	Н	180.0	4.1
7093.500000	54.75	(4-4	68.20	13.45	500.0	100.0	٧	23.0	6.7
7528.375000		40.87	54.00	13.13	500.0	100.0	V	6.0	7.3






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
(12)	(aspering	(asparan)	(aspering	(42)	(ms)	(0111)		(aug)	(42/11)
8056.250000	-	31.55	54.00	22.45	500.0	200.0	Н	137.0	-1.5
8513.750000	42.92		68.20	25.28	500.0	100.0	Н	328.0	-1.6
9456.250000	(****)	32.79	54.00	21.21	500.0	200.0	Н	219.0	-0.3
10230.000000	44.38	\$2.00 P	68.20	23.82	500.0	100.0	Н	318.0	-0.9
10556.250000	44.16		68.20	24.04	500.0	200.0	Н	66.0	-0.8
10685.000000		32.70	54.00	21.30	500.0	100.0	٧	69.0	-0.7
13321.250000	1	34.98	54.00	19.02	500.0	100.0	Н	26.0	3.3
13580.000000	46.68		68.20	21.52	500.0	100.0	٧	220.0	3.7
15282.500000	48.02	-	68.20	20.18	500.0	100.0	Н	0.0	5.9
15587.500000		37.66	54.00	16.34	500.0	100.0	Н	143.0	6.7
17675.000000	51.72		68.20	16.48	500.0	100.0	٧	200.0	10.2
17905.000000		40.34	54.00	13.66	500.0	100.0	٧	54.0	10.2


Report No.: R2406A0726-R3

802.11n (HT20) CH100




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1088.375000		27.65	54.00	26.35	500.0	200.0	٧	153.0	-9.4
1287.000000	40.01		68.20	28.19	500.0	100.0	٧	0.0	-8.1
1413.875000		29.20	54.00	24.80	500.0	100.0	٧	69.0	-7.3
1707.000000		30.20	54.00	23.80	500.0	100.0	٧	11.0	-5.9
1859.250000	42.55		68.20	25.65	500.0	100.0	٧	188.0	-5.1
2572.375000	44.74	(***	68.20	23.46	500.0	100.0	Н	183.0	-2.2
2765.750000		33.70	54.00	20.30	500.0	200.0	V	270.0	-1.5
3482.375000	48.00		68.20	20.20	500.0	100.0	Н	198.0	1.2
3987.250000		38.14	54.00	15.86	500.0	200.0	٧	173.0	2.9
4447.500000	49.45		68.20	18.75	500.0	100.0	Н	178.0	3.9
7533.625000		40.72	54.00	13.28	500.0	100.0	٧	30.0	7.4
7874.875000	52.46		68.20	15.74	500.0	200.0	v	143.0	8.1






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
8238.750000		30.13	54.00	23.87	500.0	200.0	٧	67.0	-1.7
9000.000000	43.68		68.20	24.52	500.0	200.0	٧	154.0	-1.4
9457.500000	3	32.76	54.00	21.24	500.0	200.0	Н	168.0	-0.3
10127.500000	43.78	\$100 m	68.20	24.42	500.0	100.0	٧	267.0	-0.8
10535.000000	43.74	-	68.20	24.46	500.0	200.0	Н	325.0	-0.9
10685.000000		32.75	54.00	21.25	500.0	200.0	Н	0.0	-0.7
13300.000000		34.91	54.00	19.09	500.0	100.0	Н	0.0	3.3
13498.750000	46.51		68.20	21.69	500.0	100.0	٧	97.0	3.5
15298.750000	48.56	-	68.20	19.64	500.0	100.0	Н	177.0	5.9
15556.250000		37.61	54.00	16.39	500.0	100.0	٧	355.0	6.6
17672.500000	51.16	-	68.20	17.04	500.0	100.0	٧	0.0	10.2
17758.750000		39.91	54.00	14.09	500.0	100.0	Н	98.0	10.3





Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1120.750000		28.08	54.00	25.92	500.0	100.0	V	154.0	-9.2
1291.375000	40.15		68.20	28.05	500.0	200.0	Н	167.0	-8.1
1397.250000		29.27	54.00	24.73	500.0	200.0	٧	253.0	-7.5
1683.375000		30.32	54.00	23.68	500.0	100.0	Н	283.0	-6.0
1960.750000	42.75		68.20	25.45	500.0	200.0	٧	286.0	-4.6
2449.000000	44.57		68.20	23.63	500.0	100.0	٧	47.0	-2.6
2768.375000		33.59	54.00	20.41	500.0	100.0	٧	290.0	-1.4
3513.875000	48.20	(*****)	68.20	20.00	500.0	100.0	Н	164.0	1.3
3991.625000		38.16	54.00	15.84	500.0	100.0	٧	129.0	2.9
4464.125000	49.33	(Application)	68.20	18.87	500.0	100.0	V	109.0	4.1
6603.500000	52.44	(68.20	15.76	500.0	100.0	٧	179.0	6.5
7488.125000		40.83	54.00	13.17	500.0	200.0	Н	117.0	7.2



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8235,000000		30.25	54.00	23.75	500.0	100.0	н	164.0	-1.7
8522.500000	43.33		68.20	24.87	500.0	100.0	٧	158.0	-1.6
9457.500000		32.75	54.00	21.25	500.0	100.0	Н	257.0	-0.3
9711.250000	43.93		68.20	24.27	500.0	100.0	Н	21.0	-0.7
10522.500000	43.48		68.20	24.72	500.0	200.0	٧	188.0	-0.9
10686.250000	-	32.89	54.00	21.11	500.0	200.0	٧	75.0	-0.7
13318.750000		34.67	54.00	19.33	500.0	100.0	Н	138.0	3.3
13627.500000	46.44		68.20	21.76	500.0	200.0	Н	294.0	3.7
15258.750000	48.72		68.20	19.48	500.0	200.0	Н	183.0	5.8
15577.500000		37.69	54.00	16.31	500.0	200.0	Н	248.0	6.6
17677.500000	52.02		68.20	16.18	500.0	100.0	Н	205.0	10.2
17911.250000		39.86	54.00	14.14	500.0	200.0	٧	284.0	10.2