
Exhibit VII. Test Set-Up Procedures

BLOCK DIAGRAM #1

Transmitter Radiated Spurious Emissions Test Set Up



See Equipment List for Equipment Specifications

* 1/2 Wave Dipole 30-1000 MHz
Dual Ridged Guide Antenna or Broadband Log Periodic 1-10 GHz

Test Equipment List A

SPECTRUM TECHNOLOGY, INC.

Equipment	Manufacturer/Model		Serial Number	Cal Date/Due Date	
Spectrum Analyzer .01 to 22 GHz	Hewlett-Packard 8562A		08562-60062	12/17/02	12/17/03
Amplifier 9 kHz-1300 MHz OPT H64	z Hewlett-Packard 8447F		2727A02208	12/17/02	12/17/03
Amplifier .01 –26.5 GHz	Hewlett-Packard 83006A		3104A00167	12/18/02	12/18/03
Service Monitor	IFR FM/AM 500A 4103				
Oscilloscope	Kikusui C055060		6132295		
Power Supply	Astron VS35		8601266		
Voltmeter	Fluke 8020A		N2420658		
Multimeter	Fluke 25		3710310		
Wattmeter	Bird 43		56227		
High pass filter 2-18 GHz	E/M, Inc.#FH-2/18		SN95-11		
Notch filter 2-18 GHz	Custom notch 2.4 – 2.485 GHz		S002		
RF Termination	Bird 8135		10004		
Dual Phase LISN	STI per MP-4 50 ohm/50 uH		02	1/15/02	1/15/03
Dual Phase LISN	Compliance Design 50 ohm/50 uH		8012-50R-24-BNC 1/15/02 1/15/03		
Audio Generator	Hewlett-Packard 205-AG	8689			
Thermometer	Fluke 52 396518		5		
Test Line	Simulator, Teltone TLS-2	none			
Turn Table, RC	EMCO 1060-2M	060-2M 8912-1			
Antenna Mast, RC	Compliance Design, Inc.	M100			
	z EMCO Model: 3° EMCO 3104 EMCO 3104C MHz EMCO 3146	121C	1335 1336 3763 9401-4635 1754 1125 9107-2645 6225 21138	03/26/00 03/26/00 reference or 01/31/03 02/03/03 05/20/02 reference or 1/16/03 1/21/03	01/31/04 02/03/04 11/20/03

Rev. 02/03

Photographs of EUT set up at OATS facility July 26, 2003

Front View of IX260 PC – WLAN Antenna located internally in the upper left side of display. Bluetooth antenna located internally in the upper right side of the display. External blade antenna on the right side of display is for AIRCARD750. Photo 1 and 2 of 4



Rear View of IX260 PC



Front View of IX260 PC – AC power line conducted emissions Photos 3 & 4 of 4



