


EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing various external components of the EUT (External Under Test) laid out on a blue surface. From left to right, there is a black rectangular device, a coiled black cable with a red connector, another coiled black cable, a bundle of multi-colored wires, a black connector with multiple pins, a small black component, and a black cable with a gold-colored connector. A ruler is placed vertically on the left and horizontally at the bottom for scale.
EUT View 2	 A close-up photograph of the black rectangular device shown in View 1. The device has a textured surface and a small label. A ruler is placed vertically on the left and horizontally at the bottom for scale.

EUT View 3



EUT View 4



EUT View 5	 A black rectangular device, likely a USB dongle, is shown from a top-down perspective. It has a small notch on the left side and a series of small holes along the bottom edge. The device is placed on a blue textured surface next to a metal ruler. The ruler is marked in centimeters from 1 to 22 and in millimeters from 0.5 to 25. The device is approximately 4 cm wide and 2 cm high.
EUT View 6	 A black rectangular device, likely a USB dongle, is shown from a side perspective. It has a small notch on the left side and a series of small holes along the bottom edge. The device is placed on a blue textured surface next to a metal ruler. The ruler is marked in centimeters from 1 to 22 and in millimeters from 0.5 to 25. The device is approximately 4 cm wide and 2 cm high.

EUT View 7

