# Ubiquiti Inc.

# **E-Label Information**

# Model: UA-G3-W, UA-G3-B

#### A. Information to be displayed

1. The information that will be displayed on the e-label and information that will remain in the user manual is shown below:

Information	On e-label	In Manual		
FCC/ISED ID number	Yes	No		
FCC logo / DoC logo	No	No		
15.19 statement ("This device	Yes	No		
complies with part 15 of the FCC				
Rules. Operation is subject to the				
following two conditions: (1)				
This device may not cause				
harmful interference, and (2) this				
device must accept any				
interference received, including				
interference that may cause				
undesired operation.")				
Class A / B Digital Device user	Yes	No		
manual statements <sup>1</sup>				
Caution to the user that changes	Yes	No		
or modifications not expressly				
approved by the party responsible				
for compliance could void the				
user's authority to operate the				
equipment <sup>1</sup>				
Describe any other FCC	Yes	No		
regulatory information included				
in e-label <sup>1</sup>				
<sup>1</sup> If the e-label includes information typically included in the manual then the e-label shall clearly				
differentiate between information required to be on the device's surface and information required to be in				

the manual – refer to 784748 D02 e labelling v01 section II D 3(b)

#### The e-label is provided as the below: UA-G3-W

# G3 Reader M/N: UA-G3-W https://www.ui.com/compliance

#### **United States**

-(	Ĉ	FCC	ID:	SWX	UAG3
----	---	-----	-----	-----	------

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help

This equipment should be installed and operated with a minimum distance 20 cm between the radiator and your body.

Canada

IC: 6545A-UAG3 CAN ICES-003(B)/NMB-003(B)

This device complies with ISED Canada license-exempt RSS standard(s). Operation is subject to the following two

-Increase the separation between the equipment and receiver.

- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help

This equipment should be installed and operated with a minimum distance 20 cm between the radiator and your body.

#### Canada

### IC: 6545A-UAG3 CAN ICES-003(B)/NMB-003(B)

This device complies with ISED Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause interference, and

2. This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISDE Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

1. L'appareil ne doit pas produire de brouillage;

2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Les antennes utilisées pour ce transmetteur doivent être installé en considérant une distance de séparation de toute personnes d'au moins 20 cm et ne doivent pas être localisé ou utilize en conflit avec tout autre antenne ou transmetteur.

Australia



#### Compliance

## G3 Reader M/N: UA-G3-B

https://www.ui.com/compliance/

#### **United States**

-C	FCC	ID:	SWX-UAG3
----	-----	-----	----------

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help

This equipment should be installed and operated with a minimum distance 20 cm between the radiator and your body.

Canada

IC: 6545A-UAG3 CAN ICES-003(B)/NMB-003(B)

This device complies with ISED Canada license-exempt RSS standard(s). Operation is subject to the following two

Close

#### Compliance

- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help

This equipment should be installed and operated with a minimum distance 20 cm between the radiator and your body.

#### Canada

### IC: 6545A-UAG3 CAN ICES-003(B)/NMB-003(B)

X

Close

This device complies with ISED Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause interference, and

2. This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISDE Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

1. L'appareil ne doit pas produire de brouillage;

2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Les antennes utilisées pour ce transmetteur doivent être installé en considérant une distance de séparation de toute personnes d'au moins 20 cm et ne doivent pas être localisé ou utilize en conflit avec tout autre antenne ou transmetteur.

#### Australia

B. Access to the required information on the e-label

1. Users are able to access the information in no more than three steps in a device's menu.

The actual steps are:

# E-label and warning statements can be found in the device/controller GUI under Device > Overview > E-label info

No special access codes or permissions are required to go through the above steps beyond entering a userdefined password to protect against unauthorized access to the device.

2. The information is stored on the device, no special accessories or supplemental plug-ins (e.g., a SIM/USIM card) are required to access the information.

# 3. Users are provided specific instructions on how to access the information. The information to the user is provided in the last page of user manual.

C. Labeling for Importation and Purchasing

Products utilizing e-labels are required to have a physical label on the product at the time of importation, marketing and sales. For devices imported in bulk and not packaged individually, a removable adhesive label or, for devices in protective bags, a label on the bags is acceptable for this purpose. Any removable label shall be of a type intended to survive normal shipping and handling and must only be removed by the customer after purchase. For devices imported already in individual packages ready for sale, the information may alternatively be provided on the package. It shall contain:

#### 1. The FCC/ISED ID and/or the DoC logo (if applicable); and

2. Any other information required by specific rule to be provided on the surface of the product unless such information is permitted to be included in the User's manual or other packaging inserts

#### The FCC ID and model number are present on the product packaging.

#### D. Other considerations

- The above information must be programmed by the responsible party and the information must be secured in such a manner that third-parties cannot modify it.
   The e-label information is pre-programmed by the grantee. The user cannot modify the e-label information.
- All the applicable regulatory information required on the packaging or user instructions must be provided according to the rules even if it is displayed electronically. For example, hearing aid compatibility (HAC) ratings for the phones as specified in 47 C.F.R. § 20.19.
  Yes, it is provided.