



Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

250kbps

High Channel (Open) 9kHz~150kHz



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	44.23	23.92	20.31	118.06	-73.83	100	98 QP		Open		
2	0.06	45.62	25.33	20.29	111.82	-66.20	100	162 QP		Open		
3	0.08	42.37	22.10	20.27	109.75	-67.38	100	146 QP		Open		
4	0.11	45.49	25.26	20.23	107.14	-61.65	100	146 QP		Open		
5	0.12	40.87	20.65	20.22	105.78	-64.91	100	156 QP		Open		
6	0.14	37.89	17.69	20.20	104.45	-66.56	100	152 QP		Open		



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.49	57.52	37.40	20.12	73.74	-16.22	100	143 QP		Open		
2	0.99	49.81	29.62	20.19	67.70	-17.89	100	143 QP		Open		
3	2.73	37.53	17.37	20.16	69.50	-31.97	100	298 QP		Open		
4	11.67	34.67	14.29	20.38	69.50	-34.83	100	43 QP		Open		
5	21.49	34.66	14.16	20.50	69.50	-34.84	100	153 QP		Open		
6	26.44	33.66	13.12	20.54	69.50	-35.84	100	49 QP		Open		

250kbps
High Channel (Close) 9kHz~150kHz

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	56.06	36.12	19.94	127.61	-71.55	100	64 QP	Close	
2	0.06	41.91	21.66	20.25	111.72	-69.81	100	312 QP	Close	
3	0.08	34.33	14.12	20.21	109.11	-74.78	100	217 QP	Close	
4	0.11	34.59	14.40	20.19	106.61	-72.02	100	217 QP	Close	
5	0.12	31.76	11.58	20.18	105.71	-73.95	100	198 QP	Close	
6	0.14	37.52	17.36	20.16	104.67	-67.15	100	233 QP	Close	



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.16	45.80	25.65	20.15	103.41	-57.61	100	185 QP	Close	
2	4.43	36.66	16.41	20.25	69.50	-32.84	100	111 QP	Close	
3	6.06	38.50	18.23	20.27	69.50	-31.00	100	356 QP	Close	
4	11.84	34.07	13.56	20.51	69.50	-35.43	100	271 QP	Close	
5	17.39	35.60	14.99	20.61	69.50	-33.90	100	350 QP	Close	
6	23.86	34.34	13.63	20.71	69.50	-35.16	100	189 QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


250kbps

High Channel (Horizontal)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	112.16	26.78	37.52	-10.74	43.50	-16.72	200	154	QP	Horizontal	
2	253.29	38.07	46.15	-8.08	46.00	-7.93	100	170	QP	Horizontal	
3	399.86	29.52	33.74	-4.22	46.00	-16.48	200	39	QP	Horizontal	
4	565.25	28.67	30.68	-2.01	46.00	-17.33	300	300	QP	Horizontal	
5	718.31	32.25	31.74	0.51	46.00	-13.75	200	150	QP	Horizontal	
6	846.06	32.03	29.48	2.55	46.00	-13.97	200	82	QP	Horizontal	

High Channel (Vertical)



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	33.20	31.67	40.46	-8.79	40.00	-8.33	100	360	QP	Vertical	
2	149.31	27.48	35.03	-7.55	43.50	-16.02	100	349	QP	Vertical	
3	232.73	28.77	37.30	-8.53	46.00	-17.23	100	349	QP	Vertical	
4	427.60	26.27	30.24	-3.97	46.00	-19.73	200	325	QP	Vertical	
5	567.28	28.63	30.60	-1.97	46.00	-17.37	200	307	QP	Vertical	
6	757.50	31.07	29.67	1.40	46.00	-14.93	100	347	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

Low Channel (Horizontal)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4810.00	44.23	54.00	-9.77	74.00	-29.77	231	0	Peak	Horizontal	
2	7215.00	38.18	45.44	-7.26	71.72	-33.54	100	208	Average	Horizontal	CF
3	7215.00	55.37	62.63	-7.26	88.91	-33.54	100	208	Peak	Horizontal	

Low Channel (Vertical)



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4810.00	44.28	54.05	-9.77	74.00	-29.72	200	103	Peak	Vertical	
2	7215.00	39.98	47.24	-7.26	74.22	-34.24	310	107	Average	Vertical	CF
3	7215.00	57.17	64.43	-7.26	91.41	-34.24	310	107	Peak	Vertical	

250kbps
Middle Channel (Horizontal)
Middle Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4870.00	44.01	53.69	-9.68	74.00	-29.99	324	360	Peak	Horizontal		
2	7305.00	36.85	44.09	-7.24	54.00	-17.15	200	222	Average	Horizontal CF		
3	7305.00	54.04	61.28	-7.24	74.00	-19.96	200	222	Peak	Horizontal		


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4870.00	45.80	55.48	-9.68	74.00	-28.20	200	150	Peak	Vertical		
2	7305.00	39.18	46.42	-7.24	54.00	-14.82	300	91	Average	Vertical		
3	7305.00	56.37	63.61	-7.24	74.00	-17.63	300	91	Peak	Vertical		


250kbps

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	44.21	53.67	-9.46	74.00	-29.79	129	360	Peak	Horizontal		
2	7440.00	46.63	53.88	-7.25	74.00	-27.37	300	231	Peak	Horizontal		





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	43.60	53.06	-9.46	74.00	-30.40	300	146	Peak	Vertical		
2	7440.00	33.71	48.96	-7.25	54.00	-20.29	200	95	Average	Vertical	CF	
3	7440.00	50.90	58.15	-7.25	74.00	-23.10	200	95	Peak	Vertical		

1Mbps
Low Channel (Horizontal)
Low Channel (Vertical)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


1Mbps

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4870.00	43.66	53.34	-9.68	74.00	-30.34	100	358	Peak	Horizontal	
2	7305.00	27.45	34.69	-7.24	54.00	-26.55	200	206	Average	Horizontal	CF
3	7305.00	53.17	60.41	-7.24	74.00	-20.83	200	206	Peak	Horizontal	

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4870.00	43.96	53.64	-9.68	74.00	-30.04	300	10	Peak	Vertical	
2	7305.00	29.96	37.20	-7.24	54.00	-24.04	300	109	Average	Vertical	CF
3	7305.00	55.68	62.92	-7.24	74.00	-18.32	300	109	Peak	Vertical	

1Mbps
High Channel (Horizontal)
High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	44.48	53.94	-9.46	74.00	-29.52	300	160	Peak	Horizontal		
2	7440.00	26.11	33.36	-7.25	54.00	-27.89	100	208	Average	Horizontal	CF	
3	7440.00	51.83	59.08	-7.25	74.00	-22.17	100	208	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	43.98	53.44	-9.46	74.00	-30.02	141	360	Peak	Vertical		
2	7440.00	28.83	36.08	-7.25	54.00	-25.17	300	94	Average	Vertical	CF	
3	7440.00	54.55	61.80	-7.25	74.00	-19.45	300	94	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
		dBuV	dB	dBuV	dB		
1	0.15	34.97	24.91	10.06	55.88	-20.91 Average	line1
2	0.15	49.82	39.76	10.06	65.88	-16.06 QP	line1
3	0.21	23.25	13.19	10.06	53.18	-29.93 Average	line1
4	0.21	42.85	32.79	10.06	63.18	-20.33 QP	line1
5	0.40	25.18	15.11	10.07	47.93	-22.75 Average	line1
6	0.40	32.10	22.03	10.07	57.93	-25.83 QP	line1
7	3.26	15.19	5.03	10.16	46.00	-30.81 Average	line1
8	3.26	26.99	16.83	10.16	56.00	-29.01 QP	line1
9	7.14	23.45	13.18	10.27	50.00	-26.55 Average	line1
10	7.14	29.66	19.39	10.27	60.00	-30.34 QP	line1
11	18.04	22.90	12.39	10.51	50.00	-27.10 Average	line1
12	18.04	28.48	17.97	10.51	60.00	-31.52 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
		dBuV	dB	dBuV	dB		
1	0.15	36.65	26.61	10.04	55.92	-19.27 Average	neutral
2	0.15	50.00	39.96	10.04	65.92	-15.92 QP	neutral
3	0.38	34.93	24.88	10.05	48.26	-13.33 Average	neutral
4	0.38	36.75	26.70	10.05	58.26	-21.51 QP	neutral
5	0.62	15.61	5.56	10.05	46.00	-30.39 Average	neutral
6	0.62	22.25	12.20	10.05	56.00	-33.75 QP	neutral
7	3.35	17.54	7.40	10.14	46.00	-28.46 Average	neutral
8	3.35	25.31	15.17	10.14	56.00	-30.69 QP	neutral
9	7.25	24.22	13.97	10.25	50.00	-25.78 Average	neutral
10	7.25	30.56	20.31	10.25	60.00	-29.44 QP	neutral
11	19.25	21.10	10.59	10.51	50.00	-28.90 Average	neutral
12	19.25	26.12	15.61	10.51	60.00	-33.88 QP	neutral


Test Results of Radiated Spurious Emissions for Non-ECC

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

250kbps
High Channel (Open) 9kHz~150kHz
High Channel (Open) 150kHz~30MHz

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	52.33	32.36	19.97	127.56	-75.23	100	355	QP	Open		
2	0.04	42.90	22.58	20.32	116.21	-73.31	100	156	QP	Open		
3	0.06	44.11	23.82	20.29	111.82	-67.71	100	179	QP	Open		
4	0.09	43.49	23.23	20.26	108.73	-65.24	100	175	QP	Open		
5	0.13	41.97	21.76	20.21	105.65	-63.68	100	142	QP	Open		
6	0.14	38.25	18.05	20.20	104.66	-66.41	100	138	QP	Open		


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.50	57.30	37.18	20.12	73.59	-16.29	100	160	QP	Open		
2	1.00	49.15	28.94	20.21	67.57	-18.42	100	160	QP	Open		
3	12.30	33.63	13.24	20.39	69.50	-35.87	100	33	QP	Open		
4	20.78	33.83	13.33	20.50	69.50	-35.67	100	0	QP	Open		
5	23.05	34.25	13.73	20.52	69.50	-35.25	100	315	QP	Open		
6	26.26	33.98	13.44	20.54	69.50	-35.52	100	217	QP	Open		

250kbps

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	52.17	32.20	19.97	127.57	-75.40	100	75	QP	Close		
2	0.03	44.64	24.33	20.31	118.06	-73.42	100	68	QP	Close		
3	0.06	40.09	19.80	20.29	111.83	-71.74	100	102	QP	Close		
4	0.08	40.03	19.77	20.26	109.10	-69.07	100	100	QP	Close		
5	0.11	38.43	18.20	20.23	106.91	-68.48	100	112	QP	Close		
6	0.14	31.99	11.79	20.20	104.82	-72.83	100	91	QP	Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.63	52.38	32.26	20.12	71.65	-19.27	100	109	QP	Close		
2	1.26	43.95	23.74	20.21	65.61	-21.66	100	109	QP	Close		
3	9.76	33.11	12.75	20.36	69.50	-36.39	100	147	QP	Close		
4	16.42	33.50	13.04	20.46	69.50	-36.00	100	255	QP	Close		
5	24.10	34.49	13.96	20.53	69.50	-35.01	100	69	QP	Close		
6	27.50	33.07	12.54	20.53	69.50	-36.43	100	107	QP	Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

250kbps

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Test Results of Radiated Spurious Emissions for ANT 4 (ECC)_2nd

Source

Band Edges, 2.31GHz ~ 2.9GHz




250kbps

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

250kbps

High Channel (Horizontal)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


High Channel (Vertical)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Test Results of Radiated Spurious Emissions for ANT 4


(Non-ECC)_2nd Source

Band Edges, 2.31GHz ~ 2.9GHz


250kbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2349.53	52.59	15.12	37.47	74.00	-21.41	100	314	Peak	Horizontal		
2 *	2480.00	100.39	70.78	37.61	74.00	34.39	100	314	Peak	Horizontal		
3	2483.46	59.20	21.60	37.60	74.00	-14.80	100	314	Peak	Horizontal		


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2332.77	52.34	15.19	37.15	74.00	-21.66	400	246	Peak	Vertical		
2 *	2480.00	103.68	65.97	37.71	74.00	29.68	400	246	Peak	Vertical		
3	2483.58	54.89	17.16	37.73	74.00	-19.11	400	246	Peak	Vertical		

250kbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.74	39.41	1.84	37.57	54.00	-14.59	100	314	Average	Horizontal		
2 *	2480.00	104.86	67.25	37.61	54.00	50.86	100	314	Average	Horizontal		
3 !	2483.46	50.56	12.96	37.60	54.00	-3.44	100	314	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2372.89	39.45	2.15	37.30	54.00	-14.55	400	246	Average	Vertical		
2 *	2480.00	100.02	62.31	37.71	54.00	46.02	400	246	Average	Vertical		
3	2483.46	45.93	8.20	37.73	54.00	-8.07	400	246	Average	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

250kbps

High Channel (Horizontal)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


High Channel (Vertical)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Test Results of Radiated Spurious Emissions for ANT 5



(ECC)_2nd Source

Band Edges, 2.31GHz ~ 2.9GHz

250kbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


250kbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.26	39.58	1.94	37.56	54.00	-14.50	230	98	Average	Horizontal		
2 *	2480.00	95.53	57.92	37.61	54.00	41.53	230	98	Average	Horizontal		
3	2483.46	41.89	4.29	37.60	54.00	-12.11	230	98	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.35	39.15	1.86	37.29	54.00	-14.85	189	325	Average	Vertical		
2 *	2480.00	104.48	66.77	37.71	54.00	50.48	189	325	Average	Vertical		
3 !	2483.46	48.23	10.50	37.73	54.00	-5.77	189	325	Average	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

High Channel (Horizontal)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	41.69	51.07	-9.38	74.00	-32.31	180	284	Peak	Horizontal	
2	7440.00	44.16	51.31	-7.15	74.00	-29.84	180	252	Peak	Horizontal	

High Channel (Vertical)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	43.52	53.28	-9.76	74.00	-30.48	384	355	Peak	Vertical	
2	7440.00	47.73	55.24	-7.51	74.00	-26.27	180	112	Peak	Vertical	

Test Results of Radiated Spurious Emissions for Ant 5


(Non-ECC)_2nd Source

Band Edges, 2.31GHz ~ 2.9GHz


250kbps

High Channel (Horizontal) Peak

High Channel (Vertical) Peak


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2363.34	52.56	15.04	37.52	74.00	-21.44	231	103	Peak	Horizontal	
2 *	2480.00	96.92	59.31	37.61	74.00	22.92	231	103	Peak	Horizontal	
3	2826.84	54.40	16.31	38.09	74.00	-19.60	231	103	Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2320.15	51.67	14.61	37.06	74.00	-22.33	122	99	Peak	Vertical	
2 *	2480.00	100.64	70.93	37.71	74.00	34.64	122	99	Peak	Vertical	
3	2483.46	60.55	22.82	37.73	74.00	-13.45	122	99	Peak	Vertical	

250kbps

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2369.83	39.48	1.94	37.54	54.00	-14.52	231	103	Average	Horizontal		
2 *	2480.00	93.33	55.72	37.61	54.00	39.33	231	103	Average	Horizontal		
3	2483.46	41.08	3.48	37.60	54.00	-12.92	231	103	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2373.72	39.21	1.01	37.30	54.00	-14.79	122	99	Average	Vertical		
2 *	2480.00	105.13	67.42	37.71	54.00	51.13	122	99	Average	Vertical		
3 !	2483.46	49.04	11.31	37.73	54.00	-4.96	122	99	Average	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


250kbps

High Channel (Horizontal)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	42.45	51.83	-9.38	74.00	-31.55	100	273	Peak	Horizontal		
2	7440.00	43.82	50.97	-7.15	74.00	-30.18	100	283	Peak	Horizontal		

High Channel (Vertical)


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4960.00	45.34	55.10	-9.76	74.00	-28.66	300	292	Peak	Vertical		
2	7440.00	45.35	52.86	-7.51	74.00	-28.65	100	103	Peak	Vertical		