

Cover Letter-Modular Approval

FCC ID: VPYLB2AB Date: Dec 16, 2021

Gentlemen:

There's an <u>UWB+BLE Module</u> that would like to have your authorization as a modular approval. The specific product as below, <u>UWB+BLE Module</u> with its designed features and specified description, meets special requirements for <u>Full modular approval</u> on FCC KDB996369 by cross-reference list below.

Company	Murata Manufacturing Co., Ltd.	
Model Name	<u>UWB+BLE Module</u>	
Model Number	LBUA5QJ2AB	
FCC ID	VPYLB2AB	

Requirement of FCC KDB996369	Comply (Y/N)
1. The modular transmitter must have its own RF shielding.	Y The EUT provides the RF shielding. See EUT
own in sincialing.	photo.
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will	Y The EUT has its buffered modulation. Please see the Schematic Diagram.
comply with Part 15 requirements under conditions of excessive data rates or over-modulation.	
3. The modular transmitter must have its	Υ
own power supply regulation.	The EUT has its own power supply regulation, please see the Schematic Diagram.
4. The modular transmitter must comply with the	Υ
antenna and transmission system	The EUT meets the FCC antenna
requirements of Sections 15.203, 15.204(b)	requirements.
and 15.204(c). The antenna must either be	The specific PCB antenna shall attach to the
permanently attached or employ a "unique"	module via an ANT pin by soldering.
antenna coupler (at all connections between	
the module and the antenna, including the	
cable). The "professional installation"	
provision of Section 15.203 is not applicable to	
modules but can apply to limited modular	
approvals under paragraph (b) of this section.	V
5. The modular transmitter must be tested	The modular transmitter has been performed
in a stand-alone configuration, i.e., the module must not be inside another device	The modular transmitter has been performed the testing in a state of being installed on a
during testing.	test jig board simulating the board of the
during testing.	installed end product. It has been performed



the testing as a stand-alone and then confirm ed the compliance. The module and antenna will be mounted on a board similar to the one shown in the test set photo, and the board will be installed in the end product. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not There is no enough space on the module surface to bear the certification IDs. So we visible when the module is installed inside another device, then the outside of the device apply to put the certification IDs on the into which the module is installed must also package. Please refer to the label location display a label referring to the enclosed justification letter. And also in the exhibition module. This exterior label can use wording Users manual, there are instructions give to such as the following: "Contains Transmitter the OEM on how to label the end product. Module FCC ID: VPYLB2AB" or "Contains FCC ID: VPYLB2AB" Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. 7. The modular transmitter must comply with any specific rule or operating The EUT is compliant with all applicable FCC requirements applicable to the transmitter rules. Details instructions for maintaining and the manufacturer must provide adequat compliance are give in the User Manual. e instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply The EUT complies with RF with any applicable RF exposure exposure requirements. For example, FCC Rules in requirement. Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter w ave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure



	compliance i	in	accordance	with	Section	
	15.247(b)(4).					
L						

Thank you. Sincerely,

Print Name: Kenji Hayashikoshi

Title: Dev. Sec. 6 Senior Manager, Connectivity Module Dev. Dept., Communication Module Div.

Signature:

On behalf of Company: Murata Manufacturing Co., Ltd.

K. Hayashikoshi

Telephone: 075-955-6096

E-mail: koshi@murata.com