Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.06	0.30	4.36	12.03	Complies
40	5200	3.97	0.30	4.27	12.03	Complies
48	5240	4.17	0.30	4.47	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.32	0.30	5.62	12.03	Complies
40	5200	5.09	0.30	5.39	12.03	Complies
48	5240	5.23	0.30	5.53	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.30	0.30	6.60	12.03	Complies
40	5200	6.02	0.30	6.32	12.03	Complies
48	5240	6.16	0.30	6.46	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.84	0.30	6.14	12.03	Complies
40	5200	5.88	0.30	6.18	12.03	Complies
48	5240	6.05	0.30	6.35	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.48	12.03	Complies
40	5200	11.33	12.03	Complies
48	5240	11.49	12.03	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.55	0.40	1.95	12.03	Complies
46	5230	3.89	0.40	4.29	12.03	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.69	0.40	3.09	12.03	Complies
46	5230	4.65	0.40	5.05	12.03	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.85	0.40	4.25	12.03	Complies
46	5230	6.02	0.40	6.42	12.03	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.42	0.40	3.82	12.03	Complies
46	5230	5.74	0.40	6.14	12.03	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.98	12.03	Complies
46	5230	11.18	12.03	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.03	0.74	-4.29	12.03	Complies

CH42



Date: 6.MAR.2021 15:27:36

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.04	0.74	-3.30	12.03	Complies

CH42



Date: 6.MAR.2021 15:28:15

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.57	0.74	-1.83	12.03	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.62	0.74	-2.88	12.03	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.30	12.03	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.52	0.30	-2.22	6.03	Complies
60	5300	-2.03	0.30	-1.73	6.03	Complies
64	5320	-1.85	0.30	-1.55	6.03	Complies

CH52



Date: 6.MAR.2021 17:10:52

CH60



Date: 6.MAR.2021 18:19:26

CH64



Date: 6.MAR.2021 17:24:18

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.10	0.30	-1.80	6.03	Complies
60	5300	-1.52	0.30	-1.22	6.03	Complies
64	5320	-1.49	0.30	-1.19	6.03	Complies

CH52



Date: 6.MAR.2021 17:10:01

CH60



Date: 6.MAR.2021 18:20:03

CH64



Date: 6.MAR.2021 17:25:22

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.37	0.30	1.67	6.03	Complies
60	5300	1.21	0.30	1.51	6.03	Complies
64	5320	1.11	0.30	1.41	6.03	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.96	0.30	-0.66	6.03	Complies
60	5300	-0.42	0.30	-0.12	6.03	Complies
64	5320	-0.13	0.30	0.17	6.03	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.25	6.03	Complies
60	5300	5.52	6.03	Complies
64	5320	5.59	6.03	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.62	0.40	-2.22	6.03	Complies
62	5310	-2.28	0.40	-1.88	6.03	Complies

CH54



Date: 6.MAR.2021 17:44:14

CH62



Date: 6.MAR.2021 17:53:53

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.23	0.40	-1.83	6.03	Complies
62	5310	-2.05	0.40	-1.65	6.03	Complies

CH54



Date: 6.MAR.2021 17:43:21

CH62



Date: 6.MAR.2021 17:55:29

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.37	0.40	1.77	6.03	Complies
62	5310	0.72	0.40	1.12	6.03	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.84	0.40	-0.44	6.03	Complies
62	5310	-0.44	0.40	-0.04	6.03	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.24	6.03	Complies
62	5310	5.18	6.03	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.65	0.74	-5.91	6.03	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.32	0.74	-5.58	6.03	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.76	0.74	-2.02	6.03	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.84	0.74	-4.10	6.03	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.16	6.03	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.80	0.30	-0.50	6.03	Complies
116	5580	-1.41	0.30	-1.11	6.03	Complies
140	5700	-1.72	0.30	-1.42	6.03	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.73	0.30	-0.43	6.03	Complies
116	5580	-1.12	0.30	-0.82	6.03	Complies
140	5700	-0.07	0.30	0.23	6.03	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.08	0.30	0.38	6.03	Complies
116	5580	-1.03	0.30	-0.73	6.03	Complies
140	5700	-1.62	0.30	-1.32	6.03	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.63	0.30	-0.33	6.03	Complies
116	5580	0.54	0.30	0.84	6.03	Complies
140	5700	0.30	0.30	0.60	6.03	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.52	6.03	Complies
116	5580	5.34	6.03	Complies
140	5700	5.34	6.03	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.04	0.40	-0.64	6.03	Complies
110	5550	-1.66	0.40	-1.26	6.03	Complies
134	5670	-2.51	0.40	-2.11	6.03	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.31	0.40	-0.91	6.03	Complies
110	5550	-0.69	0.40	-0.29	6.03	Complies
134	5670	-0.74	0.40	-0.34	6.03	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.12	0.40	0.28	6.03	Complies
110	5550	-0.45	0.40	-0.05	6.03	Complies
134	5670	-1.59	0.40	-1.19	6.03	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.03	0.40	0.43	6.03	Complies
110	5550	-0.15	0.40	0.25	6.03	Complies
134	5670	-0.33	0.40	0.07	6.03	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.45	6.03	Complies
110	5550	5.32	6.03	Complies
134	5670	4.81	6.03	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.12	0.74	-7.38	6.03	Complies

CH106



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.07	0.74	-7.33	6.03	Complies

CH106



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.53	0.74	-6.79	6.03	Complies

CH106



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.92	0.74	-7.18	6.03	Complies

CH106



Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.88	6.03	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.04	0.30	8.34	25.03	Complies
157	5785	7.91	0.30	8.21	25.03	Complies
165	5825	8.24	0.30	8.54	25.03	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.00	0.30	7.30	25.03	Complies
157	5785	7.03	0.30	7.33	25.03	Complies
165	5825	6.96	0.30	7.26	25.03	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.95	0.30	8.25	25.03	Complies
157	5785	7.52	0.30	7.82	25.03	Complies
165	5825	7.88	0.30	8.18	25.03	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.29	0.30	7.59	25.03	Complies
157	5785	7.63	0.30	7.93	25.03	Complies
165	5825	7.76	0.30	8.06	25.03	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.61	25.03	Complies
157	5785	13.55	25.03	Complies
165	5825	13.76	25.03	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.08	0.40	3.48	25.03	Complies
159	5795	4.19	0.40	4.59	25.03	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.31	0.40	2.71	25.03	Complies
159	5795	2.98	0.40	3.38	25.03	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.14	0.40	3.54	25.03	Complies
159	5795	3.92	0.40	4.32	25.03	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.12	0.40	3.52	25.03	Complies
159	5795	3.57	0.40	3.97	25.03	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.95	25.03	Complies
159	5795	9.71	25.03	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.33	0.74	-2.59	25.03	Complies

CH155



Date: 8.MAR.2021 17:25:33

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.58	0.74	-3.84	25.03	Complies

CH155



Date: 8.MAR.2021 17:26:15

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.15	0.74	-2.41	25.03	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.92	0.74	-2.18	25.03	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.57	25.03	Complies

Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.15	0.27	4.42	12.03	Complies
40	5200	4.28	0.27	4.55	12.03	Complies
48	5240	4.45	0.27	4.72	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.36	0.27	5.63	12.03	Complies
40	5200	5.42	0.27	5.69	12.03	Complies
48	5240	5.12	0.27	5.39	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.43	0.27	6.70	12.03	Complies
40	5200	6.33	0.27	6.60	12.03	Complies
48	5240	6.42	0.27	6.69	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX ax (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.31	0.27	6.58	12.03	Complies
40	5200	6.22	0.27	6.49	12.03	Complies
48	5240	6.03	0.27	6.30	12.03	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX ax (HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.94	12.03	Complies
40	5200	11.93	12.03	Complies
48	5240	11.86	12.03	Complies

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.28	0.27	-0.01	12.03	Complies
46	5230	4.08	0.27	4.35	12.03	Complies

CH38



Date: 6.MAR.2021 16:24:21

CH46



Date: 6.MAR.2021 16:31:01

Test Mode	UNII-1_TX ax (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.85	0.27	1.12	12.03	Complies
46	5230	5.10	0.27	5.37	12.03	Complies

CH38



Date: 6.MAR.2021 16:25:06

CH46



Date: 6.MAR.2021 16:31:48