



## ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

**Applicant:** Honeywell International Inc.

9680 Old Bailes Road, Fort Mill, SC 29707, USA

**Product Name:** Vehicle Mount Computer

**Brand Name:** Honeywell Model No.: VM3AL0N

**Model Difference:** N/A

**Report Number:** ER/2019/C0047 FCC ID: HD5-VM3AL0N IC: 1693B-VM3AL0N **FCC Rule Part:** §15.247, Cat: DTS

IC RSS: RSS-247 issue 2 Feb 2017

**Issue Date:** Mar. 20, 2020

Date of Test: Dec. 09, 2019 ~ Jan. 02, 2020

Date of EUT Re-Dec. 09, 2019

ceived:

## We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits. The test results of this report relate only to the tested sample identified in this report.

Approved By:







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Revision History						
Report Number	Report Number Revision Description Issue Date Remark					
ER/2019/C0047 Rev.00 Original. Mar. 20, 2020 Revised By: Stefanie Yu						



## **Table of Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	12
6	CONDUCTED EMISSION TEST	13
7	DUTY CYCLE OF TEST SIGNAL	17
8	PEAK OUTPUT POWER MEASUREMENT	19
9	6dB & 99% BANDWIDTH MEASUREMENT	34
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	45
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	54
12	POWER SPECTRAL DENSITY	183
13	ANTENNA REQUIREMENT	189

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample of the company's findings at the time of its intervention only and within the limits of the company's findings at the time of the sample of the company's findings at the time of the sample of the company's findings at the time of the sample of the company's findings at the time of the sample of the company's findings at the time of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **GENERAL INFORMATION**

## 1.1 Product description

Product Name:	Vehicle Mount Computer		
Brand Name:	Honeywe	ell	
Model No.:	VM3AL0	N	
Model Difference:	N/A		
Hardware Version:	VM3A_MB		
Software Version:	87.07.00-1218		
	7.2Vdc from Rechargeable Li-polymer Battery or 15Vdc from AC/DC Adapter		
Power Supply:	Battery: Model No.: OVT270L1R01 Supplier: Totex		
	Adapter: Model No.: GT-46600-6015-T3 Supplier: Globtek		

	ı				1		
Wi-Fi	Frequency	Channels		Rated Power (dBm)	Modulation		
802.11	Range	Onamicis		Trated Fower (dbill)	Technology		
b				DSSS			
g	2412-2462	11					
n_HT20 ax_HEW20			HT:	26.63(MIMO)	OFDM		
n_HT40 n_HEW40	2422-2452	7	HT:	24.96(MIMO)			
Modulation	typo:	CCK, DQPSK, DBPSK for DSSS					
Modulation	туре.	64QAM, 16QAM, QPSK, BPSK for OFDM					
		802.11 b:	802.11 b: 1/2/5.5/11 Mbps				
Transist	ion Rate	802.11 g: 6/9/12/18/24/36/48/54 Mbps					
Transisi	ion itale	802.11 n_20MHz: 6.5 – 144.4Mbps					
		802.11 n_40MHz: 13.5 – 300.0Mbps					
		External Antenna:					
		1. Dipole Antenna, Part No.: WTS 2450, Supplier: Laird					
		Gain: 2.1dBi (Main/Aux)					
Antenna Designation:		2. Dipole Antenna, Part no.: R380500314, Supplier: LARSEN					
		Gain: 1.6dBi (Main/Aux)					
		Internal Antenna:					
		1. Printed Antenna, Gain: 3.9dBi (Main), 3.3dBi (Aux)					

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



**Antenna Designation** 

Antenna Type	Supplier	Antenna Model No.	Freq. (MHz)	Transmitter Chain	Peak An- tenna Gain (dBi)
External	LARSEN	R380500314	2.4GHz	Ch 0 & Ch 1	1.6
Di-pole antenna	LAIRD	WTS 2450	2.4GHz	Ch 0 & Ch 1	2.1
Internal	N/A	N/A	2.4GHz	Ch0	3.9
Printed Antenna	N/A	N/A	2.4GHz	Ch1	3.3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05r01

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 2 Feb. 2017

RSS-Gen. issue 5, Amendment 1, March 2019

ANSI C63.10:2013

## 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory (TAF code 0513)

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

FCC Designation number: TW0001

ISED CAB identifier: TW0513

## 1.4 Special Accessories

There are no special accessories used while test was conducted.

## 1.5 Equipment Modifications

There was no modification incorporated into the EUT.

#### 1.6 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m\*9m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



SYSTEM TEST CONFIGURATION

## 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

## 2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

#### 2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




## 2.4 Configuration of Tested System

## Fig. 2-1 Conducted (Antenna Port) Emission Configuration & Radiated Emission



Fig. 2-2 Conducted Emission (AC Power Line) Configuration



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Note
1.	Wlan Test Software	Honeywell	FTMTool	N/A	Power Setting: b: 20 g: 17 n20: 17 n40: 15

Note:

Product VPN: VM3A-L0N-1B2A20F

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.

f (886-2) 2298-0488



## **SUMMARY OF TEST RESULTS**

FCC Rules	IC Rules	Description Of Test	Result
§15.207(a)	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	RSS-247 §5.4(4)	Peak Output Power	Compliant
§15.247(a)(2)	RSS-247 §5.1 (1) RSS-Gen §6.7	6dB & 99% Emission Bandwidth	Compliant
§15.205 §15.209 §15.247(d)	RSS-247 §5.5 RSS-Gen §8.10	Conducted Band Edge and Spurious Emission	Compliant
§15.205 §15.209 §15.247(d)	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10 RSS-Gen §6.13	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	RSS-247 §5.2(2)	Power Spectral Density	Compliant
§15.203 §15.247(b)	RSS- Gen §6.8	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **DESCRIPTION OF TEST MODES**

## 4.1 Operated in 2400 ~ 2483.5MHz Band

CHANNEL	FREQUENCY
	(MHz)
1	2412
2	2417
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462

CHANNEL	FREQUENCY (MHz)
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. aTest program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The gevin UE is pre-scanned among below modes.

Modulation	Transmission Chain			Multiple Transmission Spatial	
⊠ 802.11 b	⊠ Ch0	☑ Ch0 ☑ Ch1 ☐ Ch2 ☐ Ch3		⊠ 2TX	
⊠ 802.11 g	⊠ Ch0	Ch0 ⊠ Ch1 □ Ch2 □ Ch3			⊠ 2TX
⊠ 802.11 n	⊠ Ch0	⊠ Ch1	□ Ch2	□ Ch3	⊠ MIMO

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



## 4.3 Radiated Emission Test:

MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
	RADIATED EMISSION TEST (BELOW 1 GHz)						
802.11g	1 to 11	1, 6, 11	OFDM	6	2TX		
	RADIAT	ED EMISSIO	N TEST (ABOVE	1 GHz)			
802.11b	1 to 11	1, 6, 11	DSSS	1	2TX		
802.11g	1 to 11	1, 6, 11	OFDM	6	2TX		
802.11n20M	1 to 11	1, 6, 11	OFDM	MCS 8	MIMO		
802.11n40M	3 to 9	3, 6, 9	OFDM	MCS 8	MIMO		

## Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

## 4.4 Antenna Port Conducted Mesurement:

CONDUCTED TEST							
MODE AVAILABLE TESTED MODULATION RATE (Mbps) PORT							
802.11b	1 to 11	1, 6, 11	DSSS	1	2TX		
802.11g	1 to 11	1, 6, 11	OFDM	6	2TX		
802.11n 20M	1 to 11	1, 6, 11	OFDM	MCS 8	MIMO		
802.11n 40M	3 to 9	3, 6, 9	OFDM	MCS 8	MIMO		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and sucn sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## **MEASUREMENT UNCERTAINTY**

Test Items	Uncertainty		
AC Power Line Conducted Emission	+/- 2.586 dB		
Peak Output Power	+/- 0.84 dB		
6dB Bandwidth	+/- 51.33 Hz		
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB		
Peak Power Density	+/- 1.3 dB		
Temperature	+/- 0.65 °C		
Humidity	+/- 4.6 %		
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%		

Radiated Spurious Emission Measurement Uncertainty						
	9kHz~30MHz: +-2.3dB					
	30MHz - 180MHz: +/- 3.37dB					
Delevisations Ventical	180MHz -417MHz: +/- 3.19dB					
Polarization: Vertical	0.417GHz-1GHz: +/- 3.19dB					
	1GHz - 18GHz: +/- 4.04dB					
	18GHz - 40GHz: +/- 4.04dB					
	9kHz~30MHz: +-2.3dB					
	30MHz - 167MHz: +/- 4.22dB					
Balariantian Hariantal	167MHz -500MHz: +/- 3.44dB					
Polarization: Horizontal	0.5GHz-1GHz: +/- 3.39dB					
	1GHz - 18GHz: +/- 4.08dB					
	18GHz - 40GHz: +/- 4.08dB					

## Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽氏。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## 6 CONDUCTED EMISSION TEST

## 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

#### Note

- 1. The lower limit shall apply at the transition frequencies
- 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

## 6.2 Measurement Equipment Used

	Conducted Emission Test Site									
EQUIPMENT MFR MODEL SERIAL LAST CAL										
TYPE		NUMBER	NUMBER	CAL.						
EMI Test Receiver	R&S	ESCI 7	1166.5950.07	07/04/2019	07/03/2020					
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2019	11/25/2020					
LISN	SCHWARZ- BECK	NSLK 8127	8127-649	04/02/2019	04/01/2020					
Test Software	Farad	EZ-EMC	Ver. SGS- 03A2	N.C.R	N.C.R					

## 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




## AC POWER LINE CONDUCTED EMISSION TEST DATA

**Description:** Operation Date: 2019/12/28

Temp.(°C)/Hum.(%): 22.9(℃)/57% Line: L1

AC 120V/60Hz **Test Voltage:** Test By: Kane

**Report Number:** ER/2019/C0047



		Freq.	Reading	Factor	Measurement	Limit	Over		
No.	Mk.							Detector	Comment
		(MHz)	(dBuV)	( dB )	( dBuV )	(dBuV)	( dB )		
1		0.1580	51.10	0.00	51.10	65.57	-14.47	QP	
2		0.1580	34.90	0.00	34.90	55.57	-20.67	AVG	
3		0.4300	50.30	0.01	50.31	57.25	-6.94	QP	
4		0.4300	37.60	0.01	37.61	47.25	-9.64	AVG	
5		0.5100	49.90	0.01	49.91	56.00	-6.09	QP	
6		0.5100	38.90	0.01	38.91	46.00	-7.09	AVG	
7		1.2900	43.70	0.03	43.73	56.00	-12.27	QP	
8		1.2900	33.10	0.03	33.13	46.00	-12.87	AVG	
9		2.3140	44.90	0.05	44.95	56.00	-11.05	QP	
10		2.3140	38.10	0.05	38.15	46.00	-7.85	AVG	
11		7.8620	48.80	0.24	49.04	60.00	-10.96	QP	
12	*	7.8620	47.90	0.24	48.14	50.00	-1.86	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com






**Description:** Operation Date: 2019/12/28

Line: Temp.(°C)/Hum.(%): **22.9(°C)/57%** 

**Test Voltage:** AC 120V/60Hz Test By: Kane

**Report Number:** ER/2019/C0047



No.	Mk.	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
140.	WIK.	(MHz)	( dBuV )	( dB )	( dBuV )	( dBuV )	( dB )	Detector	Comment
1		0.4340	51.10	0.03	51.13	57.18	-6.05	QP	
2		0.4340	40.40	0.03	40.43	47.18	-6.75	AVG	
3		0.5220	49.90	0.03	49.93	56.00	-6.07	QP	
4		0.5220	37.40	0.03	37.43	46.00	-8.57	AVG	
5		0.6060	45.60	0.03	45.63	56.00	-10.37	QP	
6		0.6060	36.60	0.03	36.63	46.00	-9.37	AVG	
7		0.8580	44.10	0.04	44.14	56.00	-11.86	QP	
8		0.8580	32.30	0.04	32.34	46.00	-13.66	AVG	
9		2.4900	45.20	0.08	45.28	56.00	-10.72	QP	
10		2.4900	38.30	0.08	38.38	46.00	-7.62	AVG	
11		8.2340	48.20	0.26	48.46	60.00	-11.54	QP	
12	*	8.2340	46.70	0.26	46.96	50.00	-3.04	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



## **DUTY CYCLE OF TEST SIGNAL**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### 7.1 Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

## 7.2 Duty Cycle:

	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log ( 1/Duty Cycle )	1/T (kHz)	VBW setting (kHz)
802.11b	99.23	0.03	0.08	0.01
802.11g	95.29	0.21	0.48	1.00
802.11n_20	94.73	0.24	1.02	2.00
802.11n_40	91.06	0.41	2.02	3.00

Duty Cycle Factor:  $10 * \log(1/0.9923) = 0.03$ Duty Cycle Factor:  $10 * \log(1/0.9529) = 0.21$ Duty Cycle Factor:  $10 * \log(1/0.9473) = 0.24$ Duty Cycle Factor:  $10 * \log(1/0.9106) = 0.41$ 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



# 7.3 Duty Cycle test plots

# 802.11b








## 802.11n\_20



802.11n 40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-Inis occument is issued by the Company subject to its General Conditions or Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and <a href="https://www.sgs.com/terms">conditions.nm</a> and <a href="https://www.sgs.com/terms">com/terms</a> edocument.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## PEAK OUTPUT POWER MEASUREMENT

## 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

#### Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

=10 
$$\log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$$

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

## 8.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Power Meter	Anritsu	ML2496A	1804001	02/13/2019	02/12/2020				
Power Sensor	Anritsu	MA2411B	1726104	02/13/2019	02/12/2020				
Power Sensor	Anritsu	MA2411B	1726107	02/13/2019	02/12/2020				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2019	01/01/2020				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



## 8.3 Test Set-up

**Power Meter:** 



## **8.4 Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

\* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

#### 8.5 Measurement Result

802.1°	1b Ch0				
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	1	21.63	30.00	PASS
6	2437	1	22.19	30.00	PASS
11	2462	1	22.23	30.00	PASS
802.1	1b Ch0				
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
1	2412	1	19.22	30.00	PASS
6	2437	1	19.43	30.00	PASS
11	2462	1	19.37	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm\_</u>and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



802.1	1b Ch1				
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Power (dBm)	
1	2412	1	22.04	30.00	PASS
6	2437	1	22.10	30.00	PASS
11	2462	1	22.53	30.00	PASS
802.1	1b Ch1				
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
1	2412	1	19.70	30.00	PASS
6	2437	1	19.49	30.00	PASS
11	2462	1	19.85	30.00	PASS

802.1	1b_2TX						
СН	CH Freq.			Output wer	Total Peak Output Power	Limit (dBm)	RESULT
	(141112)	Rate	CH 0	CH 1	(dBm)	(dbiii)	
1	2412	1	21.93	21.89	24.92	29.38	PASS
6	2437	1	22.12	22.06	25.10	29.38	PASS
11	2462	1	21.63	21.02	24.35	29.38	PASS
802.1°	1b_2TX						
СН	Freq.	Data	_	Output wer	Max. Avg. Output include tune up	Limit	RESULT
	(MHz)	Rate	(dE	3m)	tolerance Power	(dBm)	1.20021
			CH 0	CH 1	(dBm)		
1	2412	1	19.22	19.33	22.32	29.38	PASS
6	2437	1	19.22	19.31	22.31	29.38	PASS
11	2462	1	18.72	18.96	21.89	29.38	PASS



000.4	4 01 0				
802.1	1g Ch0				
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	22.34	30.00	PASS
6	2437	6	23.80	30.00	PASS
11	2462	6	22.96	30.00	PASS
802.1°	1g Ch0			-	
СН	Freq.	Data	Max. Avg. Output include tune up	Limit	RESULT
	(MHz)	Rate	tolerance Power (dBm)	(dBm)	
1	2412	6	13.43	30.00	PASS
6	2437	6	15.55	30.00	PASS
11	2462	6	13.64	30.00	PASS

802.1°	1g Ch1				
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)  Limit (dBm)		RESULT
1	2412	6	22.48	30.00	PASS
6	2437	6	24.05	30.00	PASS
11	2462	6	22.83	30.00	PASS
802.1°	1g Ch1			-	•
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT
			(dBm)		
1	2412	6	13.81	30.00	PASS
6	2437	6	15.71	30.00	PASS
11	2462	6	13.34	30.00	PASS



802.1	1g_2TX						
СН	Freq.	Data Rate		Output wer	Total Peak Output Power	Limit (dBm)	RESULT
	(141112)	Nate	CH 0	CH1	(dBm)	(ubiii)	
1	2412	6	22.12	22.31	25.23	29.38	PASS
6	2437	6	23.70	23.87	26.80	29.38	PASS
11	2462	6	23.43	23.88	26.67	29.38	PASS
802.1	1g_2TX						
			Avg. C	Output	Max. Avg. Output		
СН	Freq.	Data	Po	wer	include tune up	Limit	RESULT
011	(MHz)	Rate	(dE	Bm)	tolerance Power	(dBm)	KLOOLI
			CH 0	CH1	(dBm)		
1	2412	6	13.10	13.40	16.47	29.38	PASS
6	2437	6	15.18	15.36	18.49	29.38	PASS
11	2462	6	13.17	13.60	16.61	29.38	PASS

802.1	1n_HT20I	M Ch0			
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)  Limit (dBm)		RESULT
1	2412	MCS0	20.66	30.00	PASS
6	2437	MCS0	24.04	30.00	PASS
11	2462	MCS0	21.66	30.00	PASS
802.1	1n_HT20I	M Ch0			
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	11.62	30.00	PASS
6	2437	MCS0	16.45	30.00	PASS
11	2462	MCS0	12.73	30.00	PASS



802.1°	302.11n_HT20M Ch1							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	20.88	30.00	PASS			
6	2437	MCS0	23.95	30.00	PASS			
11	2462	MCS0	22.59	30.00	PASS			
802.1°	1n_HT20	M Ch1						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	11.46	30.00	PASS			
6	2437	MCS0	16.47	30.00	PASS			
11	2462	MCS0	13.32	30.00	PASS			

802.1	802.11n_HT20M MIMO								
СН	Freq.	Data Rate		Output wer	Total Peak Output Power	Limit (dBm)	RESULT		
	(141112)	Nate	CH 0	CH1	(dBm)	(dbiii)			
1	2412	MCS8	20.60	20.86	23.74	29.38	PASS		
6	2437	MCS8	23.52	23.71	26.63	29.38	PASS		
11	2462	MCS8	21.66	22.41	25.06	29.38	PASS		
802.1	1n_HT20I	M MIMO		•	•		•		
			Avg. C	Output	Max. Avg. Output				
СН	Freq.	Data	Po	wer	include tune up	Limit	RESULT		
CII	(MHz)	Rate	(dE	Bm)	tolerance Power	(dBm)	KLOOLI		
			CH 0	CH 1	(dBm)				
1	2412	MCS8	11.27	11.59	14.68	29.38	PASS		
6	2437	MCS8	16.00	16.10	19.30	29.38	PASS		
11	2462	MCS8	12.54	12.99	16.02	29.38	PASS		



802.1	802.11n_HT40M Ch0						
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)  Limit (dBm)		RESULT		
3	2422	MCS0	19.72	30.00	PASS		
6	2437	MCS0	21.09	30.00	PASS		
9	2452	MCS0	21.91	30.00	PASS		
802.1	1n_HT40I	M Ch0					
СН	Freq.	Data Rate	Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT		
	,		(dBm)	(4.2)			
3	2422	MCS0		30.00	PASS		
3	, ,		(dBm)	, ,	PASS PASS		

802.1	802.11n_HT40M Ch1							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT			
3	2422	MCS0	20.09	30.00	PASS			
6	2437	MCS0	21.47	30.00	PASS			
9	2452	MCS0	22.14	30.00	PASS			
802.1	1n_HT40I	M Ch1			•			
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
3	2422	MCS0	10.65	30.00	PASS			
6	2437	MCS0	12.04	30.00	PASS			
9	2452	MCS0	13.07	30.00	PASS			



802.11n_HT40M MIMO							
СН	Freq.	Data Rate		Output wer	Total Peak Output Power	Limit (dBm)	RESULT
	(111112)	rtato	CH 0	CH1	(dBm)	(dBiii)	
3	2422	MCS8	19.76	21.02	23.45	29.38	PASS
6	2437	MCS8	20.42	21.21	23.84	29.38	PASS
9	2452	MCS8	21.79	22.10	24.96	29.38	PASS
802.1	1n_HT40I	M MIMO					
			Avg. C	Output	Max. Avg. Output		
СН	Freq.	Data	Po	wer	include tune up	Limit	RESULT
СН	Freq. (MHz)	Data Rate		wer Bm)	include tune up tolerance Power	Limit (dBm)	RESULT
СН	-				•	_	RESULT
<b>CH</b> 3	-		(dE	Bm)	tolerance Power	_	<b>RESULT</b> PASS
	(MHz)	Rate	(dE	Bm) CH 1	tolerance Power (dBm)	(dBm)	

802.11	802.11ax_HE20M Ch0							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	0.00	30.00	PASS			
6	2437	MCS0	0.00	30.00	PASS			
11	2462	MCS0	0.00	30.00	PASS			
802.11	ax_HE20N	1 Ch0		•				
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	0.24	30.00	PASS			
6	2437	MCS0	0.24	30.00	PASS			
11	2462	MCS0	0.24	30.00	PASS			



802.11	802.11ax_HE20M Ch1							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	0.00	30.00	PASS			
6	2437	MCS0	0.00	30.00	PASS			
11	2462	MCS0	0.00	30.00	PASS			
802.11	lax_HE20	M Ch1						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
1	2412	MCS0	0.24	30.00	PASS			
6	2437	MCS0	0.24	30.00	PASS			
11	2462	MCS0	0.24	30.00	PASS			

802.11	802.11ax_HE20M MIMO								
СН	Freq. (MHz)	Data Rate	Pov	Output wer Bm)	Total Peak Output Power	Limit (dBm)	RESULT		
	, ,		CH 0	CH 1	(dBm)	, ,			
1	2412	MCS0	0.00	0.00	3.01	29.38	PASS		
6	2437	MCS0	0.00	0.00	3.01	29.38	PASS		
11	2462	MCS0	0.00	0.00	3.01	29.38	PASS		
802.11	ax_HE20	M MIMO							
СН	Freq. (MHz)	Data Rate	Pov	Output wer Bm)	Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT		
			CH 0	CH 1	(dBm)				
1	2412	MCS0	0.00	0.00	3.25	29.38	PASS		
6	2437	MCS0	0.00	0.00	3.25	29.38	PASS		
11	2462	MCS0	0.00	0.00	3.25	29.38	PASS		



802.11	802.11ax_HE40M Ch0							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit (dBm)	RESULT			
3	2422	MCS0	0.00	30.00	PASS			
6	2437	MCS0	0.00	30.00	PASS			
9	2452	MCS0	0.00	30.00	PASS			
802.11	lax_HE40	M Ch0						
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT			
3	2422	MCS0	0.41	30.00	PASS			
6	2437	MCS0	0.41	30.00	PASS			
9	2452	MCS0	0.41	30.00	PASS			

802.11	802.11ax_HE40M Ch1										
СН	Freq. Data (MHz) Rate		Peak Output Power (dBm)	Limit (dBm)	RESULT						
3	2422	MCS0	0.00	30.00	PASS						
6	2437	MCS0	0.00	30.00	PASS						
9	2452	MCS0	0.00	30.00	PASS						
802.11	ax_HE40	M Ch1									
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit (dBm)	RESULT						
3	2422	MCS0	0.41	30.00	PASS						
6	2437	MCS0	0.41	30.00	PASS						
9	2452	MCS0	0.41	30.00	PASS						



802.11ax_HE40M MIMO											
СН	CH Freq. Da		Peak Output Power (dBm)		Total Peak Output Power	Limit (dBm)	RESULT				
	, ,		CH 0	CH 1	(dBm)	,					
3	2422	MCS0	0.00	0.00	3.01	29.38	PASS				
6	2437	MCS0	0.00	0.00	3.01	29.38	PASS				
9	2452	MCS0	0.00	0.00	3.01	29.38	PASS				

## 802.11ax\_HE40M MIMO

СН	Freq. (MHz)	Data Rate	Pov	Output wer Bm)	Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT
			CH 0	CH 1	(dBm)		
3	2422	MCS0	0.00	0.00	3.42	29.38	PASS
6	2437	MCS0	0.00	0.00	3.42	29.38	PASS
9	2452	MCS0	0.00	0.00	3.42	29.38	PASS

<sup>\*</sup> Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample of the company's findings at the time of its intervention only and within the limits of the company's findings at the time of the sample of the company's findings at the time of the sample of the company's findings at the time of the sample of the company's findings at the time of the sample of the company's findings at the time of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **EIRP**

802.11	1b Ch0							
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT	
1	2412	1	19.22	3.90	23.12	36	PASS	
2	2417	1	19.21	3.90	23.11	36	PASS	
6	2437	1	19.43	3.90	23.33	36	PASS	
10	2457	1	19.42	3.90	23.32	36	PASS	
11	2462	1	19.37	3.90	23.27	36	PASS	
802.11	lb Ch1							
CH Freq. Data Avg. Output Gain (dBm) EIRP Limit (dBm) RESUL								
1	2412	1	19.70	3.30	23.00	36	PASS	
2	2417	1	19.48	3.30	22.78	36	PASS	
6	2437	1	19.49	3.30	22.79	36	PASS	
10	2457	1	19.75	3.30	23.05	36	PASS	
11	2462	1	19.85	3.30	23.15	36	PASS	

802.11	802.11b_2TX												
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
			CH 0	CH 1	(ubili)	(ubi)							
1	2412	1	19.22	19.33	22.32	6.62	28.94	36	PASS				
2	2417	1	19.01	19.51	22.31	6.62	28.93	36	PASS				
6	2437	1	19.22	19.31	22.31	6.62	28.93	36	PASS				
10	2457	1	19.11	19.23	22.21	6.62	28.83	36	PASS				
11	2462	1	18.72	18.96	21.89	6.62	28.51	36	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* INO 134 WitKungRoad NewTaineiIndustrialPark WukuDistrict NewTaineiCity. Taiwan24803/新 北市 五股區新北產業園區 五工路 134 號



802.11g Ch0											
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
1	2412	6	13.43	3.90	17.33	36	PASS				
2	2417	6	16.25	3.90	20.15	36	PASS				
6	2437	6	15.55	3.90	19.45	36	PASS				
10	2457	6	15.51	3.90	19.41	36	PASS				
11	2462	6	13.64	3.90	17.54	36	PASS				
802.11	1g Ch1										
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
1	2412	6	13.81	3.30	17.11	36	PASS				
2	2417	6	16.36	3.30	19.66	36	PASS				
6	2437	6	15.71	3.30	19.01	36	PASS				
10	2457	6	15.67	3.30	18.97	36	PASS				
				3.30		36	PASS				

802.11	802.11g_2TX												
СН	Freq. (MHz)	Data Rate	Pov	Output wer Bm)	Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT				
			CH 0	CH1	(ubiii)	(ubi)							
1	2412	6	13.10	13.40	16.47	6.62	23.09	36	PASS				
2	2417	6	15.92	16.05	19.21	6.62	25.83	36	PASS				
6	2437	6	15.18	15.36	18.49	6.62	25.11	36	PASS				
10	2457	6	15.15	15.51	18.55	6.62	25.17	36	PASS				
11	2462	6	13.17	13.60	16.61	6.62	23.23	36	PASS				

802.11	802.11n_HT20M Ch0											
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT					
1	2412	MCS0	11.62	3.90	15.52	36	PASS					
2	2417	MCS0	16.05	3.90	19.95	36	PASS					
6	2437	MCS0	16.45	3.90	20.35	36	PASS					
10	2457	MCS0	16.33	3.90	20.23	36	PASS					
11	2462	MCS0	12.73	3.90	16.63	36	PASS					



802.11	802.11n_HT20M Ch1												
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT						
1	2412	MCS0	11.46	3.30	14.76	36	PASS						
2	2417	MCS0	16.36	3.30	19.66	36	PASS						
6	2437	MCS0	16.47	3.30	19.77	36	PASS						
10	2457	MCS0	16.44	3.30	19.74	36	PASS						
11	2462	MCS0	13.32	3.30	16.62	36	PASS						


802.11	802.11n_HT20M MIMO													
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT					
			CH 0	CH1	(ubiii)	(ubi)								
1	2412	MCS8	20.60	20.86	14.68	6.62	21.30	36	PASS					
2	2417	MCS8	23.20	23.44	19.22	6.62	25.84	36	PASS					
6	2437	MCS8	23.52	23.71	19.30	6.62	25.92	36	PASS					
10	2457	MCS8	23.88	24.11	19.30	6.62	25.92	36	PASS					
11	2462	MCS8	21.66	22.41	16.02	6.62	22.64	36	PASS					

802.11	n_HT40N	l Ch0					·
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT
3	2422	MCS0	10.70	3.90	14.60	36	PASS
4	2427	MCS0	10.72	3.90	14.62	36	PASS
5	2432	MCS0	11.70	3.90	15.60	36	PASS
6	2437	MCS0	11.90	3.90	15.80	36	PASS
7	2442	MCS0	14.48	3.90	18.38	36	PASS
8	2447	MCS0	13.66	3.90	17.56	36	PASS
9	2452	MCS0	12.73	3.90	16.63	36	PASS



802.11	802.11n_HT40M Ch1											
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT					
3	2422	MCS0	10.65	3.30	13.95	36	PASS					
4	2427	MCS0	10.77	3.30	14.07	36	PASS					
5	2432	MCS0	11.92	3.30	15.22	36	PASS					
6	2437	MCS0	12.04	3.30	15.34	36	PASS					
7	2442	MCS0	14.89	3.30	18.19	36	PASS					
8	2447	MCS0	13.75	3.30	17.05	36	PASS					
9	2452	MCS0	13.07	3.30	16.37	36	PASS					

802.11	802.11n_HT40M MIMO										
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)		Total Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT		
			CH 0	CH1	(dbiii)	(ubi)					
3	2422	MCS8	9.88	10.02	13.37	6.62	19.99	36	PASS		
4	2427	MCS8	9.87	9.96	13.33	6.62	19.95	36	PASS		
5	2432	MCS8	10.81	11.06	14.35	6.62	20.97	36	PASS		
6	2437	MCS8	10.91	11.18	14.46	6.62	21.08	36	PASS		
7	2442	MCS8	13.75	14.00	17.29	6.62	23.91	36	PASS		
8	2447	MCS8	12.60	13.15	16.30	6.62	22.92	36	PASS		
9	2452	MCS8	12.05	12.36	15.62	6.62	22.25	36	PASS		





9 6DB & 99% BANDWIDTH MEASUREMENT

## 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

## 9.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT	EQUIPMENT MFR MODEL SERIAL LAST								
TYPE		NUMBER	NUMBER	CAL.					
EXA Spectrum Ana- lyzer	Agilent	N9010A	MY50420195	05/02/2019	05/01/2020				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2019	01/01/2020				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020				

## 9.3 Test Set-up



#### 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:
  - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:
  - Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.
- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



## 9.5 6dB Bandwidth

802.11b Ch1

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	8077.00	> 500	PASS	2412	8086.00	> 500	PASS
2437	8075.00	> 500	PASS	2437	8064.00	> 500	PASS
2462	8070.00	> 500	PASS	2462	8067.00	> 500	PASS

802.11g Ch0 802.11g Ch1

	Freq.	6dB BW	Limit	Result	Freq.	6dB BW	Limit	Result
l	(MHz)	(kHz)	(kHz)	Nesult	(MHz)	(kHz)	(kHz)	Result
	2412	16350.00	> 500	PASS	2412	16420.00	> 500	PASS
	2437	16370.00	> 500	PASS	2437	16400.00	> 500	PASS
ĺ	2462	16350.00	> 500	PASS	2462	16400.00	> 500	PASS

802.11 n HT20 Ch0 802.11 n HT20 Ch1

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2412	17580.00	> 500	PASS	2412	17620.00	> 500	PASS
2437	17620.00	> 500	PASS	2437	17630.00	> 500	PASS
2462	17360.00	> 500	PASS	2462	17620.00	> 500	PASS

#### 802.11\_n\_HT40 Ch1 802.11 n HT40 Ch0

Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result
2422	35790.00	> 500	PASS	2422	36380.00	> 500	PASS
2437	35830.00	> 500	PASS	2437	36380.00	> 500	PASS
2452	35790.00	> 500	PASS	2452	36000.00	> 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


\*\*SCST around It!\*\* No 134 Well unprograd New Tainelight Wirks District New Tainelight No 134 Well unprograd New Tainelight Wirks District New Tainelight Tai


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






## 802.11b (CH0) 6dB Band Width Test Data CH-Low







## 6dB Band Width Test Data CH-High




## 802.11b (CH1) 6dB Band Width Test Data CH-Low



#### 6dB Band Width Test Data CH-Mid




## 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

State of the control Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/tems\_and\_conditions.ntm">www.sgs.com/tems\_and\_conditions.ntm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Service and Justice and Just offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






### 802.11g (CH0)

# 6dB Band Width Test Data CH-Low




#### 802.11g (CH1)


# 6dB Band Width Test Data CH-Low




#### 6dB Band Width Test Data CH-Mid




#### 6dB Band Width Test Data CH-Mid



#### 6dB Band Width Test Data CH-High




#### 6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

State of the control Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/tems\_and\_conditions.ntm">www.sgs.com/tems\_and\_conditions.ntm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Service and Justice and Just offenders may be prosecuted to the fullest extent of the law






# 802.11n\_20M (CH0) 6dB Band Width Test Data CH-Low




# 6dB Band Width Test Data CH-Low


802.11n\_20M (CH1)




#### 6dB Band Width Test Data CH-Mid




#### 6dB Band Width Test Data CH-Mid



#### 6dB Band Width Test Data CH-High




#### 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


State of the control Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/tems\_and\_conditions.ntm">www.sgs.com/tems\_and\_conditions.ntm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Service and Justice and Just offenders may be prosecuted to the fullest extent of the law






#### 802.11n\_40M (CH0)


#### 6dB Band Width Test Data CH-Low




### 802.11n\_40M (CH1) 6dB Band Width Test Data CH-Low




#### 6dB Band Width Test Data CH-Mid




#### 6dB Band Width Test Data CH-Mid



#### 6dB Band Width Test Data CH-High



#### 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

State of the control Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/tems\_and\_conditions.ntm">www.sgs.com/tems\_and\_conditions.ntm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Service and Justice and Just offenders may be prosecuted to the fullest extent of the law



#### 9.6 99% Bandwidth


802.11b Ch0		802.11b Ch1		
Freq. (MHz)	99% BW (MHz)	Freq. (MHz)	99% BW (MHz)	
2412	13.333	2412	15.934	
2437	13.284	2437	12.985	
2462	13.241	2462	13.067	

802.11g Ch0		802.11g Ch1		
Freq.	99% BW	Freq.	99% BW	
(MHz)	(MHz)	(MHz)	(MHz)	
2412	16.79	2412	16.609	
2437	16.885	2437	16.681	
2462	16.914	2462	16.668	

802.11n_HT20M Ch0		802.11n_HT20M Ch1		
Freq.	99% BW	Freq.	99% BW	
(MHz)	(MHz)	(MHz)	(MHz)	
2412	17.993	2412	17.794	
2437	18.143	2437	17.882	
2462	18.135	2462	17.865	

802.11n_HT40M Ch0		802.11n_HT40M Ch1		
Freq.	99% BW	Freq.	99% BW	
(MHz)	(MHz)	(MHz)	(MHz)	
2422	36.523	2422	36.393	
2437	36.685	2437	36.331	
2452	36.613	2452	36.35	


\*Refer to next page for plots






### 802.11b (CH1)


#### 99% Band Width Test Data CH-Low




#### 99% Band Width Test Data CH-Mid




# 99% Band Width Test Data CH-High




# 802.11b (CH1) 99% Band Width Test Data CH-Low



#### 99% Band Width Test Data CH-Mid




#### 99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






# 802.11g (CH0)

#### 99% Band Width Test Data CH-Low




#### 802.11g (CH1)


#### 99% Band Width Test Data CH-Low




#### 99% Band Width Test Data CH-Mid




#### 99% Band Width Test Data CH-Mid



## 99% Band Width Test Data CH-High




#### 99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


State of the control format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






# 802.11n\_20M (CH0)


#### 99% Band Width Test Data CH-Low




# 802.11n 20M (CH1) 99% Band Width Test Data CH-Low




#### 99% Band Width Test Data CH-Mid




## 99% Band Width Test Data CH-Mid



# 99% Band Width Test Data CH-High




#### 99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


State of the control format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






# 802.11n\_40M (CH0)


#### 99% Band Width Test Data CH-Low




# 802.11n 40M (CH1) 99% Band Width Test Data CH-Low




#### 99% Band Width Test Data CH-Mid




## 99% Band Width Test Data CH-Mid



# 99% Band Width Test Data CH-High



#### 99% Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

State of the control format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 45 of 189

### 10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

# 10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

#### 10.2 Measurement Equipment Used

Conducted Emission Test Site							
EQUIPMENT	EQUIPMENT MFR MODEL SERIAL LAST CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.			
EXA Spectrum Ana- lyzer	Agilent	N9010A	MY50420195	05/02/2019	05/01/2020		
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2019	01/01/2020		
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020		

#### 10.3 Test SET-UP



#### 10.4 Measurement Procedure

#### **Reference Level of Emission Limit:**


- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- Detector = peak.
- 6. Sweep time = auto couple.
- **7.** Trace mode =  $\max$  hold.
- **8.** Allow trace to fully stabilize.

  Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### **Conducted Band Edge:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

#### 10.5 Measurement Result

Reference Level of Limit 802.11b mode			
Freq.	PSD	Reference Level of Limit	
(MHz)	(dBm)	(dBm)	
2412	14.24	-5.76	
2437	14.46	-5.54	
2462	13.59	-6.41	

Ī	Reference Level of Limit 802.11g mode				
Ī	Freq.	PSD	Reference Level of Limit		
	(MHz)	(dBm)	(dBm)		
	2412	5.57	-14.43		
	2437	7.53	-12.47		
	2462	5.83	-14.17		

Reference Level of Limit 802.11n20 mode				
Freq.	PSD	Reference Level of Limit		
(MHz)	(dBm)	(dBm)		
2412	3.73	-16.27		
2437	8.46	-11.54		
2462	5.07	-14.93		

Reference Level of Limit 802.11n40 MODE				
Freq.	PSD	Reference Level of Limit		
(MHz)	(dBm)	(dBm)		
2422	-0.13	-20.13		
2437	1.33	-18.67		
2452	2.25	-17.75		

#### Note

Cable Loss 11.76 dΒ


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488







#### Reference Level\_802.11b\_20MHz\_Chain0\_2412MHz Reference Level\_802.11g\_20MHz\_Chain0\_2412MHz



#### Reference Level 802.11b 20MHz Chain0 2437MH




# Reference Level\_802.11g\_20MHz\_Chain0\_2437MH



#### Reference Level\_802.11b\_20MHz\_Chain0\_2462MHz




#### Reference Level\_802.11g\_20MHz\_Chain0\_ 2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Unless striction in the counts and the count of the cou Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/tems\_and\_conditions.ntm">www.sgs.com/tems\_and\_conditions.ntm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Service and Justice and Just offenders may be prosecuted to the fullest extent of the law





Reference Level\_802.11n\_20MHz\_Chain0\_2412MHz Reference Level\_802.11n\_40MHz\_Chain0\_2422MHz





#### Reference Level 802.11n 20MHz Chain0 2437MH




#### Reference Level 802.11n 40MHz Chain0 2437MH



#### Reference Level\_802.11n\_20MHz\_Chain0\_2462MHz



#### Reference Level\_802.11n\_40MHz\_Chain0\_2452MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless striction in the counts and the count of the cou Inis occument is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/tems\_and\_conditions.ntm">www.sgs.com/tems\_and\_conditions.ntm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/tems\_and\_conditions">www.sgs.com/tems\_and\_conditions</a> for Service and Justice and Just offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.tw.sgs.com





#### Band Edge\_802.11b\_20MHz \_Chain0\_2412MHz




#### Band Edge\_802.11b\_20MHz \_Chain0\_2462MHz



## Band Edge\_802.11g\_20MHz \_Chain0\_2412MHz




# Band Edge\_802.11g\_20MHz \_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Onless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tare retained for 90 days only. 

Phys A a such a state of the sample (s) the sample Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






#### Band Edge\_802.11n\_20MHz \_Chain0\_2412MHz



#### Band Edge\_802.11n\_20MHz Chain0\_2462MHz



## Band Edge\_802.11b\_20MHz \_Chain0\_2422MHz



# Band Edge\_802.11n\_40MHz \_Chain0\_2452MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format

This document is issued by the Company subject to its General Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a>, available or induced in a document at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a>, available or induced in a document and induced in the first of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 Talwall Ltu.




### Spurious Emission 802.11b 20MHz Chain0 2412MHz




#### Spurious Emission 802.11b 20MHz Chain0 2437MHz




### Spurious Emission\_ 802.11b\_20MHz\_ Chain0 2462MHz




#### Spurious Emission\_802.11g\_20MHz\_Chain0\_ 2412MHz



#### Spurious Emission\_ 802.11g\_20MHz\_ Chain0\_ 2437MHz



# Spurious Emission 802.11g 20MHz Chain0 2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




#### Spurious Emission\_802.11n\_20MHz\_Chain0\_ 2412MHz




#### Spurious Emission\_ 802.11n\_20MHz\_ Chain0\_ 2437MHz




# Spurious Emission 802.11n 20MHz Chain0 2462MHz




#### Spurious Emission\_802.11n\_40MHz\_Chain0\_ 2422MHz



#### Spurious Emission 802.11n 40MHz Chain0 2437MHz



# Spurious Emission 802.11n 40MHz Chain0 2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



#### 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

# 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level  $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# 11.2 Measurement Equipment Used:

		966 Chambe	r		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBECK	VULB9168	378	01/04/2020	01/04/2021
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/20/2019	08/19/2020
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2019	12/24/2020
3m Site NSA	SGS	966 chamber	N/A	01/02/2019	01/01/2020
3m Site NSA	SGS	966 chamber	N/A	01/02/2020	01/01/2021
Loop Antenna	ETS.LINDGREN	6502	148045	10/15/2019	10/14/2020
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/22/2019	04/21/2020
EMI Test Re- ceiver	R&S	ESCI 7	1166.5950.07	07/04/2019	07/03/2020
Pre-Amplifier	HP	8449B	3008A00578	01/02/2019	01/01/2020
Pre-Amplifier	HP	8449B	3008A00578	01/02/2020	01/01/2021
Pre-Amplifier	HP	8447D	2944A07676	01/02/2019	01/01/2020
Pre-Amplifier	HP	8447D	2944A07676	01/02/2020	01/01/2021
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	01/02/2019	01/01/2020
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	01/02/2020	01/01/2021
Attenuator	Mini-Circuit	BW-S10W2+	4	01/02/2019	01/01/2020
Attenuator	Mini-Circuit	BW-S10W2+	4	01/02/2020	01/01/2021
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	01/02/2019	01/01/2020
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	01/02/2020	01/01/2021
High Pass Filter	WI	WHKX4.0/18G- 10SS	22	01/02/2019	01/01/2020
High Pass Filter	WI	WHKX4.0/18G- 10SS	22	01/02/2020	01/01/2021
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2019	01/01/2020
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2020	01/01/2021

# NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and <a href="conditions.htm">conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCST around It!\*\* No 134 Well unprograd New Tainelight Wirks District New Tainelight No 134 Well unprograd New Tainelight Wirks District New Tainelight Tai




#### 11.3 Test SET-UP


# (A) Radiated Emission Test Set-UP Frequency Below 30MHz.



# (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



### (C) Radiated Emission Test Set-UP Frequency Over 1 GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488





#### 11.4 Measurement Procedure


- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.





## 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

**Where** FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts 20\*log(uV/m)

Actual  $FS(dB\mu V/m) = SPA$ . Reading level(dB $\mu V$ ) + Factor(dB)

 $Factor(dB) = Antenna\ Factor(dB\mu V/m) + Cable\ Loss(dB) - Pre\_Amplifier\ Gain(dB)$ 

# 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

#### 11.7 Measurement Result

#### Note:

- 1. Refer to next page spectrum analyzer data chart and tabular data sheets.
- Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for elec-

This abdulifieff is issued by the Company's subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# 11.7.1 Radiated Band Edge Measurement Result

External Antenna (Type: Dipole Antenna, Model no: WTS2450)


Report Number **Test Date** :2019-11-28 :ER/2019/C0047

Operation Mode :802.11b Temp./Humi. :23.7/57

Antenna Pol. :VERTICAL Test Channel :2412 MHz

Test Mode :Bandedge CH Low Engineer :Kane


**EUT Pol** :E2 Plane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	52.48	0.24	52.72	54.00	-1.28
2390.00	Peak	66.73	0.24	66.97	74.00	-7.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11b

**Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2390.00	Average	45.58	0.24	45.82	54.00	-8.18
2390.00	Peak	59.13	0.24	59.37	74.00	-14.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com

SGS Taiwan Ltd.





Operation Mode :802.11b **Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	44.15	-0.17	43.98	54.00	-10.02
2483.50	Peak	66.34	-0.17	66.17	74.00	-7.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com

SGS Taiwan Ltd.





Operation Mode :802.11b

**Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.59	-0.17	41.42	54.00	-12.58
2483.50	Peak	60.39	-0.17	60.22	74.00	-13.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com





Operation Mode :802.11b **Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	44.01	-0.17	43.84	54.00	-10.16
2483.50	Peak	66.13	-0.17	65.96	74.00	-8.04
2485.20	Average	44.42	-0.18	44.24	54.00	-9.76
2485.20	Peak	68.03	-0.18	67.85	74.00	-6.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com





Operation Mode :802.11b

**Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.50	Average	41.58	-0.17	41.41	54.00	-12.59
2483.50	Peak	57.47	-0.17	57.30	74.00	-16.70
2485.30	Average	41.19	-0.18	41.01	54.00	-12.99
2485.30	Peak	61.73	-0.18	61.55	74.00	-12.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com





Operation Mode :802.11g **Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2389.08	Average	46.83	0.24	47.07	54.00	-6.93
2389.08	Peak	69.65	0.24	69.89	74.00	-4.11
2390.00	Average	49.73	0.24	49.97	54.00	-4.03
2390.00	Peak	69.22	0.24	69.46	74.00	-4.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.





Operation Mode :802.11g

**Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2389.20	Average	41.97	0.24	42.21	54.00	-11.79
2389.20	Peak	62.92	0.24	63.16	74.00	-10.84
2390.00	Average	43.60	0.24	43.84	54.00	-10.16
2390.00	Peak	61.50	0.24	61.74	74.00	-12.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11g **Test Channel** :2417 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	50.03	0.24	50.27	54.00	-3.73
2390.00	Peak	71.22	0.24	71.46	74.00	-2.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sgs.com





Operation Mode :802.11g

**Test Channel** :2417 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	43.22	0.24	43.46	54.00	-10.54
2390.00	Peak	63.65	0.24	63.89	74.00	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11g **Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	47.86	-0.17	47.69	54.00	-6.31
2483.50	Peak	66.65	-0.17	66.48	74.00	-7.52
2486.20	Average	47.22	-0.19	47.03	54.00	-6.97
2486.20	Peak	68.75	-0.19	68.56	74.00	-5.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.





Operation Mode :802.11g

**Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	2483.50	Average	42.91	-0.17	42.74	54.00	-11.26
	2483.50	Peak	59.00	-0.17	58.83	74.00	-15.17
	2485.60	Average	41.96	-0.18	41.78	54.00	-12.22
	2485.60	Peak	61.01	-0.18	60.83	74.00	-13.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.





Operation Mode :802.11g **Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	49.58	-0.17	49.41	54.00	-4.59
2483.50	Peak	68.85	-0.17	68.68	74.00	-5.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.





Operation Mode :802.11g

**Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	44.62	-0.17	44.45	54.00	-9.55
2483.50	Peak	62.79	-0.17	62.62	74.00	-11.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com

SGS Taiwan Ltd.





Operation Mode :802.11n20 **Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	46.62	0.24	46.86	54.00	-7.14
2390.00	Peak	65.56	0.24	65.80	74.00	-8.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com





Operation Mode :802.11n20

**Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	42.28	0.24	42.52	54.00	-11.48
2390.00	Peak	58.35	0.24	58.59	74.00	-15.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11n20 **Test Channel** :2417 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Fred	J. De	etector	Spectrum	Factor	Actual	Limit	Margin
	1	Mode	Reading Level		FS	@3m	
MH:	z PK	/QP/AV	dΒμV	dB	dBµV/n	n dBµV/m	dB
2390.	00 A	verage	50.47	0.24	50.71	54.00	-3.29
2390.	00	Peak	71.34	0.24	71.58	74.00	-2.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :802.11n20

**Test Channel** :2417 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	44.89	0.24	45.13	54.00	-8.87
2390.00	Peak	64.45	0.24	64.69	74.00	-9.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11n20 **Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	49.99	-0.17	49.82	54.00	-4.18
2483.50	Peak	69.22	-0.17	69.05	74.00	-4.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279





Operation Mode :802.11n20

**Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	46.67	-0.17	46.50	54.00	-7.50
2483.50	Peak	64.17	-0.17	64.00	74.00	-10.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that show it in this test report refer only to the sample(s) tested and such an angle (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) tested and such an angle (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) tested and such an angle (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) tested and such an angle (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) are retained to 30 days only.

Physical Ref. (a) and the sample (s) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.


Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Physical Ref. (a) are retained to 30 days only.

Phys Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11n20 **Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	49.57	-0.17	49.40	54.00	-4.60
2483.50	Peak	70.29	-0.17	70.12	74.00	-3.88
2484.80	Average	48.12	-0.18	47.94	54.00	-6.06
2484.80	Peak	69.41	-0.18	69.23	74.00	-4.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.





Operation Mode :802.11n20

**Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq	. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.	50 Average	45.76	-0.17	45.59	54.00	-8.41
2483.	50 Peak	66.02	-0.17	65.85	74.00	-8.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com





Operation Mode :802.11n40 **Test Channel** :2422 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2387.88	Average	50.07	0.25	50.32	54.00	-3.68
2387.88	Peak	68.30	0.25	68.55	74.00	-5.45
2390.00	Average	51.64	0.24	51.88	54.00	-2.12
2390.00	Peak	68.63	0.24	68.87	74.00	-5.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :802.11n40

**Test Channel** :2422 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2388.12	Average	44.69	0.25	44.94	54.00	-9.06
2388.12	Peak	61.80	0.25	62.05	74.00	-11.95
2390.00	Average	45.79	0.24	46.03	54.00	-7.97
2390.00	Peak	60.40	0.24	60.64	74.00	-13.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11n40 **Test Channel** :2427 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	51.57	0.24	51.81	54.00	-2.19
2390.00	Peak	68.96	0.24	69.20	74.00	-4.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com





Operation Mode :802.11n40

**Test Channel** :2427 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2390.00	Average	45.92	0.24	46.16	54.00	-7.84
2390.00	Peak	62.18	0.24	62.42	74.00	-11.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





**Operation Mode** :802.11n40 **Test Channel** :2432 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	52.58	0.24	52.82	54.00	-1.18
2390.00	Peak	68.14	0.24	68.38	74.00	-5.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com





Operation Mode :802.11n40

**Test Channel** :2432 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2388.28	Average	45.82	0.25	46.07	54.00	-7.93
2388.28	Peak	61.40	0.25	61.65	74.00	-12.35
2390.00	Average	46.63	0.24	46.87	54.00	-7.13
2390.00	Peak	60.87	0.24	61.11	74.00	-12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.





**Operation Mode** :802.11n40 **Test Channel** :2442 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	52.31	-0.17	52.14	54.00	-1.86
2483.50	Peak	70.05	-0.17	69.88	74.00	-4.12
2486.10	Average	51.57	-0.18	51.39	54.00	-2.61
2486.10	Peak	69.50	-0.18	69.32	74.00	-4.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





**Operation Mode** :802.11n40

**Test Channel** :2442 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	49.05	-0.17	48.88	54.00	-5.12
2483.50	Peak	64.04	-0.17	63.87	74.00	-10.13
2486.10	Average	48.84	-0.18	48.66	54.00	-5.34
2486.10	Peak	65.90	-0.18	65.72	74.00	-8.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





**Operation Mode** :802.11n40 **Test Channel** :2447 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	2483.50	Average	52.40	-0.17	52.23	54.00	-1.77
	2483.50	Peak	72.28	-0.17	72.11	74.00	-1.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com





**Operation Mode** :802.11n40

**Test Channel** :2447 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	48.65	-0.17	48.48	54.00	-5.52
2483.50	Peak	66.12	-0.17	65.95	74.00	-8.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com





Operation Mode :802.11n40 **Test Channel** :2452 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. : VERTICAL

Engineer :Kane




	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	2483.50	Average	51.36	-0.17	51.19	54.00	-2.81
	2483.50	Peak	68.20	-0.17	68.03	74.00	-5.97
	2486.30	Average	50.66	-0.19	50.47	54.00	-3.53
	2486.30	Peak	69.86	-0.19	69.67	74.00	-4.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.





**Operation Mode** :802.11n40

**Test Channel** :2452 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-28

Temp./Humi. :23.7/57

Antenna Pol. :HORIZONTAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	47.72	-0.17	47.55	54.00	-6.45
2483.50	Peak	63.49	-0.17	63.32	74.00	-10.68
2486.40	Average	47.02	-0.19	46.83	54.00	-7.17
2486.40	Peak	65.80	-0.19	65.61	74.00	-8.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





## **Internal Antenna**

Report Number :ER/2019/C0047

Operation Mode :802.11b **Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. :VERTICAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2387.04	Average	46.72	0.25	46.97	54.00	-7.03
2387.04	Peak	63.40	0.25	63.65	74.00	-10.35
2390.00	Average	45.33	0.24	45.57	54.00	-8.43
2390.00	Peak	63.23	0.24	63.47	74.00	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :802.11b

**Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	41.57	0.24	41.81	54.00	-12.19
2390.00	Peak	57.89	0.24	58.13	74.00	-15.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com





Operation Mode :802.11b **Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. : VERTICAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	50.21	-0.17	50.04	54.00	-3.96
2483.50	Peak	64.91	-0.17	64.74	74.00	-9.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11b

**Test Channel** :2457 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.50	Average	43.46	-0.17	43.29	54.00	-10.71
2483.50	Peak	57.79	-0.17	57.62	74.00	-16.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com





Operation Mode :802.11b **Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. : VERTICAL

Engineer :Kane




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	46.83	-0.17	46.66	54.00	-7.34
2483.50	Peak	67.30	-0.17	67.13	74.00	-6.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Operation Mode :802.11b

**Test Channel** :2462 MHz


Test Mode :Bandedge CH High

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	42.54	-0.17	42.37	54.00	-11.63
2483.50	Peak	58.94	-0.17	58.77	74.00	-15.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com





Operation Mode :802.11g **Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. : VERTICAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
2389.20	Average	45.99	0.24	46.23	54.00	-7.77
2389.20	Peak	66.18	0.24	66.42	74.00	-7.58
2390.00	Average	45.61	0.24	45.85	54.00	-8.15
2390.00	Peak	63.19	0.24	63.43	74.00	-10.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Mode :802.11g

**Test Channel** :2412 MHz


Test Mode :Bandedge CH Low

**EUT Pol** :E2 Plane **Test Date** :2019-11-24

Temp./Humi. :23.0/67

Antenna Pol. :HORIZONTAL

Engineer :Kane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	43.56	0.24	43.80	54.00	-10.20
2390.00	Peak	62.53	0.24	62.77	74.00	-11.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the less that with this test report feet only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Phys Ap 有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com