




6.2 CSE

6.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	6.07	-13.93	Pass
		2441	DH5	1	6.07	-13.93	Pass
		2480	DH5	1	6.07	-13.93	Pass
		HOPP	DH5	1	6.07	-13.93	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	5.58	-14.42	Pass
		2441	2DH5	1	5.58	-14.42	Pass
		2480	2DH5	1	5.58	-14.42	Pass
		HOPP	2DH5	1	5.58	-14.42	Pass
8DPSK	SISO	2402	3DH5	1	5.83	-14.17	Pass
		2441	3DH5	1	5.83	-14.17	Pass
		2480	3DH5	1	5.83	-14.17	Pass
		HOPP	3DH5	1	5.83	-14.17	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.







6.2.2 Test Graph






















































































7. Form731

7.1 Form731

7.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0044	6.46







BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --