

ATTACHMENT A.
ID LABEL INFORMATION AND LOCATION PHOTOS


1.1 ID Label Information

Following is a copy of the label that will be placed on the rear side of the cabinet.

Figure 3.1 PRODUCT LABEL

Both the FCC ID and compliance statement are included in the product label

<p>•HYUNDAI</p> <p>Model NO : B790S POWER : AC 100-240VAC 2.5 A 60/50Hz FCC ID : CKLB790S Serial No :</p> <p>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p>Product complies with DHHS Rules-21 CFR subchapter J-applicable at date of manufacture"</p> <p>HYUNDAI ELECTRONICS AMERICA 166 Baypoint Parkway, San Jose , CA 95134 MANUFACTURED BY HYUNDAI ELECTRONICS IND. CO., LTD.</p> <p>MADE IN KOREA</p>



This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions :

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

"Product complies with DHS Rules-21 CFR subchapter j-applicable at date of manufacture"

WARNUNG : Vor öffnen des Gerätes Netzstecker ziehen.

Disconnect power before opening.

HYUNDAI ELECTRONICS AMERICA

3101 North 1st Street, San Jose, CA 95134

MANUFACTURED BY

HYUNDAI ELECTRONICS IND. CO., LTD.

631 6345 200

MADE IN KOREA


See installation instructions before connecting to the supply.



E142408
LISTED
I.T.E.
6K83



LR 65701



Model No. : 3790S
POWER : 100-240V ~
FCC ID : 2.5A 60/50Hz
Serial No. : CKLB790S
Manufactured : JUNE 1999

Die in diesem Gerät entstehende Röntgenstrahlung ist durch eine eigensichere Kathodenstrahlröhre nach Anlage III Röntgenverordnung ausreichend abgeschirmt.
Beschleunigungsspannung : Max. 27.5KV

This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.
Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.
Apparaten skaal aansluites till jordat n turttag.
Connect only to a properly grounded outlet.



1.2 Label Location Photos

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase.(Labeling requirements per 2.925)



