



Conducted Spurious Emission


Test Graphs




Band5-4132-0.009~0.15MHz-PASS




Band5-4132-0.15~30MHz-PASS




Band5-4132-30~1000MHz-PASS




Band5-4132-1000~10000MHz-PASS




Band5-4182-0.009~0.15MHz-PASS




Band5-4182-0.15~30MHz-PASS




Band5-4182-30~1000MHz-PASS




Band5-4182-1000~10000MHz-PASS




Band5-4233-0.009~0.15MHz-PASS




Band5-4233-0.15~30MHz-PASS




Band5-4233-30~1000MHz-PASS




Band5-4233-1000~10000MHz-PASS




Band5-4132-1-0.009~0.15MHz-PASS




Band5-4132-1-0.15~30MHz-PASS




Band5-4132-1-30~1000MHz-PASS




Band5-4132-1-1000~10000MHz-PASS




Band5-4132-2-0.009~0.15MHz-PASS




Band5-4132-2-0.15~30MHz-PASS




Band5-4132-2-30~1000MHz-PASS




Band5-4132-2-1000~10000MHz-PASS




Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS




Band5-4132-3-1000~10000MHz-PASS




Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS




Band5-4182-1-0.009~0.15MHz-PASS




Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS



Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS




Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4132-1-0.009~0.15MHz-PASS




Band5-4132-1-0.15~30MHz-PASS



Band5-4132-1-30~1000MHz-PASS




Band5-4132-1-1000~10000MHz-PASS




Band5-4132-2-0.009~0.15MHz-PASS




Band5-4132-2-0.15~30MHz-PASS




Band5-4132-2-30~1000MHz-PASS




Band5-4132-2-1000~10000MHz-PASS




Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS



Band5-4132-3-30~1000MHz-PASS




Band5-4132-3-1000~10000MHz-PASS




Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS




Band5-4132-4-1000~10000MHz-PASS




Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS




Band5-4132-5-1000~10000MHz-PASS




Band5-4182-1-0.009~0.15MHz-PASS




Band5-4182-1-0.15~30MHz-PASS




Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS




Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS




Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS




Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS




Band5-4182-5-0.15~30MHz-PASS




Band5-4182-5-30~1000MHz-PASS




Band5-4182-5-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS




Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS




Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS




Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS




Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS



Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS

Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-1.55	-0.001876	±2.5	PASS
Band5	4132	VL	NT	-2.31	-0.002795	±2.5	PASS
Band5	4132	VH	NT	-1.64	-0.001985	±2.5	PASS
Band5	4182	VN	NT	-0.05	-0.000060	±2.5	PASS
Band5	4182	VL	NT	-1.05	-0.001255	±2.5	PASS
Band5	4182	VH	NT	-0.63	-0.000753	±2.5	PASS
Band5	4233	VN	NT	-1.68	-0.001984	±2.5	PASS
Band5	4233	VL	NT	-1.74	-0.002055	±2.5	PASS
Band5	4233	VH	NT	-0.93	-0.001099	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.72	-0.000871	±2.5	PASS
Band5	4132	NV	-20	-1.56	-0.001888	±2.5	PASS
Band5	4132	NV	-10	0.24	0.000290	±2.5	PASS
Band5	4132	NV	0	-1.14	-0.001379	±2.5	PASS
Band5	4132	NV	10	-0.88	-0.001065	±2.5	PASS
Band5	4132	NV	20	0.76	0.000920	±2.5	PASS
Band5	4132	NV	30	-0.73	-0.000883	±2.5	PASS
Band5	4132	NV	40	-1.04	-0.001258	±2.5	PASS
Band5	4132	NV	50	0.02	0.000024	±2.5	PASS
Band5	4182	NV	-30	0.16	0.000191	±2.5	PASS
Band5	4182	NV	-20	-0.81	-0.000968	±2.5	PASS
Band5	4182	NV	-10	-0.74	-0.000885	±2.5	PASS
Band5	4182	NV	0	0.43	0.000514	±2.5	PASS
Band5	4182	NV	10	-0.60	-0.000717	±2.5	PASS
Band5	4182	NV	20	-0.40	-0.000478	±2.5	PASS
Band5	4182	NV	30	-0.68	-0.000813	±2.5	PASS
Band5	4182	NV	40	-1.10	-0.001315	±2.5	PASS
Band5	4182	NV	50	-0.24	-0.000287	±2.5	PASS
Band5	4233	NV	-30	-1.17	-0.001382	±2.5	PASS
Band5	4233	NV	-20	-1.56	-0.001843	±2.5	PASS
Band5	4233	NV	-10	-0.79	-0.000933	±2.5	PASS
Band5	4233	NV	0	-0.44	-0.000520	±2.5	PASS
Band5	4233	NV	10	-1.06	-0.001252	±2.5	PASS

Band5	4233	NV	20	-1.03	-0.001217	±2.5	PASS
Band5	4233	NV	30	-1.17	-0.001382	±2.5	PASS
Band5	4233	NV	40	-1.64	-0.001937	±2.5	PASS
Band5	4233	NV	50	-1.27	-0.001500	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-0.29	-0.000351	±2.5	PASS
Band5	4132	1	VL	NT	0.13	0.000157	±2.5	PASS
Band5	4132	1	VH	NT	0.08	0.000097	±2.5	PASS
Band5	4132	2	VN	NT	0.89	0.001077	±2.5	PASS
Band5	4132	2	VL	NT	0.62	0.000750	±2.5	PASS
Band5	4132	2	VH	NT	1.18	0.001428	±2.5	PASS
Band5	4132	3	VN	NT	0.73	0.000883	±2.5	PASS
Band5	4132	3	VL	NT	0.64	0.000774	±2.5	PASS
Band5	4132	3	VH	NT	0.98	0.001186	±2.5	PASS
Band5	4132	4	VN	NT	0.72	0.000871	±2.5	PASS
Band5	4132	4	VL	NT	1.11	0.001343	±2.5	PASS
Band5	4132	4	VH	NT	0.62	0.000750	±2.5	PASS
Band5	4182	1	VN	NT	-0.72	-0.000861	±2.5	PASS
Band5	4182	1	VL	NT	-0.97	-0.001160	±2.5	PASS
Band5	4182	1	VH	NT	-0.29	-0.000347	±2.5	PASS
Band5	4182	2	VN	NT	-0.51	-0.000610	±2.5	PASS
Band5	4182	2	VL	NT	-0.39	-0.000466	±2.5	PASS
Band5	4182	2	VH	NT	-0.41	-0.000490	±2.5	PASS
Band5	4182	3	VN	NT	0.03	0.000036	±2.5	PASS
Band5	4182	3	VL	NT	-1.08	-0.001291	±2.5	PASS
Band5	4182	3	VH	NT	-0.12	-0.000143	±2.5	PASS
Band5	4182	4	VN	NT	-0.41	-0.000490	±2.5	PASS
Band5	4182	4	VL	NT	0.50	0.000598	±2.5	PASS
Band5	4182	4	VH	NT	0.24	0.000287	±2.5	PASS
Band5	4233	1	VN	NT	-0.90	-0.001063	±2.5	PASS
Band5	4233	1	VL	NT	-1.51	-0.001784	±2.5	PASS
Band5	4233	1	VH	NT	-2.16	-0.002551	±2.5	PASS
Band5	4233	2	VN	NT	-1.40	-0.001654	±2.5	PASS
Band5	4233	2	VL	NT	-1.23	-0.001453	±2.5	PASS
Band5	4233	2	VH	NT	-2.63	-0.003107	±2.5	PASS
Band5	4233	3	VN	NT	-1.11	-0.001311	±2.5	PASS
Band5	4233	3	VL	NT	-1.77	-0.002091	±2.5	PASS
Band5	4233	3	VH	NT	-1.65	-0.001949	±2.5	PASS
Band5	4233	4	VN	NT	-1.74	-0.002055	±2.5	PASS

Band5	4233	4	VL	NT	-2.14	-0.002528	±2.5	PASS
Band5	4233	4	VH	NT	-1.33	-0.001571	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	1.06	0.001283	±2.5	PASS
Band5	4132	1	NV	-20	0.00	0.000000	±2.5	PASS
Band5	4132	1	NV	-10	0.69	0.000835	±2.5	PASS
Band5	4132	1	NV	0	0.68	0.000823	±2.5	PASS
Band5	4132	1	NV	10	1.09	0.001319	±2.5	PASS
Band5	4132	1	NV	20	1.25	0.001513	±2.5	PASS
Band5	4132	1	NV	30	0.42	0.000508	±2.5	PASS
Band5	4132	1	NV	40	1.44	0.001742	±2.5	PASS
Band5	4132	1	NV	50	0.86	0.001041	±2.5	PASS
Band5	4132	2	NV	-30	0.57	0.000690	±2.5	PASS
Band5	4132	2	NV	-20	0.72	0.000871	±2.5	PASS
Band5	4132	2	NV	-10	0.85	0.001029	±2.5	PASS
Band5	4132	2	NV	0	1.34	0.001621	±2.5	PASS
Band5	4132	2	NV	10	1.18	0.001428	±2.5	PASS
Band5	4132	2	NV	20	1.43	0.001730	±2.5	PASS
Band5	4132	2	NV	30	1.58	0.001912	±2.5	PASS
Band5	4132	2	NV	40	1.86	0.002251	±2.5	PASS
Band5	4132	2	NV	50	0.82	0.000992	±2.5	PASS
Band5	4132	3	NV	-30	1.05	0.001271	±2.5	PASS
Band5	4132	3	NV	-20	0.75	0.000908	±2.5	PASS
Band5	4132	3	NV	-10	1.48	0.001791	±2.5	PASS
Band5	4132	3	NV	0	1.10	0.001331	±2.5	PASS
Band5	4132	3	NV	10	1.03	0.001246	±2.5	PASS
Band5	4132	3	NV	20	1.24	0.001500	±2.5	PASS
Band5	4132	3	NV	30	1.33	0.001609	±2.5	PASS
Band5	4132	3	NV	40	1.28	0.001549	±2.5	PASS
Band5	4132	3	NV	50	1.22	0.001476	±2.5	PASS
Band5	4132	4	NV	-30	1.16	0.001404	±2.5	PASS
Band5	4132	4	NV	-20	1.14	0.001379	±2.5	PASS
Band5	4132	4	NV	-10	1.51	0.001827	±2.5	PASS
Band5	4132	4	NV	0	1.08	0.001307	±2.5	PASS
Band5	4132	4	NV	10	0.96	0.001162	±2.5	PASS
Band5	4132	4	NV	20	0.75	0.000908	±2.5	PASS
Band5	4132	4	NV	30	0.70	0.000847	±2.5	PASS
Band5	4132	4	NV	40	0.42	0.000508	±2.5	PASS
Band5	4132	4	NV	50	1.12	0.001355	±2.5	PASS

Band5	4182	1	NV	-30	-0.18	-0.000215	±2.5	PASS
Band5	4182	1	NV	-20	0.09	0.000108	±2.5	PASS
Band5	4182	1	NV	-10	-0.12	-0.000143	±2.5	PASS
Band5	4182	1	NV	0	-0.85	-0.001016	±2.5	PASS
Band5	4182	1	NV	10	0.06	0.000072	±2.5	PASS
Band5	4182	1	NV	20	0.42	0.000502	±2.5	PASS
Band5	4182	1	NV	30	0.04	0.000048	±2.5	PASS
Band5	4182	1	NV	40	-0.04	-0.000048	±2.5	PASS
Band5	4182	1	NV	50	-0.39	-0.000466	±2.5	PASS
Band5	4182	2	NV	-30	0.21	0.000251	±2.5	PASS
Band5	4182	2	NV	-20	-0.54	-0.000646	±2.5	PASS
Band5	4182	2	NV	-10	0.50	0.000598	±2.5	PASS
Band5	4182	2	NV	0	-0.42	-0.000502	±2.5	PASS
Band5	4182	2	NV	10	0.59	0.000705	±2.5	PASS
Band5	4182	2	NV	20	0.22	0.000263	±2.5	PASS
Band5	4182	2	NV	30	-0.88	-0.001052	±2.5	PASS
Band5	4182	2	NV	40	-0.02	-0.000024	±2.5	PASS
Band5	4182	2	NV	50	0.33	0.000395	±2.5	PASS
Band5	4182	3	NV	-30	-0.57	-0.000681	±2.5	PASS
Band5	4182	3	NV	-20	0.72	0.000861	±2.5	PASS
Band5	4182	3	NV	-10	1.12	0.001339	±2.5	PASS
Band5	4182	3	NV	0	-0.60	-0.000717	±2.5	PASS
Band5	4182	3	NV	10	-0.48	-0.000574	±2.5	PASS
Band5	4182	3	NV	20	0.27	0.000323	±2.5	PASS
Band5	4182	3	NV	30	-0.12	-0.000143	±2.5	PASS
Band5	4182	3	NV	40	-0.12	-0.000143	±2.5	PASS
Band5	4182	3	NV	50	-0.57	-0.000681	±2.5	PASS
Band5	4182	4	NV	-30	-0.10	-0.000120	±2.5	PASS
Band5	4182	4	NV	-20	0.25	0.000299	±2.5	PASS
Band5	4182	4	NV	-10	0.53	0.000634	±2.5	PASS
Band5	4182	4	NV	0	-0.17	-0.000203	±2.5	PASS
Band5	4182	4	NV	10	-0.30	-0.000359	±2.5	PASS
Band5	4182	4	NV	20	0.13	0.000155	±2.5	PASS
Band5	4182	4	NV	30	-0.42	-0.000502	±2.5	PASS
Band5	4182	4	NV	40	-0.40	-0.000478	±2.5	PASS
Band5	4182	4	NV	50	0.50	0.000598	±2.5	PASS
Band5	4233	1	NV	-30	-1.35	-0.001595	±2.5	PASS
Band5	4233	1	NV	-20	-1.22	-0.001441	±2.5	PASS
Band5	4233	1	NV	-10	-1.62	-0.001914	±2.5	PASS
Band5	4233	1	NV	0	-0.52	-0.000614	±2.5	PASS
Band5	4233	1	NV	10	-0.92	-0.001087	±2.5	PASS

Band5	4233	1	NV	20	-1.45	-0.001713	±2.5	PASS
Band5	4233	1	NV	30	-1.93	-0.002280	±2.5	PASS
Band5	4233	1	NV	40	-1.56	-0.001843	±2.5	PASS
Band5	4233	1	NV	50	-1.12	-0.001323	±2.5	PASS
Band5	4233	2	NV	-30	-1.17	-0.001382	±2.5	PASS
Band5	4233	2	NV	-20	-1.41	-0.001665	±2.5	PASS
Band5	4233	2	NV	-10	-2.06	-0.002433	±2.5	PASS
Band5	4233	2	NV	0	-1.42	-0.001677	±2.5	PASS
Band5	4233	2	NV	10	-0.36	-0.000425	±2.5	PASS
Band5	4233	2	NV	20	-1.59	-0.001878	±2.5	PASS
Band5	4233	2	NV	30	-2.24	-0.002646	±2.5	PASS
Band5	4233	2	NV	40	-1.27	-0.001500	±2.5	PASS
Band5	4233	2	NV	50	-1.23	-0.001453	±2.5	PASS
Band5	4233	3	NV	-30	-1.67	-0.001973	±2.5	PASS
Band5	4233	3	NV	-20	-0.73	-0.000862	±2.5	PASS
Band5	4233	3	NV	-10	-1.17	-0.001382	±2.5	PASS
Band5	4233	3	NV	0	-0.88	-0.001039	±2.5	PASS
Band5	4233	3	NV	10	-1.38	-0.001630	±2.5	PASS
Band5	4233	3	NV	20	-1.32	-0.001559	±2.5	PASS
Band5	4233	3	NV	30	-1.47	-0.001736	±2.5	PASS
Band5	4233	3	NV	40	-0.80	-0.000945	±2.5	PASS
Band5	4233	3	NV	50	-0.82	-0.000969	±2.5	PASS
Band5	4233	4	NV	-30	-1.21	-0.001429	±2.5	PASS
Band5	4233	4	NV	-20	-1.43	-0.001689	±2.5	PASS
Band5	4233	4	NV	-10	-0.98	-0.001158	±2.5	PASS
Band5	4233	4	NV	0	-0.40	-0.000472	±2.5	PASS
Band5	4233	4	NV	10	-1.27	-0.001500	±2.5	PASS
Band5	4233	4	NV	20	-0.59	-0.000697	±2.5	PASS
Band5	4233	4	NV	30	-1.25	-0.001476	±2.5	PASS
Band5	4233	4	NV	40	-1.64	-0.001937	±2.5	PASS
Band5	4233	4	NV	50	-1.07	-0.001264	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-1.27	-0.001537	±2.5	PASS
Band5	4132	1	VL	NT	-0.97	-0.001174	±2.5	PASS
Band5	4132	1	VH	NT	-0.15	-0.000182	±2.5	PASS
Band5	4132	2	VN	NT	-1.36	-0.001646	±2.5	PASS
Band5	4132	2	VL	NT	-0.84	-0.001016	±2.5	PASS
Band5	4132	2	VH	NT	-0.60	-0.000726	±2.5	PASS
Band5	4132	3	VN	NT	-1.50	-0.001815	±2.5	PASS

Band5	4132	3	VL	NT	-1.97	-0.002384	±2.5	PASS
Band5	4132	3	VH	NT	-0.81	-0.000980	±2.5	PASS
Band5	4132	4	VN	NT	-1.02	-0.001234	±2.5	PASS
Band5	4132	4	VL	NT	-1.05	-0.001271	±2.5	PASS
Band5	4132	4	VH	NT	-1.18	-0.001428	±2.5	PASS
Band5	4132	5	VN	NT	-1.09	-0.001319	±2.5	PASS
Band5	4132	5	VL	NT	-0.49	-0.000593	±2.5	PASS
Band5	4132	5	VH	NT	-0.66	-0.000799	±2.5	PASS
Band5	4182	1	VN	NT	-1.15	-0.001375	±2.5	PASS
Band5	4182	1	VL	NT	-0.44	-0.000526	±2.5	PASS
Band5	4182	1	VH	NT	-0.49	-0.000586	±2.5	PASS
Band5	4182	2	VN	NT	-0.45	-0.000538	±2.5	PASS
Band5	4182	2	VL	NT	-0.45	-0.000538	±2.5	PASS
Band5	4182	2	VH	NT	-0.26	-0.000311	±2.5	PASS
Band5	4182	3	VN	NT	0.17	0.000203	±2.5	PASS
Band5	4182	3	VL	NT	-0.67	-0.000801	±2.5	PASS
Band5	4182	3	VH	NT	-0.25	-0.000299	±2.5	PASS
Band5	4182	4	VN	NT	-1.12	-0.001339	±2.5	PASS
Band5	4182	4	VL	NT	-1.06	-0.001267	±2.5	PASS
Band5	4182	4	VH	NT	0.73	0.000873	±2.5	PASS
Band5	4182	5	VN	NT	-0.86	-0.001028	±2.5	PASS
Band5	4182	5	VL	NT	-0.19	-0.000227	±2.5	PASS
Band5	4182	5	VH	NT	-0.48	-0.000574	±2.5	PASS
Band5	4233	1	VN	NT	-0.34	-0.000402	±2.5	PASS
Band5	4233	1	VL	NT	-0.83	-0.000980	±2.5	PASS
Band5	4233	1	VH	NT	-0.65	-0.000768	±2.5	PASS
Band5	4233	2	VN	NT	0.41	0.000484	±2.5	PASS
Band5	4233	2	VL	NT	-0.15	-0.000177	±2.5	PASS
Band5	4233	2	VH	NT	-0.07	-0.000083	±2.5	PASS
Band5	4233	3	VN	NT	0.13	0.000154	±2.5	PASS
Band5	4233	3	VL	NT	-0.14	-0.000165	±2.5	PASS
Band5	4233	3	VH	NT	0.43	0.000508	±2.5	PASS
Band5	4233	4	VN	NT	0.69	0.000815	±2.5	PASS
Band5	4233	4	VL	NT	0.24	0.000283	±2.5	PASS
Band5	4233	4	VH	NT	-0.36	-0.000425	±2.5	PASS
Band5	4233	5	VN	NT	-0.48	-0.000567	±2.5	PASS
Band5	4233	5	VL	NT	0.24	0.000283	±2.5	PASS
Band5	4233	5	VH	NT	0.08	0.000094	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band5	4132	1	NV	-30	-1.94	-0.002348	±2.5	PASS
Band5	4132	1	NV	-20	-0.16	-0.000194	±2.5	PASS
Band5	4132	1	NV	-10	-0.34	-0.000411	±2.5	PASS
Band5	4132	1	NV	0	-0.32	-0.000387	±2.5	PASS
Band5	4132	1	NV	10	-0.73	-0.000883	±2.5	PASS
Band5	4132	1	NV	20	0.16	0.000194	±2.5	PASS
Band5	4132	1	NV	30	-0.56	-0.000678	±2.5	PASS
Band5	4132	1	NV	40	0.73	0.000883	±2.5	PASS
Band5	4132	1	NV	50	0.42	0.000508	±2.5	PASS
Band5	4132	2	NV	-30	-0.34	-0.000411	±2.5	PASS
Band5	4132	2	NV	-20	-0.30	-0.000363	±2.5	PASS
Band5	4132	2	NV	-10	0.21	0.000254	±2.5	PASS
Band5	4132	2	NV	0	-0.15	-0.000182	±2.5	PASS
Band5	4132	2	NV	10	-0.45	-0.000545	±2.5	PASS
Band5	4132	2	NV	20	-0.57	-0.000690	±2.5	PASS
Band5	4132	2	NV	30	-0.67	-0.000811	±2.5	PASS
Band5	4132	2	NV	40	-0.43	-0.000520	±2.5	PASS
Band5	4132	2	NV	50	0.25	0.000303	±2.5	PASS
Band5	4132	3	NV	-30	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	NV	-20	-0.53	-0.000641	±2.5	PASS
Band5	4132	3	NV	-10	-0.51	-0.000617	±2.5	PASS
Band5	4132	3	NV	0	-0.11	-0.000133	±2.5	PASS
Band5	4132	3	NV	10	-0.99	-0.001198	±2.5	PASS
Band5	4132	3	NV	20	0.12	0.000145	±2.5	PASS
Band5	4132	3	NV	30	-0.11	-0.000133	±2.5	PASS
Band5	4132	3	NV	40	0.26	0.000315	±2.5	PASS
Band5	4132	3	NV	50	-0.21	-0.000254	±2.5	PASS
Band5	4132	4	NV	-30	-0.70	-0.000847	±2.5	PASS
Band5	4132	4	NV	-20	-0.45	-0.000545	±2.5	PASS
Band5	4132	4	NV	-10	0.30	0.000363	±2.5	PASS
Band5	4132	4	NV	0	-0.48	-0.000581	±2.5	PASS
Band5	4132	4	NV	10	-0.34	-0.000411	±2.5	PASS
Band5	4132	4	NV	20	-0.92	-0.001113	±2.5	PASS
Band5	4132	4	NV	30	-0.06	-0.000073	±2.5	PASS
Band5	4132	4	NV	40	0.19	0.000230	±2.5	PASS
Band5	4132	4	NV	50	0.00	0.000000	±2.5	PASS
Band5	4132	5	NV	-30	-0.71	-0.000859	±2.5	PASS
Band5	4132	5	NV	-20	-0.69	-0.000835	±2.5	PASS
Band5	4132	5	NV	-10	-0.83	-0.001004	±2.5	PASS
Band5	4132	5	NV	0	-0.99	-0.001198	±2.5	PASS
Band5	4132	5	NV	10	-0.43	-0.000520	±2.5	PASS

Band5	4132	5	NV	20	0.65	0.000787	±2.5	PASS
Band5	4132	5	NV	30	0.14	0.000169	±2.5	PASS
Band5	4132	5	NV	40	-0.45	-0.000545	±2.5	PASS
Band5	4132	5	NV	50	0.09	0.000109	±2.5	PASS
Band5	4182	1	NV	-30	-1.82	-0.002176	±2.5	PASS
Band5	4182	1	NV	-20	-0.34	-0.000407	±2.5	PASS
Band5	4182	1	NV	-10	0.38	0.000454	±2.5	PASS
Band5	4182	1	NV	0	-1.36	-0.001626	±2.5	PASS
Band5	4182	1	NV	10	-1.16	-0.001387	±2.5	PASS
Band5	4182	1	NV	20	-0.71	-0.000849	±2.5	PASS
Band5	4182	1	NV	30	0.30	0.000359	±2.5	PASS
Band5	4182	1	NV	40	0.13	0.000155	±2.5	PASS
Band5	4182	1	NV	50	0.09	0.000108	±2.5	PASS
Band5	4182	2	NV	-30	-0.01	-0.000012	±2.5	PASS
Band5	4182	2	NV	-20	-0.82	-0.000980	±2.5	PASS
Band5	4182	2	NV	-10	-0.42	-0.000502	±2.5	PASS
Band5	4182	2	NV	0	-0.32	-0.000383	±2.5	PASS
Band5	4182	2	NV	10	0.97	0.001160	±2.5	PASS
Band5	4182	2	NV	20	0.06	0.000072	±2.5	PASS
Band5	4182	2	NV	30	0.38	0.000454	±2.5	PASS
Band5	4182	2	NV	40	0.50	0.000598	±2.5	PASS
Band5	4182	2	NV	50	-0.14	-0.000167	±2.5	PASS
Band5	4182	3	NV	-30	-0.59	-0.000705	±2.5	PASS
Band5	4182	3	NV	-20	0.03	0.000036	±2.5	PASS
Band5	4182	3	NV	-10	-1.19	-0.001423	±2.5	PASS
Band5	4182	3	NV	0	-0.12	-0.000143	±2.5	PASS
Band5	4182	3	NV	10	-1.15	-0.001375	±2.5	PASS
Band5	4182	3	NV	20	-0.16	-0.000191	±2.5	PASS
Band5	4182	3	NV	30	0.30	0.000359	±2.5	PASS
Band5	4182	3	NV	40	-0.06	-0.000072	±2.5	PASS
Band5	4182	3	NV	50	0.17	0.000203	±2.5	PASS
Band5	4182	4	NV	-30	-0.24	-0.000287	±2.5	PASS
Band5	4182	4	NV	-20	-0.60	-0.000717	±2.5	PASS
Band5	4182	4	NV	-10	0.03	0.000036	±2.5	PASS
Band5	4182	4	NV	0	-1.15	-0.001375	±2.5	PASS
Band5	4182	4	NV	10	0.03	0.000036	±2.5	PASS
Band5	4182	4	NV	20	0.28	0.000335	±2.5	PASS
Band5	4182	4	NV	30	0.22	0.000263	±2.5	PASS
Band5	4182	4	NV	40	-0.10	-0.000120	±2.5	PASS
Band5	4182	4	NV	50	0.24	0.000287	±2.5	PASS
Band5	4182	5	NV	-30	-0.58	-0.000693	±2.5	PASS

Band5	4182	5	NV	-20	-0.37	-0.000442	±2.5	PASS
Band5	4182	5	NV	-10	0.29	0.000347	±2.5	PASS
Band5	4182	5	NV	0	-0.53	-0.000634	±2.5	PASS
Band5	4182	5	NV	10	0.32	0.000383	±2.5	PASS
Band5	4182	5	NV	20	-0.06	-0.000072	±2.5	PASS
Band5	4182	5	NV	30	-0.43	-0.000514	±2.5	PASS
Band5	4182	5	NV	40	0.44	0.000526	±2.5	PASS
Band5	4182	5	NV	50	0.31	0.000371	±2.5	PASS
Band5	4233	1	NV	-30	-0.20	-0.000236	±2.5	PASS
Band5	4233	1	NV	-20	-0.85	-0.001004	±2.5	PASS
Band5	4233	1	NV	-10	0.32	0.000378	±2.5	PASS
Band5	4233	1	NV	0	0.04	0.000047	±2.5	PASS
Band5	4233	1	NV	10	-0.63	-0.000744	±2.5	PASS
Band5	4233	1	NV	20	0.37	0.000437	±2.5	PASS
Band5	4233	1	NV	30	1.03	0.001217	±2.5	PASS
Band5	4233	1	NV	40	0.35	0.000413	±2.5	PASS
Band5	4233	1	NV	50	0.15	0.000177	±2.5	PASS
Band5	4233	2	NV	-30	0.03	0.000035	±2.5	PASS
Band5	4233	2	NV	-20	-0.31	-0.000366	±2.5	PASS
Band5	4233	2	NV	-10	0.13	0.000154	±2.5	PASS
Band5	4233	2	NV	0	0.93	0.001099	±2.5	PASS
Band5	4233	2	NV	10	0.24	0.000283	±2.5	PASS
Band5	4233	2	NV	20	1.03	0.001217	±2.5	PASS
Band5	4233	2	NV	30	0.50	0.000591	±2.5	PASS
Band5	4233	2	NV	40	0.20	0.000236	±2.5	PASS
Band5	4233	2	NV	50	-0.37	-0.000437	±2.5	PASS
Band5	4233	3	NV	-30	0.31	0.000366	±2.5	PASS
Band5	4233	3	NV	-20	0.02	0.000024	±2.5	PASS
Band5	4233	3	NV	-10	0.81	0.000957	±2.5	PASS
Band5	4233	3	NV	0	-0.27	-0.000319	±2.5	PASS
Band5	4233	3	NV	10	-0.54	-0.000638	±2.5	PASS
Band5	4233	3	NV	20	0.26	0.000307	±2.5	PASS
Band5	4233	3	NV	30	0.32	0.000378	±2.5	PASS
Band5	4233	3	NV	40	1.31	0.001547	±2.5	PASS
Band5	4233	3	NV	50	1.07	0.001264	±2.5	PASS
Band5	4233	4	NV	-30	0.03	0.000035	±2.5	PASS
Band5	4233	4	NV	-20	0.84	0.000992	±2.5	PASS
Band5	4233	4	NV	-10	0.02	0.000024	±2.5	PASS
Band5	4233	4	NV	0	0.74	0.000874	±2.5	PASS
Band5	4233	4	NV	10	-0.28	-0.000331	±2.5	PASS
Band5	4233	4	NV	20	0.18	0.000213	±2.5	PASS

Band5	4233	4	NV	30	1.47	0.001736	±2.5	PASS
Band5	4233	4	NV	40	0.00	0.000000	±2.5	PASS
Band5	4233	4	NV	50	0.05	0.000059	±2.5	PASS
Band5	4233	5	NV	-30	0.57	0.000673	±2.5	PASS
Band5	4233	5	NV	-20	0.65	0.000768	±2.5	PASS
Band5	4233	5	NV	-10	0.47	0.000555	±2.5	PASS
Band5	4233	5	NV	0	-1.00	-0.001181	±2.5	PASS
Band5	4233	5	NV	10	-0.65	-0.000768	±2.5	PASS
Band5	4233	5	NV	20	-3.61	-0.004264	±2.5	PASS
Band5	4233	5	NV	30	-0.06	-0.000071	±2.5	PASS
Band5	4233	5	NV	40	1.06	0.001252	±2.5	PASS
Band5	4233	5	NV	50	-0.32	-0.000378	±2.5	PASS

----- THE END -----