





Test Graphs

DH5_Ant1_2402_0~Reference



DH5_Ant1_2402_30~1000



DH5_Ant1_2402_1000~26500




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000








DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference








2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000








2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference








2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000








2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference








3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000








3DH5_Ant1_2441_1000~26500



3DH5_Ant1_2480_0~Reference









B.8 Restrict Band

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-48.06	≤-41.20	47.14	≤54	PASS
				AV	2387.255	-47.61	≤-41.20	47.59	≤54	PASS
				AV	2390.000	-47.76	≤-41.20	47.44	≤54	PASS
				Peak	2310.000	-44.55	≤-21.20	50.65	≤74	PASS
				Peak	2381.375	-38.1	≤-21.20	57.10	≤74	PASS
				Peak	2390.000	-43.63	≤-21.20	51.57	≤74	PASS
		High	2480	AV	2483.500	-47.25	≤-41.20	47.95	≤54	PASS
				AV	2497.920	-47.02	≤-41.20	48.18	≤54	PASS
				AV	2500.000	-47.2	≤-41.20	48.00	≤54	PASS
				Peak	2483.500	-42.49	≤-21.20	52.71	≤74	PASS
				Peak	2496.320	-37.51	≤-21.20	57.69	≤74	PASS
				Peak	2500.000	-42.11	≤-21.20	53.09	≤74	PASS
		Low	Hop_240 2	Peak	2310.000	-41.45	≤-21.20	53.75	≤74	PASS
				Peak	2345.465	-37.49	≤-21.20	57.71	≤74	PASS
				Peak	2390.000	-40.3	≤-21.20	54.90	≤74	PASS
		High	Hop_248 0	Peak	2483.500	-39.15	≤-21.20	56.05	≤74	PASS
				Peak	2498.480	-36.82	≤-21.20	58.38	≤74	PASS
				Peak	2500.000	-38.13	≤-21.20	57.07	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-48.08	≤-41.20	47.12	≤54	PASS
				AV	2389.040	-47.58	≤-41.20	47.62	≤54	PASS
				AV	2390.000	-47.67	≤-41.20	47.53	≤54	PASS
				Peak	2310.000	-43.36	≤-21.20	51.84	≤74	PASS
				Peak	2370.035	-39.03	≤-21.20	56.17	≤74	PASS
				Peak	2390.000	-42.22	≤-21.20	52.98	≤74	PASS
		High	2480	AV	2483.500	-47.27	≤-41.20	47.93	≤54	PASS
				AV	2499.600	-46.98	≤-41.20	48.22	≤54	PASS
				AV	2500.000	-47.14	≤-41.20	48.06	≤54	PASS
				Peak	2483.500	-40.53	≤-21.20	54.67	≤74	PASS
				Peak	2493.840	-38.28	≤-21.20	56.92	≤74	PASS
				Peak	2500.000	-42.58	≤-21.20	52.62	≤74	PASS
		Low	Hop_240 2	Peak	2310.000	-39.93	≤-21.20	55.27	≤74	PASS
				Peak	2376.650	-37.33	≤-21.20	57.87	≤74	PASS
				Peak	2390.000	-40.7	≤-21.20	54.50	≤74	PASS
		High	Hop_248 0	Peak	2483.500	-40.31	≤-21.20	54.89	≤74	PASS
				Peak	2496.480	-36.97	≤-21.20	58.23	≤74	PASS
				Peak	2500.000	-38.46	≤-21.20	56.74	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-48.1	≤-41.20	47.10	≤54	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



				AV	2388.515	-47.6	≤-41.20	47.60	≤54	PASS
				AV	2390.000	-47.78	≤-41.20	47.42	≤54	PASS
				Peak	2310.000	-42.14	≤-21.20	53.06	≤74	PASS
				Peak	2337.380	-38.14	≤-21.20	57.06	≤74	PASS
				Peak	2390.000	-40.1	≤-21.20	55.10	≤74	PASS
		High	2480	AV	2483.500	-47.16	≤-41.20	48.04	≤54	PASS
				AV	2499.120	-47.08	≤-41.20	48.12	≤54	PASS
				AV	2500.000	-47.16	≤-41.20	48.04	≤54	PASS
				Peak	2483.500	-43.35	≤-21.20	51.85	≤74	PASS
				Peak	2497.360	-37.33	≤-21.20	57.87	≤74	PASS
				Peak	2500.000	-42.24	≤-21.20	52.96	≤74	PASS
		Low	Hop_240 2	Peak	2310.000	-39.68	≤-21.20	55.52	≤74	PASS
				Peak	2365.520	-37.6	≤-21.20	57.60	≤74	PASS
				Peak	2390.000	-40.19	≤-21.20	55.01	≤74	PASS
		High	Hop_248 0	Peak	2483.500	-38.69	≤-21.20	56.51	≤74	PASS
				Peak	2489.840	-37.15	≤-21.20	58.05	≤74	PASS
				Peak	2500.000	-38.82	≤-21.20	56.38	≤74	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs

DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV






DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV






2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV






2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV





3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



