

LOW CHANNEL 1




DATE: 10/31/2018 IC: 5373A-RM015

MID CHANNEL 6



HIGH CHANNEL 11




DATE: 10/31/2018

IC: 5373A-RM015


8.3.2. 802.11g MODE

Channel	Frequency	6 dB BW	6 dB BW	6 dB BW	6 dB BW	Minimum
		Chain 0	Chain 1	Chain 2	Chain 3	Limit
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
Low 1	2412	13.20	15.72	16.08	16.16	0.5
Low 2	2417	16.40	16.28	15.68	16.32	0.5
Mid 6	2437	15.32	15.40	15.04	15.40	0.5
High 10	2457	15.52	16.28	14.68	16.28	0.5
High 11	2462	16.36	16.28	16.04	15.44	0.5


LOW CHANNEL 1




LOW CHANNEL 2




MID CHANNEL 6



HIGH CHANNEL 10



HIGH CHANNEL 11




DATE: 10/31/2018

IC: 5373A-RM015

8.3.3. 802.11n HT20 MODE

Channel	Frequency	6 dB BW	6 dB BW	6 dB BW	6 dB BW	Minimum
		Chain 0	Chain 1	Chain 2	Chain 3	Limit
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
Low 1	2412	16.96	15.08	16.76	16.08	0.5
Low 2	2417	15.40	15.04	16.12	15.40	0.5
Mid 6	2437	17.24	14.80	17.64	15.48	0.5
High 10	2457	15.16	13.60	13.20	15.12	0.5
High 11	2462	13.80	15.12	17.64	15.08	0.5

LOW CHANNEL 1



LOW CHANNEL 2

| RF | S0 0 DC | SERSE (III.) | SERS Center Freq 2.417000000 GHz


NFE PNO: Wide ##Atten: 40 dB #Avg Type: RMS Avg|Hold: 20/20 #Avg Type: RMS Avg|Hold: 20/20 kr1 15.04 MH; 0.281 dE Ref Offset 11.26 dB Ref 30.00 dBm Center Fre 2.417000000 GH Center Free 2.417000000 GH Start Fre 2.397000000 GH Start Fre Stop Fre 2.437000000 GH Stop Fred 2.437000000 GH: Freq Offse Freq Offse Scale Type Scale Typ enter 2.41700 GHz Res BW 100 kHz Span 40.00 MHz Sweep 1.533 ms (1001 pts) #VBW 300 kHz #VBW 300 kHz **LOW CHANNEL 2 CHAIN 1 LOW CHANNEL 2 CHAIN 0** Center Freq 2.417000000 GHz

NFE PNO: Wide #Atten: 40 dB #Avg Type: RMS Avg|Hold: 20/20 #Avg Type: RMS Avg|Hold: 20/20 Frequency Auto Tur Auto Tun Ref Offset 11.26 dB Ref 30.00 dBm Ref Offset 11.26 dB Ref 30.00 dBm Center Fre 2.417000000 GH Center Fre Stop Fre CF Step 4.000000 MH Mar CF Step 4.000000 MHz WAYN THAIN Freq Offs Scale Typ Lin Span 40.00 MHz Sweep 1.533 ms (1001 pts) **LOW CHANNEL 2 CHAIN 2 LOW CHANNEL 2 CHAIN 3**


DATE: 10/31/2018

IC: 5373A-RM015

MID CHANNEL 6




HIGH CHANNEL 10



DATE: 10/31/2018

IC: 5373A-RM015

HIGH CHANNEL 11



8.4. OUTPUT POWER

LIMITS

FCC §15.247 (b) (3)

RSS-247 5.4 (d)

For systems using digital modulation in the 902–928 MHz, 2400–2483.5 MHz, and 5725–5850 MHz bands: 1 Watt, based on the use of antennas with directional gains that do not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

TEST PROCEDURE

The transmitter output is connected to a power meter.

The transmitter output is connected to a power meter. The cable assembly insertion loss was entered as an offset in the power meter to allow for a gated Average reading of power.

DIRECTIONAL ANTENNA GAIN

For 4 TX:

Horizontal Polarity (Worst Case)

	Chain 0	Chain 1	Uncorrelated Chains
	Antenna	Antenna	Directional
Band	Gain	Gain	Gain
(GHz)	(dBi)	(dBi)	(dBi)
2.4	3.47	3.65	3.56

Vertical Polarity

	Chain 2	Chain 3	Uncorrelated Chains
	Antenna	Antenna	Directional
Band	Gain	Gain	Gain
(GHz)	(dBi)	(dBi)	(dBi)
2.4	2.22	2.11	2.17

RESULTS

8.4.1. 802.11b MODE

Limits

Channel	Frequency	Directional	FCC/ISED	ISED	Max
		Gain	Power	EIRP	Power
			Limit	Limit	
	(MHz)	(dBi)	(dBm)	(dBm)	(dBm)
Low 1	2412	3.56	30.00	36	30.00
Mid 6	2437	3.56	30.00	36	30.00
High 11	2462	3.56	30.00	36	30.00

Results

Channel	Frequency	Chain 0	Chain 1	Chain 2	Chain 3	Total	Power	Margin
		Meas	Meas	Meas	Meas	Corr'd	Limit	
		Power	Power	Power	Power	Power		
	(MHz)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
Low 1	2412	19.88	20.64	19.68	19.95	26.07	30.00	-3.93
Mid 6	2437	19.42	20.59	19.81	20.21	26.05	30.00	-3.95
High 11	2462	20.13	20.87	20.18	20.53	26.46	30.00	-3.54

8.4.2. 802.11g MODE

Limits

Channel	Frequency	Directional	FCC/ISED	ISED	Max
		Gain	Power	EIRP	Power
			Limit	Limit	
	(MHz)	(dBi)	(dBm)	(dBm)	(dBm)
Low 1	2412	3.56	30.00	36	30.00
Low 2	2417	3.56	30.00	36	30.00
Mid 6	2437	3.56	30.00	36	30.00
High 10	2457	3.56	30.00	36	30.00
High 11	2462	3.56	30.00	36	30.00

Results

Channel	Frequency	Chain 0	Chain 1	Chain 2	Chain 3	Total	Power	Margin
		Meas	Meas	Meas	Meas	Corr'd	Limit	
		Power	Power	Power	Power	Power		
	(MHz)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
Low 1	2412	16.52	17.3	15.88	16.42	22.58	30.00	-7.42
Low 2	2417	18.21	19.09	18.03	18.76	24.56	30.00	-5.44
Mid 6	2437	19.32	20.1	19.19	19.96	25.68	30.00	-4.32
High 10	2457	18.02	18.94	18.97	18.93	24.75	30.00	-5.25
High 11	2462	16.88	17.84	17.13	17.56	23.39	30.00	-6.61

9.1.2. 802.11n HT20 MODE

Limits

Channel	Frequency	Directional	FCC/ISED	ISED	Max
		Gain	Power	EIRP	Power
			Limit	Limit	
	(MHz)	(dBi)	(dBm)	(dBm)	(dBm)
Low 1	2412	3.56	30.00	36	30.00
Low 2	2417	3.56	30.00	36	30.00
Mid 6	2437	3.56	30.00	36	30.00
High 10	2457	3.56	30.00	36	30.00
High 11	2462	3.56	30.00	36	30.00

Results

Channel	Frequency	Chain 0	Chain 1	Chain 2	Chain 3	Total	Power	Margin
		Meas	Meas	Meas	Meas	Corr'd	Limit	
		Power	Power	Power	Power	Power		
	(MHz)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dB)
Low 1	2412	16.21	16.91	15.89	16.19	22.34	30.00	-7.66
Low 2	2417	18.97	19.73	18.79	19.66	25.33	30.00	-4.67
Mid 6	2437	19.07	19.85	18.99	19.93	25.50	30.00	-4.50
High 10	2457	17.63	18.27	18.33	18.98	24.35	30.00	-5.65
High 11	2462	16.41	16.89	16.67	17.02	22.77	30.00	-7.23

9.2. POWER SPECTRAL DENSITY

LIMITS

FCC §15.247 (e)

RSS-247 (5.2) (b)

The power spectral density conducted from the transmitter to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission.

RESULTS


9.2.1. 802.11b MODE

Duty Cycle CF (dB) 0.00 Included in Calculations of Corr'd PSD
--


PSD Results

Channel	Frequency	Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit	Margin
		Meas	Meas	Meas	Meas	Corr'd PSD		
	(MHz)	(dBm/	(dBm/	(dBm/	(dBm/	(dBm/	(dBm/	
		3kHz)	3kHz)	3kHz)	3kHz)	3kHz)	3kHz)	(dB)
Low 1	2412	-0.93	-0.02	-1.34	-1.00	5.23	8.0	-2.8
Mid 6	2437	-1.36	-0.31	0.19	-0.13	5.66	8.0	-2.3
High 11	2462	-0.46	0.54	0.13	0.18	6.13	8.0	-1.9


LOW CHANNEL 1



MID CHANNEL 6



HIGH CHANNEL 11



DATE: 10/31/2018

IC: 5373A-RM015

9.2.2. 802.11g MODE

Daty Oyole of (ab) 0.00 moraded in odicalations of confut ob	Duty Cycle CF (dB) 0.00	Included in Calculations of Corr'd PSD
--	-------------------------	--

PSD Results

Channel	Frequency	Chain 0	Chain 1	Chain 2	Chain 3	Total	Limit	Margin
		Meas	Meas	Meas	Meas	Corr'd PSD		
	(MHz)	(dBm/	(dBm/	(dBm/	(dBm/	(dBm/	(dBm/	
		3kHz)	3kHz)	3kHz)	3kHz)	3kHz)	3kHz)	(dB)
Low 1	2412	-7.07	-6.53	-7.44	-6.61	-0.88	8.0	-8.9
Low 2	2417	-5.02	-4.23	-5.44	-4.78	1.18	8.0	-6.8
Mid 6	2437	-3.64	-2.90	-3.84	-3.14	2.66	8.0	-5.3
High 10	2457	-5.92	-4.24	-4.94	-4.45	1.18	8.0	-6.8
High 11	2462	-6.46	-5.44	-5.92	-5.52	0.20	8.0	-7.8

LOW CHANNEL 1

