



RF Test Report

For

Project No.:	ZKT-241108L14983E
Client:	Zhuhai Bigway Electronic Co., Ltd.
Manufacturer:	Zhuhai Guangtai Electronics Co., Ltd.
Product Description:	Wireless HDMI transmitter and receiver
Model No.:	GT-HDWL50B
Test Engineer:	Jim Liu
Test Date:	2024-10-19

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Frequency Stability	Pass
Form731	Pass



1. Duty Cycle

1.1 Test Result


1.1.1 Ant1

Ant1							
Mode	Tx Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5745	1.409	1.619	87.03	0.60	6.24
		5785	1.409	1.637	86.07	0.65	6.58
		5825	1.409	1.636	86.12	0.65	7.70
802.11n (HT20)	SISO	5745	1.317	1.847	71.30	1.47	21.53
		5785	1.317	1.527	86.25	0.64	7.16
		5825	1.317	1.527	86.25	0.64	5.40
802.11n (HT40)	SISO	5755	0.653	1.503	43.45	3.62	30.01
		5795	0.653	1.376	47.46	3.24	16.31
802.11ac (VHT20)	SISO	5745	1.324	1.836	72.11	1.42	18.06
		5785	1.324	1.577	83.96	0.76	7.86
		5825	1.324	3.998	33.12	4.80	57.65
802.11ac (VHT40)	SISO	5755	0.662	1.953	33.90	4.70	30.71
		5795	0.661	1.760	37.56	4.25	36.25




1.2 Test Graph

1.2.1 Ant1






802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV






802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV






802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV






802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV






802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV





802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV





2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	17.279	/	Pass
		5785	1	17.452	/	Pass
		5825	1	17.503	/	Pass
802.11n (HT20)	SISO	5745	1	18.240	/	Pass
		5785	1	18.072	/	Pass
		5825	1	18.288	/	Pass
802.11n (HT40)	SISO	5755	1	35.228	/	Pass
		5795	1	35.165	/	Pass
802.11ac (VHT20)	SISO	5745	1	18.008	/	Pass
		5785	1	18.009	/	Pass
		5825	1	18.216	/	Pass
802.11ac (VHT40)	SISO	5755	1	35.225	/	Pass
		5795	1	35.138	/	Pass


2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	15.112	≥ 0.5	Pass
		5785	1	15.088	≥ 0.5	Pass
		5825	1	15.093	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	15.094	≥ 0.5	Pass
		5785	1	15.073	≥ 0.5	Pass
		5825	1	14.991	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	32.602	≥ 0.5	Pass
		5795	1	31.309	≥ 0.5	Pass
802.11ac (VHT20)	SISO	5745	1	15.121	≥ 0.5	Pass
		5785	1	15.108	≥ 0.5	Pass
		5825	1	15.109	≥ 0.5	Pass
802.11ac (VHT40)	SISO	5755	1	31.355	≥ 0.5	Pass
		5795	1	31.316	≥ 0.5	Pass




2.2 Test Graph

2.2.1 OBW






802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV






802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV






802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV






802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV






802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV






802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV






2.2.2 6dB BW

802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV






802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV






802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV






802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV






802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV






802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV





802.11ac(VHT40) HCH_5795MHz_Ant1_NTNV





3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	4.90	<=30	Pass
		5785	6.13	<=30	Pass
		5825	5.01	<=30	Pass
802.11n (HT20)	SISO	5745	6.10	<=30	Pass
		5785	4.92	<=30	Pass
		5825	4.43	<=30	Pass
802.11n (HT40)	SISO	5755	2.05	<=30	Pass
		5795	1.73	<=30	Pass
802.11ac (VHT20)	SISO	5745	5.17	<=30	Pass
		5785	5.06	<=30	Pass
		5825	4.43	<=30	Pass
802.11ac (VHT40)	SISO	5755	2.28	<=30	Pass
		5795	1.99	<=30	Pass

Note1: Antenna Gain: Ant1: 2.12dBi;




3.2 Test Graph

3.2.1 Power






802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV






802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV






802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV






802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV






802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV





802.11ac(VHT40) HCH_5795MHz_Ant1_NTNV





4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD-Band3


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	-7.78	<=30	Pass
		5785	-6.43	<=30	Pass
		5825	-7.67	<=30	Pass
802.11n (HT20)	SISO	5745	-6.58	<=30	Pass
		5785	-7.84	<=30	Pass
		5825	-8.28	<=30	Pass
802.11n (HT40)	SISO	5755	-13.36	<=30	Pass
		5795	-13.86	<=30	Pass
802.11ac (VHT20)	SISO	5745	-7.32	<=30	Pass
		5785	-7.62	<=30	Pass
		5825	-8.32	<=30	Pass
802.11ac (VHT40)	SISO	5755	-13.35	<=30	Pass
		5795	-13.53	<=30	Pass

Note1: Antenna Gain: Ant1: 2.12dBi;




4.2 Test Graph

4.2.1 PSD-Band3






802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV






802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV






802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV






802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV






802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV





802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV





5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5745	20	102	5744.920	5725 to 5850	Pass
				120	5744.940	5725 to 5850	Pass
				138	5744.960	5725 to 5850	Pass
			-30	120	5744.940	5725 to 5850	Pass
			-20	120	5744.960	5725 to 5850	Pass
			-10	120	5744.940	5725 to 5850	Pass
			0	120	5744.940	5725 to 5850	Pass
			10	120	5744.940	5725 to 5850	Pass
			30	120	5744.940	5725 to 5850	Pass
			40	120	5744.940	5725 to 5850	Pass
			50	120	5744.960	5725 to 5850	Pass
		5785	20	102	5784.940	5725 to 5850	Pass
				120	5784.960	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5784.940	5725 to 5850	Pass
			-20	120	5784.960	5725 to 5850	Pass
			-10	120	5784.940	5725 to 5850	Pass
			0	120	5784.940	5725 to 5850	Pass
			10	120	5784.940	5725 to 5850	Pass
			30	120	5784.980	5725 to 5850	Pass
			40	120	5784.940	5725 to 5850	Pass
			50	120	5784.920	5725 to 5850	Pass
		5825	20	102	5824.920	5725 to 5850	Pass
				120	5824.920	5725 to 5850	Pass
				138	5824.860	5725 to 5850	Pass
			-30	120	5824.940	5725 to 5850	Pass
			-20	120	5824.940	5725 to 5850	Pass
			-10	120	5824.960	5725 to 5850	Pass
			0	120	5824.940	5725 to 5850	Pass
			10	120	5824.940	5725 to 5850	Pass
			30	120	5824.920	5725 to 5850	Pass
			40	120	5824.940	5725 to 5850	Pass
			50	120	5824.900	5725 to 5850	Pass
802.11n (HT20)	SISO	5745	20	102	5745.000	5725 to 5850	Pass
				120	5744.940	5725 to 5850	Pass
				138	5744.960	5725 to 5850	Pass
			-30	120	5744.940	5725 to 5850	Pass
			-20	120	5744.980	5725 to 5850	Pass
			-10	120	5744.960	5725 to 5850	Pass
			0	120	5745.020	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.000	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5744.940	5725 to 5850	Pass
		5785	20	102	5785.040	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass



				138	5785.020	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5785.020	5725 to 5850	Pass
			-10	120	5784.980	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5785.040	5725 to 5850	Pass
			50	120	5785.020	5725 to 5850	Pass
		5825	20	102	5824.980	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5825.000	5725 to 5850	Pass
			-30	120	5825.000	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.000	5725 to 5850	Pass
			0	120	5825.040	5725 to 5850	Pass
			10	120	5824.980	5725 to 5850	Pass
			30	120	5824.980	5725 to 5850	Pass
			40	120	5825.000	5725 to 5850	Pass
			50	120	5825.000	5725 to 5850	Pass
802.11n (HT40)	SISO	5755	20	102	5755.040	5725 to 5850	Pass
				120	5755.000	5725 to 5850	Pass
				138	5755.080	5725 to 5850	Pass
			-30	120	5755.000	5725 to 5850	Pass
			-20	120	5754.920	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.040	5725 to 5850	Pass
			10	120	5754.960	5725 to 5850	Pass
			30	120	5755.040	5725 to 5850	Pass
			40	120	5755.000	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
		5795	20	102	5795.120	5725 to 5850	Pass
				120	5794.960	5725 to 5850	Pass
				138	5795.000	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5794.920	5725 to 5850	Pass
			-10	120	5795.000	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.000	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5745	20	102	5744.980	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5745.020	5725 to 5850	Pass
			-30	120	5745.000	5725 to 5850	Pass
			-20	120	5745.000	5725 to 5850	Pass
			-10	120	5745.020	5725 to 5850	Pass
			0	120	5744.980	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5745.000	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5745.000	5725 to 5850	Pass
		5785	20	102	5785.040	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass
				138	5785.000	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass
			-20	120	5785.000	5725 to 5850	Pass
			-10	120	5785.020	5725 to 5850	Pass



			0	120	5785.020	5725 to 5850	Pass
			10	120	5785.000	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5785.020	5725 to 5850	Pass
			50	120	5785.020	5725 to 5850	Pass
		5825	20	102	5825.000	5725 to 5850	Pass
				120	5824.960	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5825.000	5725 to 5850	Pass
			-20	120	5825.020	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5825.020	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5825.000	5725 to 5850	Pass
			40	120	5824.980	5725 to 5850	Pass
			50	120	5824.980	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5755	20	102	5755.000	5725 to 5850	Pass
				120	5754.960	5725 to 5850	Pass
				138	5755.040	5725 to 5850	Pass
			-30	120	5755.000	5725 to 5850	Pass
			-20	120	5755.040	5725 to 5850	Pass
			-10	120	5755.040	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.080	5725 to 5850	Pass
			30	120	5755.080	5725 to 5850	Pass
			40	120	5754.960	5725 to 5850	Pass
			50	120	5754.960	5725 to 5850	Pass
		5795	20	102	5795.080	5725 to 5850	Pass
				120	5795.040	5725 to 5850	Pass
				138	5795.000	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.080	5725 to 5850	Pass
			-10	120	5795.080	5725 to 5850	Pass
			0	120	5794.960	5725 to 5850	Pass
			10	120	5795.000	5725 to 5850	Pass
			30	120	5795.040	5725 to 5850	Pass
			40	120	5795.000	5725 to 5850	Pass
			50	120	5795.120	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5745	5825	0.0041	6.13
5755	5795	0.0017	2.28