



1. COIL SUB-ASSEMBLY MUST BE FULLY SEATED TO THE CASE.
2. IF UNIT PASSES ALL TESTS, LASER MARK AS SHOWN.
3. IF D6000036-5 IS USED, A HOLE WILL BE PUNCHED INTO THE CASE TO ALLOW FOR THE FAKRA CONNECTOR.
4. THIS PRODUCT IS TO USE LEAD-FREE SOLDER.

**PRINTED DOCUMENTS
ARE UNCONTROLLED**

SPECIFICATION LIST	
Z9120033~	SCHEMATIC WCM
Z9220057~	PACKAGING WCM
Z9070029-0	INSPECTION WCM
Z9270019-0	SOFTWARE

[illegible]



- PRINTED DOCUMENTS
ARE UNCONTROLLED**

SPECIFICATION LIST	
Z9120033-	SCHEMATIC WCM
Z9220055-	PACKAGING WCM
Z9070029-0	INSPECTION WCM
Z9270019-0	SOFTWARE

		07520031-5	07520031-3	07520031-2	07520031-1
5	D119D002-0 Z9020021-0	WIRE,1005 STEEL Ø 1.2mm SPEC., WIRE ANTENNA		1.8	1.8
4	D6000036-4	SUBASSEMBLY, PCB	1		
4	D6000036-3	SUBASSEMBLY, PCB	1		
4	D6000036-2	SUBASSEMBLY, PCB		1	
4	D6000036-1	SUBASSEMBLY, PCB			1
4	D6000036-0	SUBASSEMBLY, PCB			
3	D6200023-0	SUBASSEMBLY, COIL	1	1	1
3	D4970030-0	COIL		1	
2	D4970027-0	COVER	1	1	1
1	D4970026-0	CASE	1	1	1
ITEM	PART NO.	DESCRIPTION		QTY.	

THIRD ANGLE PROJECTION 	SEE DIMENSION STANDARD FOR DIMENSIONAL INFORMATION DIMENSIONS ARE IN INCHES (MILLIMETER EQUIVALENTS ARE SHOWN IN PARENTHESES)	 COMP. TEST (REWORK) UO AUTOMATICALLY ELECTROSLIDED 1700E 4000 AMP. 21.0 09A9945, 13 601374
SCALE: 1:1 TOLERANCES UNLESS OTHERWISE SPECIFIED: FRACTIONS DECIMALS 1/16" 0.0625 1/32" 0.03125 1/64" 0.015625 3/32" 0.09375 1/8" 0.125 3/16" 0.1875 1/4" 0.25 5/16" 0.3125 3/8" 0.375 7/16" 0.4375 1/2" 0.5 5/8" 0.625 3/4" 0.75 7/8" 0.875 1" 1.0 1 1/8" 1.125 1 1/4" 1.25 1 3/8" 1.375 1 1/2" 1.5 1 5/8" 1.625 1 3/4" 1.75 1 7/8" 1.875 2" 2.0 2 1/8" 2.125 2 1/4" 2.25 2 3/8" 2.375 2 1/2" 2.5 2 5/8" 2.625 2 3/4" 2.75 2 7/8" 2.875 3" 3.0 3 1/8" 3.125 3 1/4" 3.25 3 3/8" 3.375 3 1/2" 3.5 3 5/8" 3.625 3 3/4" 3.75 3 7/8" 3.875 4" 4.0 4 1/8" 4.125 4 1/4" 4.25 4 3/8" 4.375 4 1/2" 4.5 4 5/8" 4.625 4 3/4" 4.75 4 7/8" 4.875 5" 5.0 5 1/8" 5.125 5 1/4" 5.25 5 3/8" 5.375 5 1/2" 5.5 5 5/8" 5.625 5 3/4" 5.75 5 7/8" 5.875 6" 6.0 6 1/8" 6.125 6 1/4" 6.25 6 3/8" 6.375 6 1/2" 6.5 6 5/8" 6.625 6 3/4" 6.75 6 7/8" 6.875 7" 7.0 7 1/8" 7.125 7 1/4" 7.25 7 3/8" 7.375 7 1/2" 7.5 7 5/8" 7.625 7 3/4" 7.75 7 7/8" 7.875 8" 8.0 8 1/8" 8.125 8 1/4" 8.25 8 3/8" 8.375 8 1/2" 8.5 8 5/8" 8.625 8 3/4" 8.75 8 7/8" 8.875 9" 9.0 9 1/8" 9.125 9 1/4" 9.25 9 3/8" 9.375 9 1/2" 9.5 9 5/8" 9.625 9 3/4" 9.75 9 7/8" 9.875 10" 10.0 10 1/8" 10.125 10 1/4" 10.25 10 3/8" 10.375 10 1/2" 10.5 10 5/8" 10.625 10 3/4" 10.75 10 7/8" 10.875 11" 11.0 11 1/8" 11.125 11 1/4" 11.25 11 3/8" 11.375 11 1/2" 11.5 11 5/8" 11.625 11 3/4" 11.75 11 7/8" 11.875 12" 12.0 12 1/8" 12.125 12 1/4" 12.25 12 3/8" 12.375 12 1/2" 12.5 12 5/8" 12.625 12 3/4" 12.75 12 7/8" 12.875 13" 13.0 13 1/8" 13.125 13 1/4" 13.25 13 3/8" 13.375 13 1/2" 13.5 13 5/8" 13.625 13 3/4" 13.75 13 7/8" 13.875 14" 14.0 14 1/8" 14.125 14 1/4" 14.25 14 3/8" 14.375 14 1/2" 14.5 14 5/8" 14.625 14 3/4" 14.75 14 7/8" 14.875 15" 15.0 15 1/8" 15.125 15 1/4" 15.25 15 3/8" 15.375 15 1/2" 15.5 15 5/8" 15.625 15 3/4" 15.75 15 7/8" 15.875 16" 16.0 16 1/8" 16.125 16 1/4" 16.25 16 3/8" 16.375 16 1/2" 16.5 16 5/8" 16.625 16 3/4" 16.75 16 7/8" 16.875 17" 17.0 17 1/8" 17.125 17 1/4" 17.25 17 3/8" 17.375 17 1/2" 17.5 17 5/8" 17.625 17 3/4" 17.75 17 7/8" 17.875 18" 18.0 18 1/8" 18.125 18 1/4" 18.25 18 3/8" 18.375 18 1/2" 18.5 18 5/8" 18.625 18 3/4" 18.75 18 7/8" 18.875 19" 19.0 19 1/8" 19.125 19 1/4" 19.25 19 3/8" 19.375 19 1/2" 19.5 19 5/8" 19.625 19 3/4" 19.75 19 7/8" 19.875 20" 20.0 20 1/8" 20.125 20 1/4" 20.25 20 3/8" 20.375 20 1/2" 20.5 20 5/8" 20.625 20 3/4" 20.75 20 7/8" 20.875 21" 21.0 21 1/8" 21.125 21 1/4" 21.25 21 3/8" 21.375 21 1/2" 21.5 21 5/8" 21.625 21 3/4" 21.75 21 7/8" 21.875 22" 22.0 22 1/8" 22.125 22 1/4" 22.25 22 3/8" 22.375 22 1/2" 22.5 22 5/8" 22.625 22 3/4" 22.75 22 7/8" 22.875 23" 23.0 23 1/8" 23.125 23 1/4" 23.25 23 3/8" 23.375 23 1/2" 23.5 23 5/8" 23.625 23 3/4" 23.75 23 7/8" 23.875 24" 24.0 24 1/8" 24.125 24 1/4" 24.25 24 3/8" 24.375 24 1/2" 24.5 24 5/8" 24.625 24 3/4" 24.75 24 7/8" 24.875 25" 25.0 25 1/8" 25.125 25 1/4" 25.25 25 3/8" 25.375 25 1/2" 25.5 25 5/8" 25.625 25 3/4" 25.75 25 7/8" 25.875 26" 26.0 26 1/8" 26.125 26 1/4" 26.25 26 3/8" 26.375 26 1/2" 26.5 26 5/8" 26.625 26 3/4" 26.75 26 7/8" 26.875 27" 27.0 27 1/8" 27.125 27 1/4" 27.25 27 3/8" 27.375 27 1/2" 27.5 27 5/8" 27.625 27 3/4" 27.75 27 7/8" 27.875 28" 28.0 28 1/8" 28.125 28 1/4" 28.25 28 3/8" 28.375 28 1/2" 28.5 28 5/8" 28.625 28 3/4" 28.75 28 7/8" 28.875 29" 29.0 29 1/8" 29.125 29 1/4" 29.25 29 3/8" 29.375 29 1/2" 29.5 29 5/8" 29.625 29 3/4" 29.75 29 7/8" 29.875 30" 30.0 30 1/8" 30.125 30 1/4" 30.25 30 3/8" 30.375 30 1/2" 30.5 30 5/8" 30.625 30 3/4" 30.75 30 7/8" 30.875		