


Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6695 MHz), ANT H




Susputed Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2460.3750	31.33	-8.74	40.07	74	-42.67	166.7	Horizontal	PK	Pass
1	2460.3750	26.55	-8.74	35.29	54	-27.45	166.7	Horizontal	AV	Pass
2	4378.3750	37.99	-1.91	39.9	74	-36.01	173.9	Horizontal	PK	Pass
2	4378.3750	35.15	-1.91	37.06	54	-18.85	173.9	Horizontal	AV	Pass
3	7873.1250	43.93	7.98	35.95	74	-30.07	10.6	Horizontal	PK	Pass
3	7873.1250	40.69	7.98	32.71	54	-13.31	10.6	Horizontal	AV	Pass
4	11745.0000	45.45	15.54	29.91	74	-28.55	-0.1	Horizontal	PK	Pass
4	11745.0000	39.77	15.54	24.23	54	-14.23	-0.1	Horizontal	AV	Pass
5	14108.7500	49.42	19.02	30.4	74	-24.58	359.5	Horizontal	PK	Pass
5	14108.7500	44.68	19.02	25.66	54	-9.32	359.5	Horizontal	AV	Pass
6	17911.2500	53.08	23.34	29.74	74	-20.92	192.2	Horizontal	PK	Pass
6	17911.2500	45.98	23.34	22.64	54	-8.02	192.2	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6695 MHz), ANT V




Susputed Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2574.1250	32.65	-8.26	40.91	74	-41.35	60.3	Vertical	PK	Pass
1	2574.1250	27.26	-8.26	35.52	54	-26.74	60.3	Vertical	AV	Pass
2	4241.0000	36.3	-2.37	38.67	74	-37.7	69.8	Vertical	PK	Pass
2	4241.0000	33.52	-2.37	35.89	54	-20.48	69.8	Vertical	AV	Pass
3	7930.0000	43.71	8.1	35.61	74	-30.29	13.5	Vertical	PK	Pass
3	7930.0000	40	8.1	31.9	54	-14	13.5	Vertical	AV	Pass
4	11017.5000	44.98	15.13	29.85	74	-29.02	46.3	Vertical	PK	Pass
4	11017.5000	38.5	15.13	23.37	54	-15.5	46.3	Vertical	AV	Pass
5	13995.0000	49.06	19.11	29.95	74	-24.94	99	Vertical	PK	Pass
5	13995.0000	43.96	19.11	24.85	54	-10.04	99	Vertical	AV	Pass
6	17963.7500	53.84	23.67	30.17	74	-20.16	87	Vertical	PK	Pass
6	17963.7500	48.82	23.67	25.15	54	-5.18	87	Vertical	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6875 MHz), ANT H




Susputed Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1744.6250	30.35	-12.78	43.13	74	-43.65	360.1	Horizontal	PK	Pass
1	1744.6250	28.95	-12.78	41.73	54	-25.05	360.1	Horizontal	AV	Pass
2	3877.8750	36.73	-3.72	40.45	74	-37.27	355.8	Horizontal	PK	Pass
2	3877.8750	33.39	-3.72	37.11	54	-20.61	355.8	Horizontal	AV	Pass
3	7972.0000	44.18	8.18	36	74	-29.82	287.4	Horizontal	PK	Pass
3	7972.0000	39.35	8.18	31.17	54	-14.65	287.4	Horizontal	AV	Pass
4	11745.0000	45.68	15.54	30.14	74	-28.32	27.2	Horizontal	PK	Pass
4	11745.0000	38.84	15.54	23.3	54	-15.16	27.2	Horizontal	AV	Pass
5	14013.7500	49.67	19.11	30.56	74	-24.33	333.2	Horizontal	PK	Pass
5	14013.7500	42.11	19.11	23	54	-11.89	333.2	Horizontal	AV	Pass
6	17820.0000	52.97	22.75	30.22	74	-21.03	292.6	Horizontal	PK	Pass
6	17820.0000	48.54	22.75	25.79	54	-5.46	292.6	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6875 MHz), ANT V




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2435.0000	31	-8.91	39.91	74	-43	189.4	Vertical	PK	Pass
1	2435.0000	26.76	-8.91	35.67	54	-27.24	189.4	Vertical	AV	Pass
2	3829.7500	35.82	-3.67	39.49	74	-38.18	352.9	Vertical	PK	Pass
2	3829.7500	32.49	-3.67	36.16	54	-21.51	352.9	Vertical	AV	Pass
3	7976.3750	44.83	8.18	36.65	74	-29.17	14.2	Vertical	PK	Pass
3	7976.3750	39.21	8.18	31.03	54	-14.79	14.2	Vertical	AV	Pass
4	10983.7500	43.84	15.06	28.78	74	-30.16	321.2	Vertical	PK	Pass
4	10983.7500	38.46	15.06	23.4	54	-15.54	321.2	Vertical	AV	Pass
5	13650.0000	47.67	18.11	29.56	74	-26.33	248.3	Vertical	PK	Pass
5	13650.0000	41.39	18.11	23.28	54	-12.61	248.3	Vertical	AV	Pass
6	17980.0000	52.69	23.79	28.9	74	-21.31	146.7	Vertical	PK	Pass
6	17980.0000	47.09	23.79	23.3	54	-6.91	146.7	Vertical	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6895 MHz), ANT H




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2477.8750	30.68	-8.64	39.32	74	-43.32	87.8	Horizontal	PK	Pass
1	2477.8750	26.86	-8.64	35.5	54	-27.14	87.8	Horizontal	AV	Pass
2	4686.3750	38.31	-0.9	39.21	74	-35.69	1.4	Horizontal	PK	Pass
2	4686.3750	35.29	-0.9	36.19	54	-18.71	1.4	Horizontal	AV	Pass
3	7997.3750	44.15	8.23	35.92	74	-29.85	135.6	Horizontal	PK	Pass
3	7997.3750	41.08	8.23	32.85	54	-12.92	135.6	Horizontal	AV	Pass
4	11267.5000	45.06	15.5	29.56	74	-28.94	158.6	Horizontal	PK	Pass
4	11267.5000	38.07	15.5	22.57	54	-15.93	158.6	Horizontal	AV	Pass
5	14000.0000	48.58	19.12	29.46	74	-25.42	20	Horizontal	PK	Pass
5	14000.0000	42.82	19.12	23.7	54	-11.18	20	Horizontal	AV	Pass
6	17982.5000	53.22	23.8	29.42	74	-20.78	249.5	Horizontal	PK	Pass
6	17982.5000	47.61	23.8	23.81	54	-6.39	249.5	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6895 MHz), ANT V




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2204.8750	29.52	-10.33	39.85	74	-44.48	0.6	Vertical	PK	Pass
1	2204.8750	24.79	-10.33	35.12	54	-29.21	0.6	Vertical	AV	Pass
2	3416.7500	35.33	-5.74	41.07	74	-38.67	122.5	Vertical	PK	Pass
2	3416.7500	33.53	-5.74	39.27	54	-20.47	122.5	Vertical	AV	Pass
3	7588.7500	43.77	7.14	36.63	74	-30.23	153.5	Vertical	PK	Pass
3	7588.7500	40.65	7.14	33.51	54	-13.35	153.5	Vertical	AV	Pass
4	10958.7500	44.29	14.96	29.33	74	-29.71	359.6	Vertical	PK	Pass
4	10958.7500	39.39	14.96	24.43	54	-14.61	359.6	Vertical	AV	Pass
5	13972.5000	49.08	19.04	30.04	74	-24.92	161.1	Vertical	PK	Pass
5	13972.5000	42.6	19.04	23.56	54	-11.4	161.1	Vertical	AV	Pass
6	17951.2500	52.99	23.58	29.41	74	-21.01	359.6	Vertical	PK	Pass
6	17951.2500	47.99	23.58	24.41	54	-6.01	359.6	Vertical	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6995 MHz), ANT H




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2192.6250	30.01	-10.44	40.45	74	-43.99	14.3	Horizontal	PK	Pass
1	2192.6250	26.41	-10.44	36.85	54	-27.59	14.3	Horizontal	AV	Pass
2	3857.7500	36.02	-3.7	39.72	74	-37.98	348	Horizontal	PK	Pass
2	3857.7500	32.84	-3.7	36.54	54	-21.16	348	Horizontal	AV	Pass
3	7974.6250	44.29	8.18	36.11	74	-29.71	167.8	Horizontal	PK	Pass
3	7974.6250	38.22	8.18	30.04	54	-15.78	167.8	Horizontal	AV	Pass
4	11745.0000	45.77	15.54	30.23	74	-28.23	269.9	Horizontal	PK	Pass
4	11745.0000	40.75	15.54	25.21	54	-13.25	269.9	Horizontal	AV	Pass
5	13951.2500	48.99	18.98	30.01	74	-25.01	320.2	Horizontal	PK	Pass
5	13951.2500	45.47	18.98	26.49	54	-8.53	320.2	Horizontal	AV	Pass
6	18000.0000	52.86	23.93	28.93	74	-21.14	0	Horizontal	PK	Pass
6	18000.0000	48.64	23.93	24.71	54	-5.36	0	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (6995 MHz), ANT V




Suspected Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	1976.5000	29.26	-11.32	40.58	74	-44.74	7.5	Vertical	PK	Pass
1	1976.5000	26.95	-11.32	38.27	54	-27.05	7.5	Vertical	AV	Pass
2	3415.8750	40.31	-5.75	46.06	74	-33.69	134.4	Vertical	PK	Pass
2	3415.8750	36.75	-5.75	42.5	54	-17.25	134.4	Vertical	AV	Pass
3	7786.5000	43.9	7.81	36.09	74	-30.1	129.6	Vertical	PK	Pass
3	7786.5000	41.48	7.81	33.67	54	-12.52	129.6	Vertical	AV	Pass
4	11152.5000	44.95	15.33	29.62	74	-29.05	152.7	Vertical	PK	Pass
4	11152.5000	37.65	15.33	22.32	54	-16.35	152.7	Vertical	AV	Pass
5	14338.7500	49.31	18.78	30.53	74	-24.69	359.4	Vertical	PK	Pass
5	14338.7500	44.96	18.78	26.18	54	-9.04	359.4	Vertical	AV	Pass
6	17971.2500	53.3	23.73	29.57	74	-20.7	229.2	Vertical	PK	Pass
6	17971.2500	46.98	23.73	23.25	54	-7.02	229.2	Vertical	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (7095 MHz), ANT H




Susputed Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2865.5000	32.73	-7.16	39.89	74	-41.27	72.1	Horizontal	PK	Pass
1	2865.5000	29.56	-7.16	36.72	54	-24.44	72.1	Horizontal	AV	Pass
2	4392.3750	37.95	-1.89	39.84	74	-36.05	110.3	Horizontal	PK	Pass
2	4392.3750	35.74	-1.89	37.63	54	-18.26	110.3	Horizontal	AV	Pass
3	7965.0000	44.31	8.16	36.15	74	-29.69	57.7	Horizontal	PK	Pass
3	7965.0000	41.01	8.16	32.85	54	-12.99	57.7	Horizontal	AV	Pass
4	11745.0000	45.77	15.54	30.23	74	-28.23	251.9	Horizontal	PK	Pass
4	11745.0000	40.51	15.54	24.97	54	-13.49	251.9	Horizontal	AV	Pass
5	14041.2500	49.51	19.09	30.42	74	-24.49	358.6	Horizontal	PK	Pass
5	14041.2500	44.29	19.09	25.2	54	-9.71	358.6	Horizontal	AV	Pass
6	17901.2500	53.32	23.27	30.05	74	-20.68	97.8	Horizontal	PK	Pass
6	17901.2500	47.12	23.27	23.85	54	-6.88	97.8	Horizontal	AV	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

11ax20, 1 GHz to 18 GHz, Channel (7095 MHz), ANT V



Susputed Data List

NO.	Freq. [MHz]	Reading [dB(uV)]	Factor [dB]	Level [dB(uV)]	Limit [dB]	Margin [dB]	Deg [°]	Polarity	Trace	Verdict
1	2012.3750	29.84	-11.12	40.96	74	-44.16	73.4	Vertical	PK	Pass
1	2012.3750	27.13	-11.12	38.25	54	-26.87	73.4	Vertical	AV	Pass
2	3504.2500	37.59	-5.2	42.79	74	-36.41	360	Vertical	PK	Pass
2	3504.2500	34.05	-5.2	39.25	54	-19.95	360	Vertical	AV	Pass
3	7971.1250	44.61	8.18	36.43	74	-29.39	360	Vertical	PK	Pass
3	7971.1250	39.23	8.18	31.05	54	-14.77	360	Vertical	AV	Pass
4	11377.5000	44.75	15.65	29.1	74	-29.25	157.5	Vertical	PK	Pass
4	11377.5000	38.57	15.65	22.92	54	-15.43	157.5	Vertical	AV	Pass
5	13613.7500	48.45	18.01	30.44	74	-25.55	323.7	Vertical	PK	Pass
5	13613.7500	43.82	18.01	25.81	54	-10.18	323.7	Vertical	AV	Pass
6	17836.2500	53.09	22.85	30.24	74	-20.91	0	Vertical	PK	Pass
6	17836.2500	48.12	22.85	25.27	54	-5.88	0	Vertical	AV	Pass

Note:

1. All emissions not reported were more than 20dB below the specified limit or in the noise floor.
2. Emission Level= Reading Level+ Probe Factor +Cable Loss.
3. Data of measurement within this frequency range shown "--" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.

7.4 ANTENNA REQUIREMENTS

Standard Applicable

If transmitting antenna directional gain is greater than 6 dBi, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

Antenna Gain

<CDD Modes >

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

For CDD transmissions, directional gain is calculated as

Directional gain = GANT + Array Gain, where Array Gain is as follows.

For power spectral density (PSD) measurements on all devices,

Array Gain = $10 \log(\text{NANT}/\text{NSS}=1)$ dB.

For power measurements on IEEE 802.11 devices,

Array Gain = 0 dB (i.e., no array gain) for $\text{NANT} \leq 4$.

Directional gain may be calculated by using the formulas applicable to equal gain antennas with GANT set equal to the gain of the antenna having the highest gain;

The EUT supports CDD mode.

For power, the directional gain GANT is set equal to the antenna having the highest gain, i.e., F2)f)i).

For PSD, the directional gain calculation is following F2)f)ii) of KDB 662911 D01 v02r01.

The directional gain "DG" is calculated as following table.

<CDD Modes>	Ant1 (dBi)	Ant2 (dBi)	DG for power (dBi)	DG for PSD (dBi)
5925~7125MHz	2.98	2.98	2.98	5.99

Power limit reduction = Composite gain – 6dBi, (min = 0)

PSD limit reduction = Composite gain + PSD Array gain – 6dBi, (min = 0)

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

7.5 26DB & 99% OCCUPIED BANDWIDTH MEASUREMENT

7.5.1 LIMIT OF 26DB & 99% OCCUPIED BANDWIDTH

<FCC 14-30 CFR 15.407>

(a)(10) The maximum transmitter channel bandwidth for U-NII devices in the 5.925-7.125 GHz band is 320 megahertz.


7.5.2 MEASURING INSTRUMENTS

See list of measuring equipment of this test report.

7.5.3 TEST PROCEDURES

1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
Section C) Emission bandwidth
2. Set RBW = approximately 1% of the emission bandwidth.
3. Set the VBW > RBW.
4. Detector = Peak.
5. Trace mode = max hold
6. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.
Compare this with the RBW setting of the analyzer. Readjust RBW and repeat measurement as needed until the RBW/EBW ratio is approximately 1%.
7. For 99% Bandwidth Measurement, the spectrum analyzer's resolution bandwidth (RBW) is set 1-5% of the emission bandwidth and set the Video bandwidth (VBW) $\geq 3 * RBW$.
8. Measure and record the results in the test report.

7.5.4 TEST SETUP



Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3


Test Result of 26dB & 99% Occupied Bandwidth

Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Verdict
ax20	5955	21.40	0.5	18.885	Pass
ax20	6175	21.16	0.5	18.929	Pass
ax20	6415	20.74	0.5	18.92	Pass
ax20	6435	20.97	0.5	18.892	Pass
ax20	6475	21.40	0.5	18.9	Pass
ax20	6515	21.86	0.5	18.877	Pass
ax20	6535	21.44	0.5	18.917	Pass
ax20	6695	20.99	0.5	18.984	Pass
ax20	6875	21.08	0.5	18.854	Pass
ax20	6895	21.32	0.5	18.901	Pass
ax20	6995	21.38	0.5	18.916	Pass
ax20	7095	21.87	0.5	18.89	Pass
ax40	5965	48.89	0.5	37.592	Pass
ax40	6165	39.31	0.5	37.548	Pass
ax40	6405	39.24	0.5	37.580	Pass
ax40	6445	44.26	0.5	37.508	Pass
ax40	6485	39.17	0.5	37.571	Pass
ax40	6525	47.61	0.5	37.588	Pass
ax40	6565	47.94	0.5	37.577	Pass
ax40	6685	44.28	0.5	37.644	Pass
ax40	6845	51.68	0.5	37.611	Pass
ax40	6885	54.87	0.5	37.583	Pass
ax40	6965	49.00	0.5	37.627	Pass
ax40	7085	48.54	0.5	37.691	Pass
ax80	5985	79.90	0.5	76.984	Pass
ax80	6145	79.57	0.5	76.630	Pass
ax80	6385	79.68	0.5	76.785	Pass
ax80	6465	79.67	0.5	76.655	Pass
ax80	6545	79.79	0.5	76.961	Pass
ax80	6625	79.82	0.5	77.104	Pass
ax80	6705	79.84	0.5	76.582	Pass
ax80	6865	79.68	0.5	76.714	Pass
ax80	6945	79.69	0.5	76.864	Pass
ax80	7025	90.70	0.5	76.823	Pass
ax160	6025	160.7	0.5	155.14	Pass
ax160	6185	160.7	0.5	154.62	Pass
ax160	6345	160.9	0.5	155.02	Pass
ax160	6505	161.0	0.5	154.73	Pass
ax160	6665	160.7	0.5	154.83	Pass
ax160	6825	160.9	0.5	154.83	Pass
ax160	6985	197.6	0.5	154.88	Pass


Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

Test Graphs

-26dB Bandwidth NVNT ax20 5955MHz Ant1




-26dB Bandwidth NVNT ax20 6175MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax20 6415MHz Ant1




-26dB Bandwidth NVNT ax20 6435MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax20 6475MHz Ant1




-26dB Bandwidth NVNT ax20 6515MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax20 6535MHz Ant1




-26dB Bandwidth NVNT ax20 6695MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax20 6875MHz Ant1




-26dB Bandwidth NVNT ax20 6895MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax20 6995MHz Ant1




-26dB Bandwidth NVNT ax20 7095MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax40 5965MHz Ant1




-26dB Bandwidth NVNT ax40 6165MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax40 6405MHz Ant1




-26dB Bandwidth NVNT ax40 6445MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax40 6485MHz Ant1




-26dB Bandwidth NVNT ax40 6525MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax40 6565MHz Ant1




-26dB Bandwidth NVNT ax40 6685MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax40 6845MHz Ant1




-26dB Bandwidth NVNT ax40 6885MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax40 6965MHz Ant1




-26dB Bandwidth NVNT ax40 7085MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax80 5985MHz Ant1




-26dB Bandwidth NVNT ax80 6145MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax80 6385MHz Ant1




-26dB Bandwidth NVNT ax80 6465MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax80 6545MHz Ant1




-26dB Bandwidth NVNT ax80 6625MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax80 6705MHz Ant1




-26dB Bandwidth NVNT ax80 6865MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3



-26dB Bandwidth NVNT ax80 6945MHz Ant1



-26dB Bandwidth NVNT ax80 7025MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3



Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi3

-26dB Bandwidth NVNT ax160 6345MHz Ant1



-26dB Bandwidth NVNT ax160 6505MHz Ant1

