




Plot 7-571. Peak Power Spectral Density Plot
(B2_20M_1C_16QAM – Mid Channel, Port 2)




Plot 7-572. Peak Power Spectral Density Plot
(B2_20M_1C_16QAM – Mid Channel, Port 3)




Plot 7-573. Peak Power Spectral Density Plot
(B2_20M_1C_16QAM – High Channel, Port 0)



Plot 7-574. Peak Power Spectral Density Plot
(B2_20M_1C_16QAM – High Channel, Port 1)



Plot 7-575. Peak Power Spectral Density Plot
(B2_20M_1C_16QAM – High Channel, Port 2)



Plot 7-576. Peak Power Spectral Density Plot
(B2_20M_1C_16QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 155 of 420

© 2021 PCTEST

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

PK-QP-16-14 Rev.01

Low Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	30.64	31.04	30.73	30.75
	1	30.53	30.95	30.61	30.50
	2	30.71	31.06	30.73	30.75
	3	30.80	31.29	30.90	30.80
Total MIMO Conducted Power (mW/1MHz)		4667.70	5140.66	4748.31	4699.42
Total MIMO Conducted Power (dBm/1MHz)		36.69	37.11	36.77	36.72
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		49.19	49.61	49.27	49.22
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-12.96	-12.54	-12.88	-12.93



Table 7-102. Peak Power Spectral Density Table (B2_5M+5M_2C - Low Channel)

Mid Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	30.48	30.89	30.53	30.60
	1	30.51	30.91	30.55	30.64
	2	30.66	30.82	30.62	30.67
	3	30.77	30.98	30.73	30.72
Total MIMO Conducted Power (mW/1MHz)		4599.28	4919.54	4602.41	4652.45
Total MIMO Conducted Power (dBm/1MHz)		36.63	36.92	36.63	36.68
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		49.13	49.42	49.13	49.18
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-13.02	-12.73	-13.02	-12.97

Table 7-103. Peak Power Spectral Density Table (B2_5M+5M_2C - Mid Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	30.56	30.77	30.59	30.50
	1	30.58	30.71	30.51	30.60
	2	30.67	30.86	30.67	30.81
	3	30.61	30.93	30.74	30.74
Total MIMO Conducted Power (mW/1MHz)		4595.73	4831.08	4620.29	4659.92
Total MIMO Conducted Power (dBm/1MHz)		36.62	36.84	36.65	36.68
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		49.12	49.34	49.15	49.18
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-13.02	-12.81	-13.00	-12.96

Table 7-104. Peak Power Spectral Density Table (B2_5M+5M_2C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)	Page 156 of 420	

Low Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	26.65	26.96	26.68	26.58
	1	26.47	26.84	26.56	26.51
	2	26.73	27.00	26.75	26.77
	3	26.80	26.92	26.76	26.83
Total MIMO Conducted Power (mW/1MHz)		1856.13	1973.69	1865.88	1859.67
Total MIMO Conducted Power (dBm/1MHz)		32.69	32.95	32.71	32.69
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		45.19	45.45	45.21	45.19
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-16.96	-16.70	-16.94	-16.95



Table 7-105. Peak Power Spectral Density Table (B2_5M+20M_2C - Low Channel)

Mid Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	26.64	26.91	26.48	26.57
	1	26.43	26.70	26.54	26.46
	2	26.53	26.90	26.66	26.68
	3	26.69	27.10	26.89	26.76
Total MIMO Conducted Power (mW/1MHz)		1818.12	1960.13	1847.13	1836.99
Total MIMO Conducted Power (dBm/1MHz)		32.60	32.92	32.66	32.64
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		45.10	45.42	45.16	45.14
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.05	-16.73	-16.98	-17.01

Table 7-106. Peak Power Spectral Density Table (B2_5M+20M_2C - Mid Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	26.57	26.87	26.61	26.62
	1	26.28	26.72	26.50	26.58
	2	26.67	26.97	26.71	26.70
	3	26.65	27.12	26.80	26.82
Total MIMO Conducted Power (mW/1MHz)		1805.97	1969.83	1851.51	1862.34
Total MIMO Conducted Power (dBm/1MHz)		32.57	32.94	32.68	32.70
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		45.07	45.44	45.18	45.20
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.08	-16.70	-16.97	-16.95

Table 7-107. Peak Power Spectral Density Table (B2_5M+20M_2C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 157 of 420

Low Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	26.02	26.23	26.01	25.99
	1	26.04	26.14	25.77	25.90
	2	25.97	26.33	25.98	26.18
	3	26.22	26.58	26.20	26.39
Total MIMO Conducted Power (mW/1MHz)		1615.34	1715.16	1590.77	1635.87
Total MIMO Conducted Power (dBm/1MHz)		32.08	32.34	32.02	32.14
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		44.58	44.84	44.52	44.64
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.57	-17.31	-17.63	-17.51



Table 7-108. Peak Power Spectral Density Table (B2_10M+20M_2C - Low Channel)


Mid Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	25.69	26.05	25.67	25.81
	1	25.52	26.01	25.71	25.73
	2	25.82	26.27	25.93	25.90
	3	25.92	26.52	25.96	26.07
Total MIMO Conducted Power (mW/1MHz)		1499.40	1674.17	1527.10	1548.68
Total MIMO Conducted Power (dBm/1MHz)		31.76	32.24	31.84	31.90
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		44.26	44.74	44.34	44.40
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.89	-17.41	-17.81	-17.75

Table 7-109. Peak Power Spectral Density Table (B2_10M+20M_2C - Mid Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	25.79	25.99	25.84	25.76
	1	25.68	25.90	25.56	25.57
	2	25.89	26.05	25.83	25.90
	3	26.04	26.23	25.96	26.09
Total MIMO Conducted Power (mW/1MHz)		1537.84	1608.13	1519.43	1532.25
Total MIMO Conducted Power (dBm/1MHz)		31.87	32.06	31.82	31.85
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		44.37	44.56	44.32	44.35
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.78	-17.59	-17.83	-17.80

Table 7-110. Peak Power Spectral Density Table (B2_10M+20M_2C - High Channel)

FCC ID: A3LRF4437D-25C	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)	Page 158 of 420	



Plot 7-577. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Low Channel, Port 0)




Plot 7-578. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Low Channel, Port 1)




Plot 7-579. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Low Channel, Port 2)



Plot 7-580. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Low Channel, Port 3)




Plot 7-581. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Mid Channel, Port 0)




Plot 7-582. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Mid Channel, Port 1)


FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 159 of 420



Plot 7-583. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Mid Channel, Port 2)




Plot 7-584. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - Mid Channel, Port 3)




Plot 7-585. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - High Channel, Port 0)



Plot 7-586. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - High Channel, Port 1)



Plot 7-587. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - High Channel, Port 2)



Plot 7-588. Peak Power Spectral Density Plot
(B2_5M+5M_2C_16QAM - High Channel, Port 3)


FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 160 of 420



Plot 7-589. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Low Channel, Port 0)




Plot 7-590. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Low Channel, Port 1)




Plot 7-591. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Low Channel, Port 2)



Plot 7-592. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Low Channel, Port 3)




Plot 7-593. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Mid Channel, Port 0)




Plot 7-594. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Mid Channel, Port 1)


FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 161 of 420



Plot 7-595. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Mid Channel, Port 2)




Plot 7-596. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - Mid Channel, Port 3)




Plot 7-597. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - High Channel, Port 0)



Plot 7-598. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - High Channel, Port 1)




Plot 7-599. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - High Channel, Port 2)




Plot 7-600. Peak Power Spectral Density Plot
(B2_5M+20M_2C_16QAM - High Channel, Port 3)


FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 162 of 420



Plot 7-601. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM - Low Channel, Port 0)




Plot 7-602. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM - Low Channel, Port 1)




Plot 7-603. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM - Low Channel, Port 2)



Plot 7-604. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM - Low Channel, Port 3)




Plot 7-605. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM - Mid Channel, Port 0)




Plot 7-606. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM - Mid Channel, Port 1)


FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 163 of 420




Plot 7-607. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM – Mid Channel, Port 2)




Plot 7-608. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM – Mid Channel, Port 3)




Plot 7-609. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM – High Channel, Port 0)



Plot 7-610. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM – High Channel, Port 1)



Plot 7-611. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM – High Channel, Port 2)



Plot 7-612. Peak Power Spectral Density Plot
(B2_10M+20M_2C_16QAM – High Channel, Port 3)

FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 164 of 420

Low Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	28.79	29.36	29.03	28.87
	1	28.78	29.23	28.78	28.83
	2	28.84	29.28	29.01	28.84
	3	29.13	29.32	29.02	29.05
Total MIMO Conducted Power (mW/1MHz)		3096.74	3402.41	3148.20	3103.49
Total MIMO Conducted Power (dBm/1MHz)		34.91	35.32	34.98	34.92
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		47.41	47.82	47.48	47.42
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-14.74	-14.33	-14.67	-14.73



Table 7-111. Peak Power Spectral Density Table (B2_5M+5M+5M_3C - Low Channel)

Mid Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	28.84	29.12	28.82	28.75
	1	28.59	28.98	28.64	28.67
	2	28.77	29.25	28.99	28.80
	3	28.85	29.28	28.88	29.02
Total MIMO Conducted Power (mW/1MHz)		3007.54	3296.09	3058.62	3043.20
Total MIMO Conducted Power (dBm/1MHz)		34.78	35.18	34.86	34.83
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		47.28	47.68	47.36	47.33
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-14.87	-14.47	-14.79	-14.82

Table 7-112. Peak Power Spectral Density Table (B2_5M+5M+5M_3C - Mid Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	28.94	29.14	28.79	28.83
	1	28.73	29.04	28.65	28.71
	2	28.77	29.19	28.75	28.83
	3	29.01	29.29	28.89	28.99
Total MIMO Conducted Power (mW/1MHz)		3078.54	3298.41	3013.14	3061.98
Total MIMO Conducted Power (dBm/1MHz)		34.88	35.18	34.79	34.86
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		47.38	47.68	47.29	47.36
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-14.76	-14.47	-14.86	-14.79

Table 7-113. Peak Power Spectral Density Table (B2_5M+5M+5M_3C - High Channel)

FCC ID: A3LRF4437D-25C		MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)	Page 165 of 420	

Low Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	25.95	26.12	25.73	25.87
	1	25.76	25.92	25.62	25.85
	2	25.80	26.13	25.65	25.90
	3	25.98	26.29	25.85	25.94
Total MIMO Conducted Power (mW/1MHz)		1546.73	1636.50	1490.66	1551.58
Total MIMO Conducted Power (dBm/1MHz)		31.89	32.14	31.73	31.91
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		44.39	44.64	44.23	44.41
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.75	-17.51	-17.91	-17.74



Table 7-114. Peak Power Spectral Density Table (B2_5M+5M+20M_3C - Low Channel)


Mid Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	25.67	26.11	25.82	25.82
	1	25.67	26.33	25.80	25.83
	2	25.92	26.03	25.86	25.84
	3	25.93	26.27	26.00	26.01
Total MIMO Conducted Power (mW/1MHz)		1520.62	1662.57	1546.26	1546.87
Total MIMO Conducted Power (dBm/1MHz)		31.82	32.21	31.89	31.89
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		44.32	44.71	44.39	44.39
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.83	-17.44	-17.76	-17.75

Table 7-115. Peak Power Spectral Density Table (B2_5M+5M+20M_3C - Mid Channel)

High Channel	Port	QPSK	16QAM	64QAM	256QAM
Conducted Power (dBm/1MHz)	0	25.63	26.17	25.97	25.70
	1	25.62	25.97	25.78	25.86
	2	25.73	26.18	25.78	25.78
	3	25.92	26.27	25.86	25.98
Total MIMO Conducted Power (mW/1MHz)		1493.58	1647.11	1538.25	1530.86
Total MIMO Conducted Power (dBm/1MHz)		31.74	32.17	31.87	31.85
Ant. Gain (dBi)		12.50	12.50	12.50	12.50
MIMO EIRP(dBm/1MHz)		44.24	44.67	44.37	44.35
EIRP Limit(W/1MHz)		1640.00	1640.00	1640.00	1640.00
EIRP Limit(dBm/1MHz)		62.15	62.15	62.15	62.15
Margin (dB)		-17.91	-17.48	-17.78	-17.80

Table 7-116. Peak Power Spectral Density Table (B2_5M+5M+20M_3C - High Channel)


FCC ID: A3LRF4437D-25C	 PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)	Page 166 of 420	




Plot 7-613. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Low Channel, Port 0)




Plot 7-614. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Low Channel, Port 1)




Plot 7-615. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Low Channel, Port 2)



Plot 7-616. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Low Channel, Port 3)




Plot 7-617. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Mid Channel, Port 0)




Plot 7-618. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Mid Channel, Port 1)


FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 167 of 420




Plot 7-619. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Mid Channel, Port 2)




Plot 7-620. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - Mid Channel, Port 3)




Plot 7-621. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - High Channel, Port 0)



Plot 7-622. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - High Channel, Port 1)



Plot 7-623. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - High Channel, Port 2)



Plot 7-624. Peak Power Spectral Density Plot
(B2_5M+5M+5M_3C_16QAM - High Channel, Port 3)

FCC ID: A3LRF4437D-25C	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT	SAMSUNG	Approved by: Technical Manager
Test Report S/N: 8K21071202-R2.A3L	Test Dates: 07/19/2021-08/13/2021	EUT Type: RRU(RF4437d)		Page 168 of 420