

1. Effective (Isotropic) Radiated Power Output Data

1.1 PCS1900_EIRP

1.1.1 Test Result

Band: PCS1900									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	GSM	GSM	1850.2	29.07	0.49	29.56	<=33.01	Pass	
			1880	29.05	0.49	29.54	<=33.01	Pass	
			1909.8	29.02	0.49	29.51	<=33.01	Pass	
	GPRS	1 TX Slot	1850.2	28.42	0.49	28.91	<=33.01	Pass	
		2 TX Slots	1850.2	26.04	0.49	26.53	<=33.01	Pass	
		3 TX Slots	1850.2	24.48	0.49	24.97	<=33.01	Pass	
		4 TX Slots	1850.2	22.51	0.49	23.00	<=33.01	Pass	
		1 TX Slot	1880	28.47	0.49	28.96	<=33.01	Pass	
		2 TX Slots	1880	26.09	0.49	26.58	<=33.01	Pass	
		3 TX Slots	1880	24.51	0.49	25.00	<=33.01	Pass	
		4 TX Slots	1880	22.51	0.49	23.00	<=33.01	Pass	
		1 TX Slot	1909.8	28.83	0.49	29.32	<=33.01	Pass	
		2 TX Slots	1909.8	26.39	0.49	26.88	<=33.01	Pass	
		3 TX Slots	1909.8	24.80	0.49	25.29	<=33.01	Pass	
		4 TX Slots	1909.8	22.79	0.49	23.28	<=33.01	Pass	
		EGPRS	1 TX Slot	1850.2	25.57	0.49	26.06	<=33.01	Pass
			2 TX Slots	1850.2	23.05	0.49	23.54	<=33.01	Pass
			3 TX Slots	1850.2	20.47	0.49	20.96	<=33.01	Pass
			4 TX Slots	1850.2	18.80	0.49	19.29	<=33.01	Pass
	1 TX Slot		1880	24.14	0.49	24.63	<=33.01	Pass	
	2 TX Slots		1880	23.33	0.49	23.82	<=33.01	Pass	
	3 TX Slots		1880	21.60	0.49	22.09	<=33.01	Pass	
	4 TX Slots		1880	19.72	0.49	20.21	<=33.01	Pass	
	1 TX Slot		1909.8	24.09	0.49	24.58	<=33.01	Pass	
	2 TX Slots		1909.8	23.01	0.49	23.50	<=33.01	Pass	
	3 TX Slots		1909.8	20.18	0.49	20.67	<=33.01	Pass	
	4 TX Slots		1909.8	18.68	0.49	19.17	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 PCS1900

2.1.1 Test Result

Band: PCS1900							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
GSM	1850.2	20	3.27	-23.052	-0.0125	-2.5 to 2.5	Pass
			3.85	1.001	0.0005	-2.5 to 2.5	Pass
			4.43	7.264	0.0039	-2.5 to 2.5	Pass
		-30	3.85	12.624	0.0068	-2.5 to 2.5	Pass
		-20	3.85	4.294	0.0023	-2.5 to 2.5	Pass

		-10	3.85	8.136	0.0044	-2.5 to 2.5	Pass
		0	3.85	3.616	0.0020	-2.5 to 2.5	Pass
		10	3.85	-2.421	-0.0013	-2.5 to 2.5	Pass
		30	3.85	-0.032	0.0000	-2.5 to 2.5	Pass
		40	3.85	-10.913	-0.0059	-2.5 to 2.5	Pass
		50	3.85	-14.206	-0.0077	-2.5 to 2.5	Pass
	1880	20	3.27	-2.744	-0.0015	-2.5 to 2.5	Pass
			3.85	3.067	0.0016	-2.5 to 2.5	Pass
			4.43	1.485	0.0008	-2.5 to 2.5	Pass
		-30	3.85	-7.845	-0.0042	-2.5 to 2.5	Pass
		-20	3.85	-2.551	-0.0014	-2.5 to 2.5	Pass
		-10	3.85	2.066	0.0011	-2.5 to 2.5	Pass
		0	3.85	2.131	0.0011	-2.5 to 2.5	Pass
		10	3.85	-5.101	-0.0027	-2.5 to 2.5	Pass
		30	3.85	-1.937	-0.0010	-2.5 to 2.5	Pass
		40	3.85	7.813	0.0042	-2.5 to 2.5	Pass
		50	3.85	-5.779	-0.0031	-2.5 to 2.5	Pass
	1909.8	20	3.27	12.365	0.0065	-2.5 to 2.5	Pass
			3.85	18.855	0.0099	-2.5 to 2.5	Pass
			4.43	6.845	0.0036	-2.5 to 2.5	Pass
		-30	3.85	-5.811	-0.0030	-2.5 to 2.5	Pass
		-20	3.85	20.631	0.0108	-2.5 to 2.5	Pass
		-10	3.85	12.462	0.0065	-2.5 to 2.5	Pass
		0	3.85	3.519	0.0018	-2.5 to 2.5	Pass
		10	3.85	19.178	0.0100	-2.5 to 2.5	Pass
		30	3.85	15.917	0.0083	-2.5 to 2.5	Pass
		40	3.85	-2.906	-0.0015	-2.5 to 2.5	Pass
		50	3.85	15.239	0.0080	-2.5 to 2.5	Pass
GPRS	1850.2	20	3.27	14.399	0.0078	-2.5 to 2.5	Pass
			3.85	10.848	0.0059	-2.5 to 2.5	Pass
			4.43	12.979	0.0070	-2.5 to 2.5	Pass
		-30	3.85	-4.133	-0.0022	-2.5 to 2.5	Pass
		-20	3.85	-4.229	-0.0023	-2.5 to 2.5	Pass
		-10	3.85	-0.484	-0.0003	-2.5 to 2.5	Pass
		0	3.85	3.293	0.0018	-2.5 to 2.5	Pass
		10	3.85	8.039	0.0043	-2.5 to 2.5	Pass
		30	3.85	14.690	0.0079	-2.5 to 2.5	Pass
		40	3.85	2.518	0.0014	-2.5 to 2.5	Pass
		50	3.85	8.297	0.0045	-2.5 to 2.5	Pass
	1880	20	3.27	9.298	0.0049	-2.5 to 2.5	Pass
			3.85	-11.074	-0.0059	-2.5 to 2.5	Pass
			4.43	16.660	0.0089	-2.5 to 2.5	Pass
		-30	3.85	1.259	0.0007	-2.5 to 2.5	Pass
		-20	3.85	12.817	0.0068	-2.5 to 2.5	Pass
		-10	3.85	-10.654	-0.0057	-2.5 to 2.5	Pass
		0	3.85	-7.652	-0.0041	-2.5 to 2.5	Pass
		10	3.85	-3.777	-0.0020	-2.5 to 2.5	Pass
		30	3.85	2.615	0.0014	-2.5 to 2.5	Pass
		40	3.85	-0.032	0.0000	-2.5 to 2.5	Pass
		50	3.85	-5.844	-0.0031	-2.5 to 2.5	Pass
	1909.8	20	3.27	9.783	0.0051	-2.5 to 2.5	Pass
			3.85	-4.133	-0.0022	-2.5 to 2.5	Pass
			4.43	11.494	0.0060	-2.5 to 2.5	Pass
		-30	3.85	7.781	0.0041	-2.5 to 2.5	Pass
		-20	3.85	2.454	0.0013	-2.5 to 2.5	Pass
		-10	3.85	14.141	0.0074	-2.5 to 2.5	Pass
		0	3.85	6.748	0.0035	-2.5 to 2.5	Pass

EGPRS		10	3.85	14.755	0.0077	-2.5 to 2.5	Pass
		30	3.85	14.044	0.0074	-2.5 to 2.5	Pass
		40	3.85	10.428	0.0055	-2.5 to 2.5	Pass
		50	3.85	14.044	0.0074	-2.5 to 2.5	Pass
	1850.2	20	3.27	18.371	0.0099	-2.5 to 2.5	Pass
			3.85	10.299	0.0056	-2.5 to 2.5	Pass
			4.43	19.242	0.0104	-2.5 to 2.5	Pass
		-30	3.85	20.017	0.0108	-2.5 to 2.5	Pass
		-20	3.85	12.043	0.0065	-2.5 to 2.5	Pass
		-10	3.85	5.682	0.0031	-2.5 to 2.5	Pass
		0	3.85	9.557	0.0052	-2.5 to 2.5	Pass
		10	3.85	18.887	0.0102	-2.5 to 2.5	Pass
		30	3.85	24.279	0.0131	-2.5 to 2.5	Pass
		40	3.85	13.269	0.0072	-2.5 to 2.5	Pass
		50	3.85	15.303	0.0083	-2.5 to 2.5	Pass
	1880	20	3.27	15.013	0.0080	-2.5 to 2.5	Pass
			3.85	12.333	0.0066	-2.5 to 2.5	Pass
			4.43	11.429	0.0061	-2.5 to 2.5	Pass
		-30	3.85	13.786	0.0073	-2.5 to 2.5	Pass
		-20	3.85	7.749	0.0041	-2.5 to 2.5	Pass
		-10	3.85	16.595	0.0088	-2.5 to 2.5	Pass
		0	3.85	13.237	0.0070	-2.5 to 2.5	Pass
		10	3.85	26.830	0.0143	-2.5 to 2.5	Pass
		30	3.85	7.200	0.0038	-2.5 to 2.5	Pass
		40	3.85	16.304	0.0087	-2.5 to 2.5	Pass
		50	3.85	20.308	0.0108	-2.5 to 2.5	Pass
	1909.8	20	3.27	14.141	0.0074	-2.5 to 2.5	Pass
			3.85	5.489	0.0029	-2.5 to 2.5	Pass
			4.43	10.751	0.0056	-2.5 to 2.5	Pass
		-30	3.85	15.142	0.0079	-2.5 to 2.5	Pass
		-20	3.85	11.365	0.0060	-2.5 to 2.5	Pass
		-10	3.85	18.371	0.0096	-2.5 to 2.5	Pass
		0	3.85	14.948	0.0078	-2.5 to 2.5	Pass
		10	3.85	6.393	0.0033	-2.5 to 2.5	Pass
		30	3.85	13.463	0.0070	-2.5 to 2.5	Pass
		40	3.85	7.458	0.0039	-2.5 to 2.5	Pass
		50	3.85	2.744	0.0014	-2.5 to 2.5	Pass


3. Modulation Characteristics


3.1 PCS1900

3.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1880	Refer To Test Graph		Pass
	GPRS	1 TX Slot	1880	Refer To Test Graph		Pass
	EGPRS	1 TX Slot	1880	Refer To Test Graph		Pass

3.1.2 Test Graph






4. 99% & 26dB Bandwidth

4.1 PCS1900_OBW


4.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.238	/	Pass
			1880	0.246	/	Pass
			1909.8	0.242	/	Pass
	GPRS	1 TX Slot	1850.2	0.246	/	Pass
			1880	0.245	/	Pass
			1909.8	0.249	/	Pass
	EGPRS	1 TX Slot	1850.2	0.243	/	Pass
			1880	0.245	/	Pass
			1909.8	0.240	/	Pass


4.1.2 Test Graph




PCS1900 GSM_HCH_1909.8MHz GSM NTN




PCS1900 GPRS_LCH_1850.2MHz 1 TX Slot NTN




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900 GPRS HCH 1909.8MHz 1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot_NTNV



PCS1900 EGPRS MCH 1880MHz 1 TX Slot_NTNV



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot_NTNV




4.2 PCS1900_XDB


4.2.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.309	/	Pass
			1880	0.314	/	Pass
			1909.8	0.318	/	Pass
	GPRS	1 TX Slot	1850.2	0.324	/	Pass
			1880	0.326	/	Pass
			1909.8	0.318	/	Pass
	EGPRS	1 TX Slot	1850.2	0.314	/	Pass
			1880	0.315	/	Pass
			1909.8	0.299	/	Pass


4.2.2 Test Graph




PCS1900 GSM_HCH_1909.8MHz GSM NTN




PCS1900 GPRS_LCH_1850.2MHz 1 TX Slot NTN




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900 GPRS HCH 1909.8MHz 1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot_NTNV



PCS1900 EGPRS MCH 1880MHz 1 TX Slot_NTNV



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot_NTNV




5. Peak-Average Ratio

5.1 PCS1900


5.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.55	<=13	Pass
			1880	9.40	<=13	Pass
			1909.8	9.37	<=13	Pass
	GPRS	4 TX Slots	1850.2	3.99	<=13	Pass
			1880	3.42	<=13	Pass
			1909.8	3.61	<=13	Pass
	EGPRS	4 TX Slots	1850.2	8.41	<=13	Pass
			1880	7.99	<=13	Pass
			1909.8	7.91	<=13	Pass


5.1.2 Test Graph




PCS1900 GSM_HCH_1909.8MHz GSM NTN




PCS1900 GPRS_LCH_1850.2MHz_4 TX Slots NTN




PCS1900_GPRS_MCH_1880MHz_4 TX Slots_NTNV




PCS1900_GPRS_HCH_1909.8MHz_4 TX Slots_NTNV




PCS1900 EGPRS LCH 1850.2MHz 4 TX Slots NTNV



PCS1900 EGPRS MCH 1880MHz 4 TX Slots NTNV



PCS1900_EGPRS_HCH_1909.8MHz_4 TX Slots_NTNV




6. Spurious Emission

6.1 PCS1900


6.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	
	GPRS	1 TX Slot	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	
	EGPRS	1 TX Slot	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	


6.1.2 Test Graph




PCS1900 GSM LCH 1850.2MHz GSM NTNV




PCS1900 GSM MCH 1880MHz GSM NTNV




PCS1900 GSM MCH 1880MHz GSM NTNV




PCS1900 GSM HCH 1909.8MHz GSM NTNV




PCS1900 GSM_HCH_1909.8MHz GSM_NTNV




PCS1900 GSM_HCH_1909.8MHz GSM_NTNV




PCS1900_GPRS_LCH_1850.2MHz_1_TX_Slot_NTNV




PCS1900_GPRS_LCH_1850.2MHz_1_TX_Slot_NTNV




PCS1900_GPRS_LCH_1850.2MHz_1_TX_Slot_NTNV




PCS1900_GPRS_MCH_1880MHz_1_TX_Slot_NTNV




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900 GPRS HCH 1909.8MHz 1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1_TX_Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1_TX_Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot_NTNV




PCS1900 EGPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTNV




PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTNV



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTN



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTN



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
PCS1900	0.2	1850.2	1909.8	0.3606	0.0143	ppm	245KG7W	24E	25.57
PCS1900	0.2	1850.2	1909.8	0.8072	0.0125	ppm	249KGXW	24E	29.07

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
PCS1900	0.2	1850.2	1909.8	0.4036	0.0143	ppm	245KG7W	24E	26.06
PCS1900	0.2	1850.2	1909.8	0.9036	0.0125	ppm	249KGXW	24E	29.56