



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3795.00	41.71		74.00	32.29	500.00	200.0	V	3.00	-14
4023.75		29.58	54.00	24.42	500.00	100.0	н	31.00	-13
5250.00		31.74	54.00	22.26	500.00	100.0	н	2.00	-10
5280.00	43.55		74.00	30.45	500.00	200.0	V	188.00	-10
7267.50	47.54		74.00	26.46	500.00	200.0	V	55.00	-4
7297.50		35.79	54.00	18.21	500.00	200.0	н	223.00	-4
9551.25	50.44		74.00	23.57	500.00	200.0	V	233.00	-2
9900.00		38.64	54.00	15.36	500.00	200.0	н	5.00	-1
11351.25		40.64	54.00	13.36	500.00	200.0	Н	0.00	1
11377.50	51.52		74.00	22.48	500.00	100.0	Н	158.00	1
13893.75	53.39		74.00	20.61	500.00	200.0	V	142.00	3
13901.25		41.21	54.00	12.79	500.00	200.0	н	296.00	3

RF Test Report

802.11b CH11



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1045.50	46.74		74.00	27.26	500.00	100.0	н	106.00	-12
1143.50		33.03	54.00	20.97	500.00	200.0	Н	208.00	-12
1405.50	46.00		74.00	28.00	500.00	100.0	٧	63.00	-10
1413.00		33.83	54.00	20.17	500.00	100.0	V	99.00	-10
1526.50	46.10		74.00	27.90	500.00	100.0	н	249.00	-10
1726.50		33.92	54.00	20.08	500.00	200.0	V	353.00	-10
2038.50	47.71		74.00	26.29	500.00	100.0	V	27.00	-9
2069.00		35.25	54.00	18.75	500.00	200.0	V	216.00	-9
2380.00		35.78	54.00	18.22	500.00	200.0	V	344.00	-8
2387.00	48.77		74.00	25.23	500.00	200.0	Н	9.00	-8
2488.00		40.47	54.00	13.53	500.00	200.0	Н	3.00	-7
2488.50	51.07		74.00	22.94	500.00	200.0	н	21.00	-7




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75		29.79	54.00	24.21	500.00	100.0	н	69.00	-14
3930.00	41.40		74.00	32.60	500.00	100.0	V	299.00	-14
5017.50		31.85	54.00	22.15	500.00	100.0	Н	42.00	-10
5178.75	43.56		74.00	30.44	500.00	100.0	V	359.00	-10
7335.00	48.25		74.00	25.75	500.00	200.0	V	0.00	-4
7346.25		35.93	54.00	18.07	500.00	200.0	н	358.00	-4
9810.00	50.50		74.00	23.50	500.00	100.0	н	13.00	-2
9896.25		38.87	54.00	15.13	500.00	100.0	н	3.00	-1
11602.50		39.31	54.00	14.69	500.00	100.0	V	358.00	1
11666.25	51.54		74.00	22.46	500.00	100.0	Н	129.00	1
13912.50	53.43		74.00	20.57	500.00	100.0	V	0.00	3
13991.25		41.25	54.00	12.75	500.00	100.0	Н	3.00	3


RF Test Report

Report No.: R2407A0993-R2

802.11g CH1



Frequency (MHz) MaxPeak Limit Margin Meas. Height Pol Azimuth Average Corr. (dBµV/m) (dBµV/m) (dBµV/m) (dB) Time (cm) (deg) (dB/m) (ms) 1079.50 33.20 54.00 20.80 500.00 200.0 Н 277.00 -12 45.43 1194.50 74.00 28.57 500.00 100.0 ۷ 167.00 -12 ----1305.00 46.09 74.00 27.91 500.00 200.0 Н 355.00 -11 500.00 1381.50 33.88 54.00 20.12 100.0 н 0.00 -10 34.00 20.00 ۷ 1527.00 54.00 500.00 100.0 214.00 -10 1664.50 46.06 74.00 27.94 500.00 100.0 н 228.00 -10 ----H 1936.00 47.28 74.00 26.72 500.00 200.0 168.00 -9 ----2077.00 35.35 54.00 18.65 500.00 100.0 66.00 -9 2389.00 44.01 54.00 9.99 500.00 100.0 Н 0.00 -8 2389.50 61.82 74.00 12.18 500.00 100.0 Н 3.00 -8 ----2971.50 50.17 74.00 Н 138.00 23.83 500.00 100.0 -6 ----37.61 500.00 ۷ 2980.00 54.00 16.39 200.0 0.00 -6




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
0000 75	11.50		74.00	00.10	(ms)	100.0		40.00	
3828.75	41.52		74.00	32.48	500.00	100.0	Н	19.00	-14
3993.75		29.55	54.00	24.45	500.00	200.0	Н	118.00	-13
4916.25	43.75		74.00	30.25	500.00	200.0	н	125.00	-11
5283.75		31.71	54.00	22.29	500.00	100.0	Н	257.00	-10
7338.75		35.73	54.00	18.27	500.00	100.0	V	359.00	-4
7346.25	47.90	10000	74.00	26.10	500.00	100.0	V	72.00	-4
9363.75	50.70		74.00	23.30	500.00	200.0	V	197.00	-2
9881.25		38.94	54.00	15.06	500.00	200.0	н	0.00	-1
10582.50	52.53		74.00	21.47	500.00	100.0	V	357.00	0
11313.75		40.73	54.00	13.27	500.00	100.0	Н	65.00	1
13770.00	53.69		74.00	20.31	500.00	200.0	Н	236.00	3
13991.25		41.76	54.00	12.24	500.00	200.0	V	78.00	3

RF Test Report


Report No.: R2407A0993-R2

802.11g CH2



Frequency (MHz) MaxPeak Limit Margin Meas. Height Pol Azimuth Average Corr. (dBµV/m) (dBµV/m) (dBµV/m) (dB) Time (cm) (deg) (dB/m) (ms) 1096.00 33.20 54.00 20.80 500.00 200.0 Н 107.00 -12 45.23 1165.00 74.00 28.77 500.00 100.0 ۷ 136.00 -12 1409.50 33.91 54.00 20.09 500.00 200.0 ٧ 191.00 -10 500.00 1420.00 46.31 74.00 27.69 100.0 н 9.00 -10 ----27.78 ۷ 7.00 1563.50 46.22 74.00 500.00 200.0 -10 1721.50 34.08 54.00 19.92 500.00 200.0 ۷ 160.00 -10 V V 2023.50 47.89 74.00 26.11 500.00 100.0 55.00 -9 2076.00 35.30 54.00 18.70 500.00 100.0 332.00 -9 60.81 2387.00 74.00 13.19 500.00 100.0 н 11.00 -8 2387.50 44.23 54.00 9.77 500.00 100.0 Н 11.00 -8 2826.50 50.06 74.00 500.00 ۷ 124.00 -7 23.94 100.0 37.87 500.00 н 2985.50 54.00 16.13 200.0 101.00 -6






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3810.00	41.14	10000	74.00	32.86	500.00	200.0	н	0.00	-14
3993.75	10-10 10-10	29.62	54.00	24.38	500.00	100.0	v	0.00	-13
5193.75	43.87		74.00	30.13	500.00	200.0	V	0.00	-9
5216.25		31.65	54.00	22.35	500.00	200.0	V	160.00	-10
7275.00	47.76		74.00	26.24	500.00	200.0	Н	199.00	-4
7335.00		35.93	54.00	18.07	500.00	200.0	Н	320.00	-4
9558.75	51.14		74.00	22.86	500.00	200.0	V	53.00	-2
9900.00		38.94	54.00	15.06	500.00	100.0	V	345.00	-1
10740.00	53.05		74.00	20.95	500.00	100.0	V	192.00	0
11313.75		40.80	54.00	13.20	500.00	100.0	Н	0.00	1
13953.75		41.76	54.00	12.24	500.00	100.0	Н	322.00	3
14040.00	53.46		74.00	20.54	500.00	200.0	Н	354.00	3


RF Test Report

802.11g CH6



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1133.00	46.08		74.00	27.92	500.00	100.0	н	2.00	-12
1154.50		33.38	54.00	20.62	500.00	100.0	н	10.00	-12
1407.00		34.47	54.00	19.53	500.00	100.0	Н	0.00	-10
1411.50	46.36		74.00	27.64	500.00	200.0	V	112.00	-10
1527.50		34.75	54.00	19.25	500.00	100.0	Н	0.00	-10
1684.00	46.33		74.00	27.67	500.00	100.0	н	0.00	-10
1892.00	47.72		74.00	26.28	500.00	100.0	Н	1.00	-9
2074.50		35.82	54.00	18.18	500.00	100.0	Н	4.00	-9
2383.50	48.58		74.00	25.42	500.00	100.0	Н	4.00	-8
2386.50		37.51	54.00	16.49	500.00	100.0	Н	3.00	-8
2510.50	51.27		74.00	22.73	500.00	100.0	Н	6.00	-7
2988.50		38.85	54.00	15.15	500.00	100.0	Н	2.00	-6






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75	41.85		74.00	32.15	500.00	200.0	н	32.00	-14
4023.75		29.49	54.00	24.51	500.00	200.0	V	90.00	-13
5043.75	43.63		74.00	30.37	500.00	100.0	Н	2.00	-10
5186.25		31.65	54.00	22.35	500.00	200.0	н	307.00	-10
7267.50	47.57		74.00	26.43	500.00	200.0	V	17.00	-4
7338.75		36.19	54.00	17.81	500.00	100.0	V	166.00	-4
9566.25	50.72		74.00	23.28	500.00	100.0	н	156.00	-2
9896.25		38.88	54.00	15.12	500.00	200.0	н	52.00	-1
10938.75	52.88		74.00	21.12	500.00	100.0	V	219.00	0
11317.50		40.68	54.00	13.32	500.00	200.0	V	43.00	1
14576.25	53.43		74.00	20.57	500.00	200.0	V	142.00	2
14606.25		41.18	54.00	12.82	500.00	100.0	V	198.00	2


RF Test Report

Report No.: R2407A0993-R2

802.11g CH11



Frequency (MHz) MaxPeak Limit Margin Meas. Height Pol Azimuth Average Corr. (dBµV/m) (dBµV/m) (dBµV/m) (dB) Time (cm) (deg) (dB/m) (ms) 1011.50 45.58 74.00 28.42 500.00 100.0 н 107.00 -12 33.16 1194.50 54.00 20.84 500.00 200.0 н 119.00 -12 1317.50 46.19 74.00 27.81 500.00 200.0 ٧ 288.00 -11 500.00 33.93 54.00 ٧ 1407.00 20.07 200.0 4.00 -10 ۷ 46.42 27.58 1678.50 74.00 500.00 100.0 345.00 -10 1729.50 34.08 54.00 19.92 500.00 200.0 ۷ 0.00 -10 V V 1989.50 35.23 54.00 18.77 500.00 200.0 100.00 -9 2037.00 47.27 74.00 500.00 200.0 26.73 100.00 -9 ----2386.00 47.52 74.00 26.48 500.00 200.0 Н 0.00 -8 2387.50 36.34 54.00 17.66 500.00 100.0 ٧ 0.00 -8 2498.50 50.54 74.00 23.46 Н -7 500.00 100.0 35.00 38.51 500.00 ۷ 2505.00 54.00 15.49 100.0 170.00 -7




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75		29.61	54.00	24.39	500.00	200.0	v	102.00	-14
3960.00	41.97		74.00	32.03	500.00	200.0	v	82.00	-14
5017.50		31.62	54.00	22.38	500.00	100.0	Н	187.00	-10
5017.50	43.64		74.00	30.36	500.00	100.0	V	352.00	-10
7335.00	47.22		74.00	26.78	500.00	200.0	Н	0.00	-4
7338.75	<u>21</u> 20	35.81	54.00	18.19	500.00	100.0	н	13.00	-4
9900.00		38.85	54.00	15.15	500.00	200.0	н	349.00	-1
9997.50	53.10		74.00	20.90	500.00	100.0	V	259.00	-1
11336.25	52.50		74.00	21.50	500.00	100.0	V	211.00	1
11347.50		40.63	54.00	13.37	500.00	200.0	Н	58.00	1
13946.25	53.68		74.00	20.32	500.00	200.0	V	15.00	3
13961.25		41.73	54.00	12.27	500.00	200.0	V	5.00	3


🛟 eurofins

RF Test Report

802.11n (HT20) CH1



Frequency (MHz) MaxPeak Limit Margin Meas. Height Pol Azimuth Average Corr. (dBµV/m) (dBµV/m) (dBµV/m) (dB) Time (cm) (deg) (dB/m) (ms) 1096.00 46.18 74.00 27.82 500.00 200.0 Н 343.00 -12 33.16 1160.00 54.00 20.84 500.00 100.0 ۷ 251.00 -12 ---1428.00 33.87 54.00 20.13 500.00 200.0 ٧ 136.00 -10 28.00 500.00 1428.50 46.00 74.00 214.00 200.0 н -10 27.12 1728.50 46.88 74.00 500.00 100.0 Н 88.00 -10 1730.50 34.05 54.00 19.95 500.00 200.0 н 292.00 -10 1922.50 47.18 74.00 26.82 500.00 100.0 HV 8.00 -9 2077.00 35.53 54.00 18.47 500.00 200.0 5.00 -9 65.72 2388.50 74.00 8.28 500.00 200.0 Н 238.00 -8 2388.50 50.61 54.00 500.00 200.0 н 238.00 -8 3.39 50.00 74.00 500.00 Н -7 2756.50 24.00 100.0 166.00 37.73 500.00 ۷ 2972.50 54.00 16.27 200.0 87.00 -6




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3813.75	<u></u>	29.53	54.00	24.47	500.00	200.0	н	301.00	-14
4031.25	41.50		74.00	32.50	500.00	200.0	Н	358.00	-13
5017.50	43.29		74.00	30.71	500.00	100.0	н	14.00	-10
5193.75		31.63	54.00	22.37	500.00	100.0	Н	0.00	-9
7275.00	48.36		74.00	25.64	500.00	200.0	н	174.00	-4
7346.25		35.96	54.00	18.04	500.00	100.0	н	112.00	-4
9888.75	50.31		74.00	23.69	500.00	200.0	V	142.00	-1
9896.25		38.76	54.00	15.24	500.00	200.0	н	294.00	-1
11088.75	52.87		74.00	21.13	500.00	200.0	Н	340.00	1
11118.75		40.71	54.00	13.29	500.00	200.0	н	294.00	1
14043.75	53.45	10000	74.00	20.55	500.00	200.0	н	127.00	3
14092.50		41.63	54.00	12.37	500.00	200.0	н	274.00	3

🛟 eurofins


RF Test Report

802.11n (HT20) CH2



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1008.00	<u></u> -	32.75	54.00	21.25	500.00	200.0	н	295.00	-12
1064.50	44.97		74.00	29.03	500.00	100.0	V	248.00	-12
1272.50		32.24	54.00	21.76	500.00	200.0	н	355.00	-11
1286.50	44.81		74.00	29.19	500.00	100.0	V	314.00	-11
1456.00	44.11		74.00	29.89	500.00	200.0	V	3.00	-10
1529.00	<u></u> 1	31.73	54.00	22.27	500.00	100.0	V	255.00	-10
1808.50	43.58		74.00	30.42	500.00	100.0	н	102.00	-10
1973.00		31.04	54.00	22.96	500.00	100.0	н	5.00	-9
2176.00		30.73	54.00	23.27	500.00	200.0	Н	0.00	-8
2178.00	41.27		74.00	32.73	500.00	200.0	Н	348.00	-8
2603.00	43.65	1	74.00	30.35	500.00	100.0	н	197.00	-7
2633.00		32.56	54.00	21.44	500.00	100.0	н	131.00	-7


RF Test Report



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3682.50	41.65		74.00	32.35	500.00	200.0	V	162.00	-15
4042.50		29.49	54.00	24.51	500.00	100.0	Н	125.00	-13
5190.00		31.64	54.00	22.36	500.00	200.0	V	282.00	-10
5400.00	43.81		74.00	30.19	500.00	100.0	Н	65.00	-10
7233.75	47.81		74.00	26.19	500.00	100.0	V	310.00	-4
7267.50		36.07	54.00	17.93	500.00	100.0	н	208.00	-4
9652.50	50.50		74.00	23.50	500.00	100.0	Н	5.00	-2
9892.50		39.02	54.00	14.98	500.00	100.0	Н	119.00	-1
10717.50	52.73	10000	74.00	21.27	500.00	100.0	V	242.00	0
11122.50		40.61	54.00	13.39	500.00	200.0	V	10.00	1
13935.00	54.22		74.00	19.78	500.00	200.0	н	299.00	3
13953.75		41.77	54.00	12.23	500.00	200.0	V	25.00	3


RF Test Report

802.11n (HT20) CH6



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1009.00	<u></u>	32.82	54.00	21.18	500.00	200.0	V	0.00	-12
1041.00	45.38		74.00	28.62	500.00	100.0	н	5.00	-12
1283.00	45.76		74.00	28.24	500.00	100.0	V	125.00	-11
1352.50		32.42	54.00	21.58	500.00	100.0	н	28.00	-11
1450.50		31.84	54.00	22.16	500.00	200.0	Н	224.00	-10
1498.50	44.98	1	74.00	29.02	500.00	200.0	V	114.00	-10
1997.50	43.42		74.00	30.58	500.00	100.0	н	76.00	-9
2062.00		30.97	54.00	23.03	500.00	200.0	V	54.00	-9
2269.50	42.84		74.00	31.16	500.00	200.0	V	225.00	-8
2277.00		31.43	54.00	22.57	500.00	200.0	Н	236.00	-8
2961.00	47.70		74.00	26.30	500.00	200.0	V	126.00	-6
2965.50		35.24	54.00	18.76	500.00	100.0	н	88.00	-6






Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
0704.05		00.54	54.00	01.10	(ms)	000.0		004.00	
3731.25		29.54	54.00	24.46	500.00	200.0	Н	324.00	-14
3731.25	41.59		74.00	32.41	500.00	200.0	V	58.00	-14
5193.75		31.62	54.00	22.38	500.00	200.0	V	0.00	-9
5223.75	43.68		74.00	30.32	500.00	100.0	V	254.00	-10
7282.50	47.65		74.00	26.35	500.00	100.0	н	4.00	-4
7335.00		35.82	54.00	18.18	500.00	200.0	V	65.00	-4
9360.00		38.98	54.00	15.03	500.00	100.0	V	254.00	-2
9390.00	50.95		74.00	23.05	500.00	100.0	V	202.00	-2
10938.75	53.59		74.00	20.41	500.00	100.0	V	235.00	0
11085.00		40.96	54.00	13.04	500.00	100.0	V	329.00	1
13961.25		41.73	54.00	12.27	500.00	100.0	V	34.00	3
14141.25	53.93		74.00	20.07	500.00	200.0	н	283.00	3


eurofins

RF Test Report

802.11n (HT20) CH11



Frequency (MHz) MaxPeak Limit Margin Meas. Height Pol Azimuth Average Corr. (dBµV/m) (dBµV/m) (dBµV/m) (dB) Time (cm) (deg) (dB/m) (ms) 33.08 1008.00 54.00 20.92 500.00 200.0 ۷ 24.00 -12 45.21 1193.00 74.00 28.79 500.00 100.0 ۷ 356.00 -12 ----1269.50 44.56 74.00 29.44 500.00 100.0 н 37.00 -11 500.00 1356.00 32.32 54.00 21.68 349.00 200.0 Н -11 22.17 ۷ 1445.50 31.83 54.00 500.00 100.0 0.00 -10 1452.50 44.58 74.00 29.42 500.00 100.0 н 253.00 -10 37.00 308.00 H 1901.50 43.91 74.00 30.09 500.00 100.0 -9 ----31.04 54.00 22.96 500.00 100.0 1995.50 -9 2237.50 43.30 74.00 30.70 500.00 100.0 Н 8.00 -8 30.87 54.00 23.13 500.00 200.0 Н 150.00 -8 2242.50 ----2974.00 ۷ 247.00 35.33 54.00 18.67 500.00 100.0 -6 ----۷ 47.35 500.00 2976.00 74.00 26.65 100.0 128.00 -6




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3825.00	42.00		74.00	32.00	500.00	100.0	Н	60.00	-14
4023.75	10-10 10-10	29.52	54.00	24.48	500.00	200.0	v	4.00	-13
5021.25		31.70	54.00	22.30	500.00	100.0	V	229.00	-10
5193.75	43.37		74.00	30.63	500.00	100.0	V	341.00	-9
7248.75	48.22		74.00	25.78	500.00	200.0	Н	125.00	-4
7335.00		35.89	54.00	18.11	500.00	200.0	Н	276.00	-4
9881.25	51.17		74.00	22.83	500.00	100.0	V	0.00	-1
9903.75		38.85	54.00	15.15	500.00	100.0	V	358.00	-1
11302.50	52.38		74.00	21.62	500.00	200.0	Н	314.00	1
11306.25		40.77	54.00	13.23	500.00	100.0	Н	154.00	1
13927.50	<u></u>	41.67	54.00	12.33	500.00	200.0	н	0.00	3
14583.75	53.71		74.00	20.29	500.00	200.0	v	113.00	2



RF Test Report

802.11n (HT40) CH3



Frequency		Average		Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB/m)
1006.00	44.72	10000	74.00	29.28	500.00	100.0	н	43.00	-12
1009.50		32.84	54.00	21.16	500.00	100.0	V	0.00	-12
1222.00	44.73		74.00	29.27	500.00	100.0	V	192.00	-11
1296.50		32.28	54.00	21.72	500.00	200.0	н	302.00	-11
1460.50		31.82	54.00	22.18	500.00	100.0	V	288.00	-10
1465.00	44.31	1	74.00	29.69	500.00	100.0	н	207.00	-10
1879.00		31.05	54.00	22.95	500.00	100.0	Н	10.00	-9
1980.50	43.66		74.00	30.34	500.00	200.0	н	290.00	-9
2225.00	42.54		74.00	31.46	500.00	100.0	Н	0.00	-8
2738.50	45.25		74.00	28.75	500.00	200.0	Н	0.00	-7
2743.00		33.13	54.00	20.87	500.00	200.0	н	358.00	-7
2988.00		35.09	54.00	18.91	500.00	100.0	V	349.00	-6