FCC ID: 2A4EPWT-05

EUT


Dilvoo
Smart Dual Water Timer
Model: WT-05
Working Temperature:5-40℃(41-104℉)
Working Pressure:0.1-0.8MPa(14.5-116PSI)
Power Supply:4xAA Alkaline Batteries
Inlet/Outlet Thread: NH3/4"
MADE IN CHINA
SN:DVVT0520232000146

Dilvoo
Smart Dual Water Timer
Model: WT-05
Working Temperature:5-40℃(41-104℉)
Working Pressure:0.1-0.8MPa(14.5-116PSI)
Power Supply:4xAA Alkaline Batteries
Inlet/Outlet Thread: NH3/4"
www.dilvoo.com
SN:DVVT0520232000146

Dilivoo
Super Dual Water Timer
Model: WT-0Dual Value A01 F-137F
Working Pressure: 7.25 psi(1bar)
Power Supply: 6AA Alkaline Batteries
Inlet/Outlet Thread: M1 3/4"
FC W C E C O 双
Made in China
SHDYW1 0620223200014B


Dilivoo
Super Dual Water Timer
Model: WT-0Dual Value A01 F-137F
Working Pressure: 7.25 psi(1bar)
Power Supply: 6AA Alkaline Batteries
Inlet/Outlet Thread: M1 3/4"
FC W C E C O 双
Made in China
SHDYW1 0620223200014B