


|           |                             |
|-----------|-----------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a_Ant.1 |
|-----------|-----------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 40.950                | 26.500                        |
| 116     | 5580            | 39.590                | 26.900                        |
| 140     | 5700            | 46.599                | 32.100                        |
| 144     | 5720            | 41.870                | 30.700                        |

CH100




Date: 5 JUN 2024 19:28:27

CH116  
26 dB Bandwidth




Date: 5 JUN 2024 19:31:24

CH140




Date: 5 JUN 2024 19:41:08


99 % Occupied Bandwidth



Date: 5 JUN 2024 19:28:12




Date: 5 JUN 2024 19:30:59




Date: 5 JUN 2024 19:40:52

26 dB Bandwidth



Date: 6 JUN 2024 14:57:17

99 % Occupied Bandwidth




Date: 6 JUN 2024 14:56:58

|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20)_Ant.1 |
|-----------|--------------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 43.000                | 27.800                        |
| 116     | 5580            | 40.350                | 21.400                        |
| 140     | 5700            | 43.787                | 28.400                        |
| 144     | 5720            | 41.8700               | 23.900                        |

CH100




Date: 5 JUN 2024 21:31:18

CH116  
26 dB Bandwidth




Date: 5 JUN 2024 21:41:31

CH140




Date: 5 JUN 2024 21:46:22


99 % Occupied Bandwidth



Date: 5 JUN 2024 21:31:00




Date: 5 JUN 2024 21:41:15



Date: 5 JUN 2024 21:46:06


CH144

26 dB Bandwidth



Date: 6 JUN 2024 15:09:14

99 % Occupied Bandwidth




Date: 6 JUN 2024 15:08:59


|           |                                      |
|-----------|--------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40)_Ant.1 |
|-----------|--------------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 51.790                | 58.800                        |
| 110     | 5550            | 54.190                | 37.200                        |
| 134     | 5670            | 43.988                | 42.200                        |
| 142     | 5710            | 66.190                | 44.200                        |

CH102




Date: 5 JUN 2024 22:40:59

CH110  
26 dB Bandwidth



Date: 5 JUN 2024 22:42:45

CH134




Date: 5 JUN 2024 22:50:45


99 % Occupied Bandwidth



Date: 5 JUN 2024 22:38:45




Date: 5 JUN 2024 22:41:45



Date: 5 JUN 2024 22:43:40


CH142

26 dB Bandwidth



Date: 6 JUN 2024 15:10:57

99 % Occupied Bandwidth




Date: 6 JUN 2024 15:10:21


Test Mode UNII-2C\_ IEEE 802.11ac (VHT80)\_Ant.1

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 109.000               | 76.000                        |
| 122     | 5610            | 108.200               | 76.000                        |
| 138     | 5690            | 180.200               | 96.800                        |

CH106




Date: 5.JUN.2024 23:29:59

CH122  
26 dB Bandwidth



Date: 5.JUN.2024 23:37:45

CH138




Date: 6.JUN.2024 15:17:43


99 % Occupied Bandwidth



Date: 5.JUN.2024 23:29:26



Date: 5.JUN.2024 23:37:14




Date: 6.JUN.2024 15:16:58


Test Mode UNII-3\_ IEEE 802.11a\_Ant.1

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 15.950               | 27.700                        | 0.5                             | Complies |
| 157     | 5785            | 15.190               | 28.100                        | 0.5                             | Complies |
| 165     | 5825            | 15.200               | 25.300                        | 0.5                             | Complies |

CH149




Date: 5.JUN.2024 19:44:26

CH157  
6 dB Bandwidth



Date: 5.JUN.2024 20:30:22

CH165




Date: 5.JUN.2024 20:59:57


99 % Occupied Bandwidth



Date: 5.JUN.2024 19:46:33



Date: 5.JUN.2024 20:58:03




Date: 5.JUN.2024 20:59:24


|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT20)_Ant.1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.650               | 26.000                        | 0.5                             | Complies |
| 157     | 5785            | 17.000               | 26.400                        | 0.5                             | Complies |
| 165     | 5825            | 15.188               | 29.200                        | 0.5                             | Complies |

CH149




Date: 5.JUN.2024 21:48:23

CH157  
6 dB Bandwidth



Date: 5.JUN.2024 21:58:22

CH165




Date: 5.JUN.2024 22:01:11


99 % Occupied Bandwidth



Date: 5.JUN.2024 21:49:28



Date: 5.JUN.2024 21:59:35




Date: 5.JUN.2024 22:00:39


|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT40)_Ant.1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 32.500               | 67.200                        | 0.5                             | Complies |
| 159     | 5795            | 35.300               | 72.600                        | 0.5                             | Complies |



CH151



CH159  
6 dB Bandwidth




99 % Occupied Bandwidth



|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-3 IEEE 802.11ac (VHT80)_Ant.1 |
|-----------|------------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 73.000               | 106.800                       | 0.5                             | Complies |

## CH155 6 dB Bandwidth



Date: 5 JUN 2024 23:39:39

## 99 % Occupied Bandwidth



Date: 5 JUN 2024 23:39:01

## **APPENDIX E    OUTPUT POWER**

### Non Beamforming

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11a Mode _Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 18.04              | 0.32        | 18.36                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 19.91              | 0.32        | 20.23                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 19.98              | 0.32        | 20.30                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11a Mode _Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 18.11              | 0.32        | 18.43                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 20.18              | 0.32        | 20.50                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 19.75              | 0.32        | 20.07                            | 30.00            | 1.0000         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11a Mode _Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 21.41              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 23.38              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 23.20              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 19.85              | 0.36        | 20.21                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 19.88              | 0.36        | 20.24                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 18.28              | 0.36        | 18.64                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 20.13              | 0.36        | 20.49                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 19.96              | 0.36        | 20.32                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.79              | 0.36        | 18.15                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT20) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 23.36              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 23.29              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 21.41              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 20.05              | 0.39        | 20.44                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 20.09              | 0.39        | 20.48                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 20.58              | 0.39        | 20.97                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 20.44              | 0.39        | 20.83                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT40) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.73              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.67              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 17.93              | 0.51        | 18.44                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 18.66              | 0.51        | 19.17                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 21.83              | 30.00            | 1.0000         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a Mode _Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 19.87              | 0.32        | 20.19                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.77              | 0.32        | 20.09                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 17.87              | 0.32        | 18.19                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a Mode _Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 19.72              | 0.32        | 20.04                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.78              | 0.32        | 20.10                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.16              | 0.32        | 18.48                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a Mode _Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 23.13              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 23.11              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 21.35              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 18.20              | 0.36        | 18.56                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.54              | 0.36        | 19.90                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.72              | 0.36        | 20.08                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 17.82              | 0.36        | 18.18                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 20.01              | 0.36        | 20.37                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 20.22              | 0.36        | 20.58                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 21.38              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 23.15              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 23.34              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 20.02              | 0.39        | 20.41                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 19.97              | 0.39        | 20.36                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 20.53              | 0.39        | 20.92                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 20.61              | 0.39        | 21.00                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 23.69              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 23.71              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 19.98              | 0.51        | 20.49                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 20.24              | 0.51        | 20.75                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 23.63              | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a Mode _Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 18.24              | 0.32        | 18.56                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.63              | 0.32        | 17.95                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 20.26              | 0.32        | 20.58                            | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 20.14              | 0.32        | 20.46                            | 23.98            | 0.2500         | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a Mode _Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 19.03              | 0.32        | 19.35                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.51              | 0.32        | 18.83                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 20.88              | 0.32        | 21.20                            | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 20.79              | 0.32        | 21.11                            | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a Mode _Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 21.99              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 21.43              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 23.92              | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 23.81              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 19.88              | 0.36        | 20.24                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.83              | 0.36        | 18.19                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.59              | 0.36        | 18.95                            | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 16.08              | 0.36        | 16.44                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 20.87              | 0.36        | 21.23                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.96              | 0.36        | 19.32                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 19.61              | 0.36        | 19.97                            | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 17.56              | 0.36        | 17.92                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 23.77              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 21.80              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 22.50              | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 20.25              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 20.06              | 0.39        | 20.45                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.11              | 0.39        | 13.50                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.23              | 0.39        | 15.62                            | 23.98            | 0.2500         | Complies |
| 142     | 5710            | 15.12              | 0.39        | 15.51                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 20.88              | 0.39        | 21.27                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.12              | 0.39        | 14.51                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.98              | 0.39        | 17.37                            | 23.98            | 0.2500         | Complies |
| 142     | 5710            | 16.84              | 0.39        | 17.23                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 23.89              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.05              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 19.60              | 23.98            | 0.2500         | Complies |
| 142     | 5710            | 19.47              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 20.07              | 0.51        | 20.58                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 20.12              | 0.51        | 20.63                            | 23.98            | 0.2500         | Complies |
| 138     | 5690            | 19.95              | 0.51        | 20.46                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 20.61              | 0.51        | 21.12                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 20.76              | 0.51        | 21.27                            | 23.98            | 0.2500         | Complies |
| 138     | 5690            | 20.52              | 0.51        | 21.03                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 23.87              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 23.97              | 23.98            | 0.2500         | Complies |
| 138     | 5690            | 23.77              | 23.98            | 0.2500         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_ IEEE 802.11a Mode _Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.17              | 0.32        | 20.49                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.14              | 0.32        | 20.46                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 17.92              | 0.32        | 18.24                            | 30.00            | 1.0000         | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3_ IEEE 802.11a Mode _Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.93              | 0.32        | 21.25                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.87              | 0.32        | 21.19                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 18.34              | 0.32        | 18.66                            | 30.00            | 1.0000         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_ IEEE 802.11a Mode _Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 23.90              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.86              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 21.47              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.13              | 0.36        | 20.49                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.15              | 0.36        | 20.51                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 15.75              | 0.36        | 16.11                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.98              | 0.36        | 21.34                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 20.69              | 0.36        | 21.05                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.27              | 0.36        | 16.63                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 23.94              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.80              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 19.39              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 18.10              | 0.39        | 18.49                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.12              | 0.39        | 20.51                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 18.19              | 0.39        | 18.58                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.79              | 0.39        | 21.18                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 21.55              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.87              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 18.08              | 0.51        | 18.59                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 18.37              | 0.51        | 18.88                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 21.75              | 30.00            | 1.0000         | Complies |

### Beamforming

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 19.28              | 0.36        | 19.64                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 19.20              | 0.36        | 19.56                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.68              | 0.36        | 18.04                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 19.51              | 0.36        | 19.87                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 19.27              | 0.36        | 19.63                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 17.12              | 0.36        | 17.48                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 22.76              | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 22.60              | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 20.78              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 19.42              | 0.39        | 19.81                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 19.36              | 0.39        | 19.75                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 19.94              | 0.39        | 20.33                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 19.93              | 0.39        | 20.32                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT40) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 23.09              | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 23.06              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 17.32              | 0.51        | 17.83                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 17.88              | 0.51        | 18.39                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 21.13              | 30.00            | 1.0000         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 17.61              | 0.36        | 17.97                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.97              | 0.36        | 19.33                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.17              | 0.36        | 19.53                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 17.08              | 0.36        | 17.44                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 19.43              | 0.36        | 19.79                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 19.43              | 0.36        | 19.79                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 20.72              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 22.57              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 22.67              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 19.22              | 0.39        | 19.61                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 19.30              | 0.39        | 19.69                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 20.04              | 0.39        | 20.43                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 19.86              | 0.39        | 20.25                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 23.05              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 22.99              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 19.46              | 0.51        | 19.97                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 19.69              | 0.51        | 20.20                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 23.10              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 19.15              | 0.36        | 19.51                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.29              | 0.36        | 17.65                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.79              | 0.36        | 18.15                            | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 15.39              | 0.36        | 15.75                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 20.19              | 0.36        | 20.55                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.44              | 0.36        | 18.80                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 19.05              | 0.36        | 19.41                            | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 16.90              | 0.36        | 17.26                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 23.07              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 21.27              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 21.83              | 23.98            | 0.2500         | Complies |
| 144     | 5720            | 19.58              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 19.43              | 0.39        | 19.82                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 12.42              | 0.39        | 12.81                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.61              | 0.39        | 15.00                            | 23.98            | 0.2500         | Complies |
| 142     | 5710            | 14.39              | 0.39        | 14.78                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 20.17              | 0.39        | 20.56                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.44              | 0.39        | 13.83                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.41              | 0.39        | 16.80                            | 23.98            | 0.2500         | Complies |
| 142     | 5710            | 16.18              | 0.39        | 16.57                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_IIEEE 802.11ac (VHT40) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 23.22              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.36              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 19.01              | 23.98            | 0.2500         | Complies |
| 142     | 5710            | 18.78              | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 19.31              | 0.51        | 19.82                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 19.62              | 0.51        | 20.13                            | 23.98            | 0.2500         | Complies |
| 138     | 5690            | 19.59              | 0.51        | 20.10                            | 23.98            | 0.2500         | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 20.02              | 0.51        | 20.53                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 20.23              | 0.51        | 20.74                            | 23.98            | 0.2500         | Complies |
| 138     | 5690            | 20.27              | 0.51        | 20.78                            | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 23.20              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 23.46              | 23.98            | 0.2500         | Complies |
| 138     | 5690            | 23.47              | 23.98            | 0.2500         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 19.35              | 0.36        | 19.71                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 19.62              | 0.36        | 19.98                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 15.14              | 0.36        | 15.50                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 20.47              | 0.36        | 20.83                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 19.98              | 0.36        | 20.34                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 15.77              | 0.36        | 16.13                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT20) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 23.31              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 23.17              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 18.83              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 17.56              | 0.39        | 17.95                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 19.40              | 0.39        | 19.79                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 17.61              | 0.39        | 18.00                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 20.19              | 0.39        | 20.58                            | 30.00            | 1.0000         | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT40) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 20.99              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 23.22              | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 17.38              | 0.51        | 17.89                            | 30.00            | 1.0000         | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 17.63              | 0.51        | 18.14                            | 30.00            | 1.0000         | Complies |


|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 21.03              | 30.00            | 1.0000         | Complies |

## **APPENDIX F    POWER SPECTRAL DENSITY**


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11a Mode _Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.59                             | 0.32        | 5.91                                           | 16.99                | Complies |
| 40      | 5200            | 7.15                             | 0.32        | 7.47                                           | 16.99                | Complies |
| 48      | 5240            | 6.91                             | 0.32        | 7.23                                           | 16.99                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11a Mode _Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 6.61                             | 0.32        | 6.93                                           | 16.99                | Complies |
| 40      | 5200            | 7.11                             | 0.32        | 7.43                                           | 16.99                | Complies |
| 48      | 5240            | 7.01                             | 0.32        | 7.33                                           | 16.99                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_ IEEE 802.11a Mode _Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 9.47                             | 16.99                | Complies |
| 40      | 5200            | 10.47                            | 16.99                | Complies |
| 48      | 5240            | 10.30                            | 16.99                | Complies |


|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 6.10                             | 0.36        | 6.46                                           | 16.99                | Complies |
| 40      | 5200            | 5.97                             | 0.36        | 6.33                                           | 16.99                | Complies |
| 48      | 5240            | 5.23                             | 0.36        | 5.59                                           | 16.99                | Complies |



|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.04                             | 0.36        | 7.40                                           | 16.99                | Complies |
| 40      | 5200            | 6.13                             | 0.36        | 6.49                                           | 16.99                | Complies |
| 48      | 5240            | 5.19                             | 0.36        | 5.55                                           | 16.99                | Complies |




|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 9.96                             | 16.99                | Complies |
| 40      | 5200            | 9.42                             | 16.99                | Complies |
| 48      | 5240            | 8.58                             | 16.99                | Complies |


|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.44                             | 0.39        | 4.83                                           | 16.99                | Complies |
| 46      | 5230            | 5.63                             | 0.39        | 6.02                                           | 16.99                | Complies |



|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.21                             | 0.39        | 5.60                                           | 16.99                | Complies |
| 46      | 5230            | 6.05                             | 0.39        | 6.44                                           | 16.99                | Complies |




|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_ IEEE 802.11ac (VHT40) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 8.25                             | 16.99                | Complies |
| 46      | 5230            | 9.25                             | 16.99                | Complies |


|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 0.35                             | 0.51        | 0.86                                           | 16.99                | Complies |



|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 0.31                             | 0.51        | 0.82                                           | 16.99                | Complies |




|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-1_IIEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 3.85                             | 16.99                | Complies |


|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a Mode _Ant. 1 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 7.28                             | 0.32        | 7.60                                           | 10.99                | Complies |
| 60      | 5300            | 6.24                             | 0.32        | 6.56                                           | 10.99                | Complies |
| 64      | 5320            | 5.60                             | 0.32        | 5.92                                           | 10.99                | Complies |



|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a Mode _Ant. 2 |
|-----------|------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 5.07                             | 0.32        | 5.39                                           | 10.99                | Complies |
| 60      | 5300            | 6.58                             | 0.32        | 6.90                                           | 10.99                | Complies |
| 64      | 5320            | 5.67                             | 0.32        | 5.99                                           | 10.99                | Complies |




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11a Mode _Total |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 9.65                             | 10.99                | Complies |
| 60      | 5300            | 9.75                             | 10.99                | Complies |
| 64      | 5320            | 8.97                             | 10.99                | Complies |

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-2A_IEEE 802.11ac (VHT20) Mode_Ant. 1 |
|-----------|-------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 6.04                             | 0.36        | 6.40                                           | 10.99                | Complies |
| 60      | 5300            | 6.96                             | 0.36        | 7.32                                           | 10.99                | Complies |
| 64      | 5320            | 5.68                             | 0.36        | 6.04                                           | 10.99                | Complies |



Date: 5.JUN.2024 21:15:50




Date: 5.JUN.2024 21:17:56




Date: 5.JUN.2024 21:20:35

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 6.20                             | 0.36        | 6.56                                           | 10.99                | Complies |
| 60      | 5300            | 5.76                             | 0.36        | 6.12                                           | 10.99                | Complies |
| 64      | 5320            | 5.90                             | 0.36        | 6.26                                           | 10.99                | Complies |



Date: 6.JUN.2024 00:11:26



Date: 6.JUN.2024 00:12:05




Date: 6.JUN.2024 00:12:49

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-2A IEEE 802.11ac (VHT20) Mode_Total |
|-----------|------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 9.49                             | 10.99                | Complies |
| 60      | 5300            | 9.77                             | 10.99                | Complies |
| 64      | 5320            | 9.16                             | 10.99                | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 3.62                             | 0.39        | 4.01                                           | 10.99                | Complies |
| 62      | 5310            | 5.82                             | 0.39        | 6.21                                           | 10.99                | Complies |




Date: 5 JUN 2024 22:32:13




Date: 5 JUN 2024 22:36:28

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 3.70                             | 0.39        | 4.09                                           | 10.99                | Complies |
| 62      | 5310            | 5.75                             | 0.39        | 6.14                                           | 10.99                | Complies |



Date: 6 JUN 2024 00:25:49




Date: 6 JUN 2024 00:26:37

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT40) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 7.06                             | 10.99                | Complies |
| 62      | 5310            | 9.19                             | 10.99                | Complies |


|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 1.50                             | 0.51        | 2.01                                           | 10.99                | Complies |



|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 1.53                             | 0.51        | 2.04                                           | 10.99                | Complies |




|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2A_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 5.03                             | 10.99                | Complies |

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a Mode _Ant. 1 |
|-----------|------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.49                             | 0.32        | 7.81                                           | 10.99                | Complies |
| 116     | 5580            | 7.40                             | 0.32        | 7.72                                           | 10.99                | Complies |
| 140     | 5700            | 7.40                             | 0.32        | 7.72                                           | 10.99                | Complies |
| 144     | 5720            | 6.77                             | 0.32        | 7.09                                           | 10.99                | Complies |

CH100




Date: 5 JUN 2024 19:28:42

CH116




Date: 5 JUN 2024 19:36:10

CH140



Date: 5 JUN 2024 19:41:24

CH140




Date: 6 JUN 2024 15:53:27

|           |                                    |
|-----------|------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a Mode _Ant. 2 |
|-----------|------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.23                             | 0.32        | 7.55                                           | 10.99                | Complies |
| 116     | 5580            | 7.32                             | 0.32        | 7.64                                           | 10.99                | Complies |
| 140     | 5700            | 6.98                             | 0.32        | 7.30                                           | 10.99                | Complies |
| 144     | 5720            | 8.38                             | 0.32        | 8.70                                           | 10.99                | Complies |

CH100




Date: 5 JUN 2024 23:57:10

CH116




Date: 5 JUN 2024 23:58:37

CH140



Date: 5 JUN 2024 23:59:37

CH144



Date: 6 JUN 2024 15:52:31


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11a Mode _Total |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 10.70                            | 10.99                | Complies |
| 116     | 5580            | 10.70                            | 10.99                | Complies |
| 140     | 5700            | 10.53                            | 10.99                | Complies |
| 144     | 5720            | 10.98                            | 10.99                | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.09                             | 0.36        | 7.45                                           | 10.99                | Complies |
| 116     | 5580            | 7.32                             | 0.36        | 7.68                                           | 10.99                | Complies |
| 140     | 5700            | 6.53                             | 0.36        | 6.89                                           | 10.99                | Complies |
| 144     | 5720            | 5.39                             | 0.36        | 5.75                                           | 10.99                | Complies |

CH100




Date: 5 JUN 2024 21:31:34

CH116




Date: 5 JUN 2024 21:41:46

CH140



Date: 5 JUN 2024 21:46:37

CH144




Date: 6 JUN 2024 15:09:30

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 7.20                             | 0.36        | 7.56                                           | 10.99                | Complies |
| 116     | 5580            | 7.42                             | 0.36        | 7.78                                           | 10.99                | Complies |
| 140     | 5700            | 6.22                             | 0.36        | 6.58                                           | 10.99                | Complies |
| 144     | 5720            | 4.98                             | 0.36        | 5.34                                           | 10.99                | Complies |

CH100




Date: 6 JUN 2024 00:13:46

CH116




Date: 6 JUN 2024 00:14:46

CH140



Date: 6 JUN 2024 00:18:24

CH144



Date: 6 JUN 2024 15:24:50


|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT20) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 10.51                            | 10.99                | Complies |
| 116     | 5580            | 10.74                            | 10.99                | Complies |
| 140     | 5700            | 9.75                             | 10.99                | Complies |
| 144     | 5720            | 8.56                             | 10.99                | Complies |

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 5.70                             | 0.39        | 6.09                                           | 10.99                | Complies |
| 110     | 5550            | 1.49                             | 0.39        | 1.88                                           | 10.99                | Complies |
| 134     | 5670            | 1.20                             | 0.39        | 1.59                                           | 10.99                | Complies |
| 142     | 5710            | 1.54                             | 0.39        | 1.93                                           | 10.99                | Complies |

CH102




Date: 5 JUN 2024 22:39:33

CH110




Date: 5 JUN 2024 22:43:07

CH134



Date: 5 JUN 2024 22:44:22

CH142




Date: 6 JUN 2024 15:11:19

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 4.52                             | 0.39        | 4.91                                           | 10.99                | Complies |
| 110     | 5550            | 0.58                             | 0.39        | 0.97                                           | 10.99                | Complies |
| 134     | 5670            | 2.66                             | 0.39        | 3.05                                           | 10.99                | Complies |
| 142     | 5710            | 1.94                             | 0.39        | 2.33                                           | 10.99                | Complies |

CH102




Date: 6 JUN 2024 00:27:29

CH110




Date: 6 JUN 2024 00:28:52

CH134



Date: 6 JUN 2024 00:29:48

CH142




Date: 6 JUN 2024 15:26:13

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT40) Mode _Total |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 8.55                             | 10.99                | Complies |
| 110     | 5550            | 4.46                             | 10.99                | Complies |
| 134     | 5670            | 5.39                             | 10.99                | Complies |
| 142     | 5710            | 5.14                             | 10.99                | Complies |


|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 1.40                             | 0.51        | 1.91                                           | 10.99                | Complies |
| 122     | 5610            | 0.24                             | 0.51        | 0.75                                           | 10.99                | Complies |
| 138     | 5690            | 0.77                             | 0.51        | 1.28                                           | 10.99                | Complies |



|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 0.71                             | 0.51        | 1.22                                           | 10.99                | Complies |
| 122     | 5610            | 1.41                             | 0.51        | 1.92                                           | 10.99                | Complies |
| 138     | 5690            | 2.78                             | 0.51        | 3.29                                           | 10.99                | Complies |




|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-2C_ IEEE 802.11ac (VHT80) Mode _Total |
|-----------|--------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 4.59                             | 10.99                | Complies |
| 122     | 5610            | 4.38                             | 10.99                | Complies |
| 138     | 5690            | 5.41                             | 10.99                | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3 _IEEE 802.11a Mode _Ant. 1 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 5.95                                 | 0.32        | 6.27                                               | 29.99                    | Complies |
| 157     | 5785            | 4.38                                 | 0.32        | 4.70                                               | 29.99                    | Complies |
| 165     | 5825            | 2.32                                 | 0.32        | 2.64                                               | 29.99                    | Complies |



Date: 5 JUN 2024 19:44:41




Date: 5 JUN 2024 20:30:38




Date: 5 JUN 2024 21:00:12

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-3 _IEEE 802.11a Mode _Ant. 2 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 5.18                                 | 0.32        | 5.50                                               | 29.99                    | Complies |
| 157     | 5785            | 4.97                                 | 0.32        | 5.29                                               | 29.99                    | Complies |
| 165     | 5825            | 3.63                                 | 0.32        | 3.95                                               | 29.99                    | Complies |



Date: 6 JUN 2024 00:00:19



Date: 6 JUN 2024 00:03:13



Date: 6 JUN 2024 00:04:48


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_IEEE 802.11a Mode _Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 8.92                                 | 29.99                    | Complies |
| 157     | 5785            | 8.02                                 | 29.99                    | Complies |
| 165     | 5825            | 6.36                                 | 29.99                    | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT20) Mode _Ant. 1 |
|-----------|--------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 4.16                                 | 0.36        | 4.52                                               | 29.99                    | Complies |
| 157     | 5785            | 4.30                                 | 0.36        | 4.66                                               | 29.99                    | Complies |
| 165     | 5825            | 3.40                                 | 0.36        | 3.76                                               | 29.99                    | Complies |

CH149




Date: 5 JUN 2024 21:48:19

CH157



Date: 5 JUN 2024 21:58:37

CH165




Date: 5 JUN 2024 22:01:27

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_ IEEE 802.11ac (VHT20) Mode _Ant. 2 |
|-----------|--------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 4.16                                 | 0.36        | 4.52                                               | 29.99                    | Complies |
| 157     | 5785            | 3.87                                 | 0.36        | 4.23                                               | 29.99                    | Complies |
| 165     | 5825            | 3.42                                 | 0.36        | 3.78                                               | 29.99                    | Complies |

CH149




Date: 6 JUN 2024 00:15:19

CH157



Date: 6 JUN 2024 00:20:41

CH165




Date: 6 JUN 2024 00:21:56

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-3_IEEE 802.11ac (VHT20) Mode _Total |
|-----------|------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 7.53                                 | 29.99                    | Complies |
| 157     | 5785            | 7.46                                 | 29.99                    | Complies |
| 165     | 5825            | 6.78                                 | 29.99                    | Complies |

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT40) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.87                                 | 0.39        | 3.26                                               | 29.99                    | Complies |
| 159     | 5795            | 2.39                                 | 0.39        | 2.78                                               | 29.99                    | Complies |




Date: 5.JUN.2024 22:54:00




Date: 5.JUN.2024 22:57:25

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT40) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.82                                 | 0.39        | 3.21                                               | 29.99                    | Complies |
| 159     | 5795            | 1.98                                 | 0.39        | 2.37                                               | 29.99                    | Complies |



Date: 6.JUN.2024 00:31:03




Date: 6.JUN.2024 00:32:11

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT40) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 6.25                                 | 29.99                    | Complies |
| 159     | 5795            | 5.59                                 | 29.99                    | Complies |


|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT80) Mode _Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -3.64                                | 0.51        | -3.13                                              | 29.99                    | Complies |



|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT80) Mode _Ant. 2 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -4.55                                | 0.51        | -4.04                                              | 29.99                    | Complies |



|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-3_IIEEE 802.11ac (VHT80) Mode _Total |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | -0.55                                | 29.99                    | Complies |

End of Test Report