

Report No.: SZEM180600485001 Page: 1 of 33

Appendix B

E-UTRA BAND 17



Report No.: SZEM180600485001 Page: 2 of 33

CONTENT

1.	EFFECTIVE (ISOTROPIC) RADIATED POWER	3
	1.1. Test Result	3
2.	Peak-to-Average Ratio(CCDF)	6
	2.1. Test Result	6
	2.2. Test Plots	6
3.	Modulation Characteristics	9
	3.1. Test BAND = LTE BAND17	9
	3.1.1. Test Mode = LTE /TM1 10MHz	9
	3.1.1.1. Test Channel = MCH	9
	3.1.2. Test Mode = LTE /TM2 10MHz	. 10
	3.1.2.1. Test Channel = MCH	. 10
4.	26dB Bandwidth and Occupied Bandwidth	. 11
	4.1. Test Result	. 11
	4.2. Test Plots	. 11
5.		
	5.1. Test Plots	
6.	Spurious Emission at Antenna Terminal	. 25
	6.1. Test Plots	
7.	Field Strength of Spurious Radiation	. 30
	7.1. Test BAND = LTE BAND 17	. 30
	7.1.1. Test Mode =LTE/TM1 10MHz	. 30
	7.1.1.1. Test Channel = LCH	. 30
	7.1.1.2. Test Channel = MCH	
	7.1.1.3. Test Channel = HCH	. 31
8.	FREQUENCY STABILITY	
	8.1. Frequency Vs Voltage	. 32
	8.2. Frequency Vs Temperature	. 32



Report No.: SZEM180600485001 Page: 3 of 33

1. Effective (Isotropic) Radiated Power

1.1.Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
BAND17	5MHz	QPSK	23755	1RB#0	22.81	19.66	34.77	PASS
BAND17	5MHz	QPSK	23755	1RB#12	22.82	19.67	34.77	PASS
BAND17	5MHz	QPSK	23755	1RB#24	23.28	20.13	34.77	PASS
BAND17	5MHz	QPSK	23755	12RB#0	21.81	18.66	34.77	PASS
BAND17	5MHz	QPSK	23755	12RB#6	21.91	18.76	34.77	PASS
BAND17	5MHz	QPSK	23755	12RB#13	22.17	19.02	34.77	PASS
BAND17	5MHz	QPSK	23755	25RB#0	21.90	18.75	34.77	PASS
BAND17	5MHz	QPSK	23790	1RB#0	22.88	19.73	34.77	PASS
BAND17	5MHz	QPSK	23790	1RB#12	22.93	19.78	34.77	PASS
BAND17	5MHz	QPSK	23790	1RB#24	23.05	19.90	34.77	PASS
BAND17	5MHz	QPSK	23790	12RB#0	21.79	18.64	34.77	PASS
BAND17	5MHz	QPSK	23790	12RB#6	21.87	18.72	34.77	PASS
BAND17	5MHz	QPSK	23790	12RB#13	22.12	18.97	34.77	PASS
BAND17	5MHz	QPSK	23790	25RB#0	21.90	18.75	34.77	PASS
BAND17	5MHz	QPSK	23825	23825 1RB#0 22.94 19.79		34.77	PASS	
BAND17	5MHz	QPSK	23825	1RB#12	22.56	19.41	34.77	PASS
BAND17	5MHz	QPSK	23825	1RB#24	22.47	19.32	34.77	PASS
BAND17	5MHz	QPSK	23825	12RB#0	22.09	18.94	34.77	PASS
BAND17	5MHz	QPSK	23825	12RB#6	21.77	18.62	34.77	PASS
BAND17	5MHz	QPSK	23825	12RB#13	21.77	18.62	34.77	PASS
BAND17	5MHz	QPSK	23825	25RB#0	21.95	18.80	34.77	PASS
BAND17	5MHz	16QAM	23755	1RB#0	21.96	18.81	34.77	PASS
BAND17	5MHz	16QAM	23755	1RB#12	21.91	18.76	34.77	PASS
BAND17	5MHz	16QAM	23755	1RB#24	21.94	18.79	34.77	PASS
BAND17	5MHz	16QAM	23755	12RB#0	20.75	17.60	34.77	PASS
BAND17	5MHz	16QAM	23755	12RB#6	20.79	17.64	34.77	PASS
BAND17	5MHz	16QAM	23755	12RB#13	20.98	17.83	34.77	PASS
BAND17	5MHz	16QAM	23755	25RB#0	20.95	17.80	34.77	PASS
BAND17	5MHz	16QAM	23790	1RB#0	21.96	18.81	34.77	PASS
BAND17	5MHz	16QAM	23790	1RB#12	21.60	18.45	34.77	PASS
BAND17	5MHz	16QAM	23790	1RB#24	21.98	18.83	34.77	PASS
BAND17	5MHz	16QAM	23790	12RB#0	20.63	17.48	34.77	PASS
BAND17	5MHz	16QAM	23790	12RB#6	20.59	17.44	34.77	PASS
BAND17	5MHz	16QAM	23790	12RB#13	20.65	17.50	34.77	PASS



Report No.: SZEM180600485001 Page: 4 of 33

	1	1	1		1	1	I	1
BAND17	5MHz	16QAM	23790	25RB#0	20.89	17.74	34.77	PASS
BAND17	5MHz	16QAM	23825	1RB#0	22.08	18.93	34.77	PASS
BAND17	5MHz	16QAM	23825	1RB#12	22.59	19.44	34.77	PASS
BAND17	5MHz	16QAM	23825	1RB#24	21.94	18.79	34.77	PASS
BAND17	5MHz	16QAM	23825	12RB#0	20.77	17.62	34.77	PASS
BAND17	5MHz	16QAM	23825	12RB#6	20.89	17.74	34.77	PASS
BAND17	5MHz	16QAM	23825	12RB#13	20.78	17.63	34.77	PASS
BAND17	5MHz	16QAM	23825	25RB#0	20.80	17.65	34.77	PASS
BAND17	10MHz	QPSK	23780	1RB#0	23.11	19.96	34.77	PASS
BAND17	10MHz	QPSK	23780	1RB#24	23.63	20.48	34.77	PASS
BAND17	10MHz	QPSK	23780	1RB#49	22.70	19.55	34.77	PASS
BAND17	10MHz	QPSK	23780	25RB#0	22.20	19.05	34.77	PASS
BAND17	10MHz	QPSK	23780	25RB#12	22.29	19.14	34.77	PASS
BAND17	10MHz	QPSK	23780	25RB#25	22.12	18.97	34.77	PASS
BAND17	10MHz	QPSK	23780	50RB#0	21.97	18.82	34.77	PASS
BAND17	10MHz	QPSK	23790	1RB#0	23.04	19.89	34.77	PASS
BAND17	10MHz	QPSK	23790	1RB#24	23.50	20.35	34.77	PASS
BAND17	10MHz	QPSK	23790	1RB#49	22.58	19.43	34.77	PASS
BAND17	10MHz	QPSK	23790	25RB#0	22.28	19.13	34.77	PASS
BAND17	10MHz	QPSK	23790	25RB#12	22.25	19.10	34.77	PASS
BAND17	10MHz	QPSK	23790	25RB#25	22.00	18.85	34.77	PASS
BAND17	10MHz	QPSK	23790	50RB#0	22.04	18.89	34.77	PASS
BAND17	10MHz	QPSK	23800	1RB#0	23.09	19.94	34.77	PASS
BAND17	10MHz	QPSK	23800	1RB#24	23.65	20.50	34.77	PASS
BAND17	10MHz	QPSK	23800	1RB#49	22.26	19.11	34.77	PASS
BAND17	10MHz	QPSK	23800	25RB#0	22.34	19.19	34.77	PASS
BAND17	10MHz	QPSK	23800	25RB#12	22.17	19.02	34.77	PASS
BAND17	10MHz	QPSK	23800	25RB#25	21.76	18.61	34.77	PASS
BAND17	10MHz	QPSK	23800	50RB#0	21.96	18.81	34.77	PASS
BAND17	10MHz	16QAM	23780	1RB#0	22.33	19.18	34.77	PASS
BAND17	10MHz	16QAM	23780	1RB#24	22.12	18.97	34.77	PASS
BAND17	10MHz	16QAM	23780	1RB#49	22.92	19.77	34.77	PASS
BAND17	10MHz	16QAM	23780	25RB#0	21.11	17.96	34.77	PASS
BAND17	10MHz	16QAM	23780	25RB#12	21.16	18.01	34.77	PASS
BAND17	10MHz	16QAM	23780	25RB#25	20.96	17.81	34.77	PASS
BAND17	10MHz	16QAM	23780	50RB#0	21.10	17.95	34.77	PASS
BAND17	10MHz	16QAM	23790	1RB#0	22.44	19.29	34.77	PASS
BAND17	10MHz	16QAM	23790	1RB#24	22.10	18.95	34.77	PASS
BAND17	10MHz	16QAM	23790	1RB#49	22.02	18.87	34.77	PASS
BAND17	10MHz	16QAM	23790	25RB#0	21.07	17.92	34.77	PASS
BAND17	10MHz	16QAM	23790	25RB#12	21.11	17.96	34.77	PASS
				l ted overleaf,-available on request or				



Report No.: SZEM180600485001 Page: 5 of 33

BAND17	10MHz	16QAM	23790	25RB#25	20.95	17.80	34.77	PASS
BAND17	10MHz	16QAM	23790	50RB#0	21.09	17.94	34.77	PASS
BAND17	10MHz	16QAM	23800	1RB#0	22.18	19.03	34.77	PASS
BAND17	10MHz	16QAM	23800	1RB#24	22.15	19.00	34.77	PASS
BAND17	10MHz	16QAM	23800	1RB#49	21.73	18.58	34.77	PASS
BAND17	10MHz	16QAM	23800	25RB#0	21.09	17.94	34.77	PASS
BAND17	10MHz	16QAM	23800	25RB#12	21.01	17.86	34.77	PASS
BAND17	10MHz	16QAM	23800	25RB#25	21.00	17.85	34.77	PASS
BAND17	10MHz	16QAM	23800	50RB#0	20.99	17.84	34.77	PASS
		•	•		•	•	•	

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level




Report No.: SZEM180600485001 Page: 6 of 33

2. Peak-to-Average Ratio(CCDF)

2.1.Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
BAND17	10MHz	QPSK	23780	50RB#0	4.87	13	PASS
BAND17	10MHz	QPSK	23790	50RB#0	4.75	13	PASS
BAND17	10MHz	QPSK	23800	50RB#0	4.72	13	PASS
BAND17	10MHz	16QAM	23780	50RB#0	5.88	13	PASS
BAND17	10MHz	16QAM	23790	50RB#0	5.80	13	PASS
BAND17	10MHz	16QAM	23800	50RB#0	5.80	13	PASS

2.2. Test Plots






Report No.: SZEM180600485001 Page: 7 of 33






Report No.: SZEM180600485001 Page: 8 of 33





Report No.: SZEM180600485001 Page: 9 of 33

- 3. Modulation Characteristics
- 3.1.Test BAND = LTE BAND17
- 3.1.1. Test Mode = LTE /TM1 10MHz
- 3.1.1.1. Test Channel = MCH






Report No.: SZEM180600485001 Page: 10 of 33

3.1.2. Test Mode = LTE /TM2 10MHz

3.1.2.1. Test Channel = MCH






Report No.: SZEM180600485001 Page: 11 of 33

4. 26dB Bandwidth and Occupied Bandwidth

4.1.Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
BAND17	5MHz	QPSK	23755	25RB#0	4.486	4.950	PASS
BAND17	5MHz	QPSK	23790	25RB#0	4.476	4.910	PASS
BAND17	5MHz	QPSK	23825	25RB#0	4.476	4.930	PASS
BAND17	5MHz	16QAM	23755	25RB#0	4.486	4.950	PASS
BAND17	5MHz	16QAM	23790	25RB#0	4.486	4.960	PASS
BAND17	5MHz	16QAM	23825	25RB#0	4.486	4.940	PASS
BAND17	10MHz	QPSK	23780	50RB#0	8.911	9.680	PASS
BAND17	10MHz	QPSK	23790	50RB#0	8.891	9.640	PASS
BAND17	10MHz	QPSK	23800	50RB#0	8.891	9.620	PASS
BAND17	10MHz	16QAM	23780	50RB#0	8.911	9.700	PASS
BAND17	10MHz	16QAM	23790	50RB#0	8.911	9.660	PASS
BAND17	10MHz	16QAM	23800	50RB#0	8.911	9.660	PASS

4.2. Test Plots






Report No.: SZEM180600485001 Page: 12 of 33






Report No.: SZEM180600485001 Page: 13 of 33






Report No.: SZEM180600485001 Page: 14 of 33





Report No.: SZEM180600485001 Page: 15 of 33






Report No.: SZEM180600485001 Page: 16 of 33


5. Band Edge Compliance

5.1.Test Plots






Report No.: SZEM180600485001 Page: 17 of 33






Report No.: SZEM180600485001 Page: 18 of 33






Report No.: SZEM180600485001 Page: 19 of 33






Report No.: SZEM180600485001 Page: 20 of 33






Report No.: SZEM180600485001 Page: 21 of 33






Report No.: SZEM180600485001 Page: 22 of 33






Report No.: SZEM180600485001 Page: 23 of 33





Report No.: SZEM180600485001 Page: 24 of 33






Report No.: SZEM180600485001 Page: 25 of 33

6. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB. Remark2: only the worst case data displayed in this report.

6.1.Test Plots






Report No.: SZEM180600485001 Page: 26 of 33






Report No.: SZEM180600485001 Page: 27 of 33






Report No.: SZEM180600485001 Page: 28 of 33





Report No.: SZEM180600485001 Page: 29 of 33





Report No.: SZEM180600485001 Page: 30 of 33

7. Field Strength of Spurious Radiation

7.1.Test BAND = LTE BAND 17

7.1.1. Test Mode =LTE/TM1 10MHz

7.1.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.020000	-81.77	-13.00	68.77	Vertical
125.013333	-86.61	-13.00	73.61	Vertical
347.053333	-85.61	-13.00	72.61	Vertical
1409.000000	-60.34	-13.00	47.34	Vertical
2114.000000	-58.82	-13.00	45.82	Vertical
4227.525000	-62.44	-13.00	49.44	Vertical
63.460000	-78.00	-13.00	65.00	Horizontal
141.813333	-89.28	-13.00	76.28	Horizontal
269.073333	-87.45	-13.00	74.45	Horizontal
1409.000000	-60.38	-13.00	47.38	Horizontal
2114.000000	-55.09	-13.00	42.09	Horizontal
4227.525000	-59.94	-13.00	46.94	Horizontal

7.1.1.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.300000	-81.63	-13.00	68.63	Vertical
124.966667	-86.12	-13.00	73.12	Vertical
329.926667	-86.41	-13.00	73.41	Vertical
1411.000000	-58.62	-13.00	45.62	Vertical
2117.000000	-55.40	-13.00	42.40	Vertical
4233.375000	-61.51	-13.00	48.51	Vertical
62.386667	-77.66	-13.00	64.66	Horizontal
145.966667	-90.01	-13.00	77.01	Horizontal
249.986667	-87.83	-13.00	74.83	Horizontal
1411.000000	-58.18	-13.00	45.18	Horizontal



Report No.: SZEM180600485001 Page: 31 of 33

2117.000000	-53.35	-13.00	40.35	Horizontal
4233.375000	-59.51	-13.00	46.51	Horizontal

7.1.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
63.646667	-82.00	-13.00	69.00	Vertical
124.966667	-86.31	-13.00	73.31	Vertical
327.826667	-86.35	-13.00	73.35	Vertical
1413.000000	-57.83	-13.00	44.83	Vertical
2120.000000	-50.26	-13.00	37.26	Vertical
4239.225000	-60.85	-13.00	47.85	Vertical
62.386667	-77.72	-13.00	64.72	Horizontal
142.373333	-90.11	-13.00	77.11	Horizontal
267.813333	-87.35	-13.00	74.35	Horizontal
1413.000000	-56.33	-13.00	43.33	Horizontal
2120.000000	-48.99	-13.00	35.99	Horizontal
4239.225000	-59.46	-13.00	46.46	Horizontal

Remark:

1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.

2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



Report No.: SZEM180600485001 Page: 32 of 33

8. Frequency Stability

8.1. Frequency Vs Voltage

		-		١	Voltage	-		-		
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BAND17	10MHz	QPSK	23780	50RB#0	VL	NT	-0.60	-0.000846	±2.5	PASS
BAND17	10MHz	QPSK	23780	50RB#0	VN	NT	-0.60	-0.000846	±2.5	PASS
BAND17	10MHz	QPSK	23780	50RB#0	VH	NT	-1.40	-0.001975	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	VL	NT	-0.30	-0.000423	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	VN	NT	0.10	0.000141	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	VH	NT	-1.20	-0.001690	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	VL	NT	-2.00	-0.002813	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	VN	NT	-2.40	-0.003376	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	VH	NT	-3.00	-0.004219	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	VL	NT	-0.60	-0.000846	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	VN	NT	-0.60	-0.000846	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	VH	NT	-2.30	-0.003244	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	VL	NT	-0.70	-0.000986	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	VN	NT	-1.30	-0.001831	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	VH	NT	0.30	0.000423	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	VL	NT	-3.30	-0.004641	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	VN	NT	-1.60	-0.002250	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	VH	NT	-2.20	-0.003094	±2.5	PASS

8.2. Frequency Vs Temperature

				Terr	perature					
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BAND17	10MHz	QPSK	23780	50RB#0	NV	-30	-1.00	-0.001410	±2.5	PASS
BAND17	10MHz	QPSK	23780	50RB#0	NV	-20	-0.70	-0.000987	±2.5	PASS
BAND17	10MHz	QPSK	23780	50RB#0	NV	0	-0.40	-0.000564	±2.5	PASS
BAND17	10MHz	QPSK	23780	50RB#0	NV	10	-1.50	-0.002116	±2.5	PASS
BAND17	10MHz	QPSK	23780	50RB#0	NV	20	-2.10	-0.002962	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	NV	-30	-1.50	-0.002113	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	NV	-20	0.30	0.000423	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	NV	0	0.10	0.000141	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	NV	10	0.10	0.000141	±2.5	PASS
BAND17	10MHz	QPSK	23790	50RB#0	NV	20	-0.80	-0.001127	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	NV	-30	-3.30	-0.004641	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	NV	-20	-2.10	-0.002954	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	NV	0	-3.00	-0.004219	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	NV	10	-0.70	-0.000985	±2.5	PASS
BAND17	10MHz	QPSK	23800	50RB#0	NV	20	-0.80	-0.001125	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	NV	-30	-0.40	-0.000564	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	NV	-20	-1.90	-0.002680	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	NV	0	-0.20	-0.000282	±2.5	PASS



Report No.: SZEM180600485001 Page: 33 of 33

BAND17	10MHz	16QAM	23780	50RB#0	NV	10	-1.40	-0.001975	±2.5	PASS
BAND17	10MHz	16QAM	23780	50RB#0	NV	20	-0.90	-0.001269	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	NV	-30	0.20	0.000282	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	NV	-20	-1.10	-0.001549	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	NV	0	-0.90	-0.001268	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	NV	10	-0.30	-0.000423	±2.5	PASS
BAND17	10MHz	16QAM	23790	50RB#0	NV	20	0.60	0.000845	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	NV	-30	-1.90	-0.002672	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	NV	-20	-1.40	-0.001969	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	NV	0	-2.50	-0.003516	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	NV	10	-1.60	-0.002250	±2.5	PASS
BAND17	10MHz	16QAM	23800	50RB#0	NV	20	-2.80	-0.003938	±2.5	PASS

The End