



Head (Antenna #0, Slave ID=6)																																																
Mode	Service/ Modulation	Channel	Frequency (MHz)	BB Size	RB Offset	Test Position	Spacing	Measured 1g SAH (m/s²)	Average Value of Time Sweep (m/s²)																																							
									Auto-Tune	1	3	9	13	17	21	25	29	31	37	41	45	49	53	57	61	65	69	73	77	81	85	89	93	97	101	105	109	113	117	121	125	129	133	137	141			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
LTE-Ave 12	raw	zaxis	102.2	-1	0	Left/Down	0mm	0.141	0.149	0.101	0.019	0.014	0.133	0.050	0.027	0.021	0.025	0.112	0.041	0.051	0.029	0.043	0.021	0.034	0.017	0.057	0.059	0.086	0.060	0.029	0.032	0.118	0.100	0.080	0.073	0.024	0.027	0.081	0.093	0.072	0.029	0.038	0.116	0.154	0.151			
HRI-1c	raw	167axis	0.04.2	-1	0	Left/Down	0mm	0.111	0.137	0.068	0.083	0.034	0.035	0.020	0.035	0.020	0.054	0.004	0.023	0.059	0.030	0.059	0.008	0.076	0.064	0.085	0.009	0.081	0.021	0.060	0.076	0.079	0.060	0.085	0.009	0.081	0.021	0.060	0.076	0.079	0.060	0.085	0.011	0.110	0.031	0.039	0.056	0.061



Head (Antenna #1, Slave ID=6)																						
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
LTE Band 12	10M	23095	707.5	1	0	Right-Check	0mm	0.701	2.19	0.045	0.670	0.062	0.165	0.182	0.521	0.302	1.268	0.314	0.205	0.003	0.222	
LTE Band 13	10M	23230	782	1	0	Right-Check	0mm	0.512	1.11	0.040	0.932	0.132	0.101	0.691	0.113	0.176	0.983	0.365	0.327	0.382	0.137	0.534
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
LTE Band 7	20M	21100	2535	1	0	Right-Tilted	0mm	0.931	2.12	1.926	1.836	1.915	1.926	1.658	1.885	1.944	1.993	1.758	1.633	1.674	1.771	0.879
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
LTE Band 26	15M	26865	831.5	1	0	Right-Check	0mm	0.593	1.57	0.322	0.337	0.363	0.845	1.303	1.457	0.835	0.462	1.260	1.429	0.355	0.991	1.436
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
LTE Band 25	20M	26340	1905	1	0	Right-Check	0mm	0.948	1.39	0.672	1.234	0.415	0.727	0.696	0.886	1.218	0.422	0.863	1.183	0.598	0.791	1.221
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
LTE Band 41	20M	41055	2636.5	50	0	Right-Tilted	0mm	0.931	1.96	1.363	1.815	0.995	0.366	1.461	1.561	0.964	1.232	1.538	1.440	1.597	1.461	1.196
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
LTE Band 68	20M	132572	1770	1	0	Right-Check	0mm	0.958	1.51	0.559	1.027	1.319	0.779	1.054	0.995	0.338	0.630	0.997	0.822	1.285	0.649	0.656
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
FH1-n0	20M	372000	1810	50	28	Right-Check	0mm	0.995	1.91	0.975	1.378	0.593	0.972	1.626	1.850	0.656	1.016	1.759	1.727	0.890	1.477	1.608
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
FH1-n6	40M	507000	2535	108	54	Right-Tilted	0mm	0.996	2.27	2.024	1.806	2.130	1.864	1.909	2.090	1.514	1.658	1.889	1.796	1.921	1.908	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
FH1-n8	40M	349000	1745	216	0	Right-Check	0mm	0.965	2.12	1.195	1.759	1.903	1.544	1.666	1.035	1.508	1.001	1.297	1.030	1.739	1.061	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured		Average Value of Time Sweep (W/kg)												
								1	2	3	4	5	6	7	8	9	10	11				
FH1-n11	100M	518558	2592.99	1	1	Right-Tilted	0mm	1.05	2.53	2.187	2.396	2.456	2.098	2.124	2.312	1.297	2.056	2.337	2.154	2.318	1.878	





Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Measured 1g SAR (W/kg)	Auto-Tune	Average Value of Time Slope (V/kg)														
									1	2	3	4	5	6	7	8	9	10	11	12	13	14	
FR1 n66	40M	349000	1745	216	0	Right Chank	0mm	0.965	2.12	1.121	1.131	1.181	1.120	1.309	1.270	1.253	1.195	1.195	1.690	1.644	1.536	1.937	
										15	16	17	18	19	20	21	22	23	24	25	26	27	28
										1.320	1.329	1.233	1.783	1.803	1.440	1.759	1.421	1.417	1.195	1.183	1.217	1.894	1.916
										1.738	1.795	1.673	1.503	1.520	1.764	1.825	2.026	2.035	1.733	1.640	1.527	1.330	1.680
										43	44	45	46	47	48	49	50	51	52	53	54	55	56
										1.344	1.345	1.323	1.527	1.331	1.545	1.539	1.607	1.609	1.529	1.530	1.527	1.544	1.544
										1.5	16	17	18	19	20	21	22	23	24	25	26	27	28
										1.527	1.649	1.777	1.789	1.777	1.752	1.431	1.483	1.035	1.639	1.356	1.360	1.608	1.613
										73	72	73	74	75	76	77	78	79	80	81	82	83	84
										85	86	87	88	89	90	91	92	93	94	95	96	97	98
FR1 n41	100M	518598	2592.99	1	1	Right Titled	0mm	1.05	2.53	1.121	1.131	1.181	1.120	1.309	1.270	1.253	1.195	1.195	1.690	1.644	1.536	1.937	
										2.359	2.357	2.318	2.322	2.003	1.998	1.959	1.512	2.113	2.370	2.187	2.322	2.061	2.310
										15	16	17	18	19	20	21	22	23	24	25	26	27	28
										2.300	2.300	2.313	2.370	2.280	2.045	2.250	2.096	2.399	2.313	2.302	2.312	1.648	1.532
										1.725	1.445	2.434	2.446	2.456	1.925	2.399	2.317	2.339	2.122	2.009	2.013	1.999	2.056
										43	44	45	46	47	48	49	50	51	52	53	54	55	56
										2.100	2.098	2.194	2.109	2.051	2.024	2.347	2.350	2.288	2.288	2.292	2.281	2.124	2.088
										2.347	2.349	2.173	2.189	2.191	2.179	2.431	2.389	2.328	2.312	2.274	2.276	2.344	2.339
										73	72	73	74	75	76	77	78	79	80	81	82	83	84
										2.359	2.357	2.318	2.322	2.003	2.093	2.297	2.018	1.002	2.113	1.678	1.840	1.888	1.944
FR1 n41	100M	518598	2592.99	1	1	Right Titled	0mm	1.05	2.53	1.121	1.131	1.181	1.120	1.309	1.270	1.253	1.195	1.195	1.690	1.644	1.536	1.937	
										1.957	1.873	1.964	2.056	1.987	2.349	2.289	2.130	2.135	2.196	2.167	2.367	2.209	2.350
										99	100	101	102	103	104	105	106	107	108	109	110	111	112
										1.333	1.334	1.335	1.336	1.337	1.338	1.339	1.340	1.341	1.342	1.343	1.344	1.345	1.346
										3.11	3.12	3.13	3.14	3.15	3.16	3.17	3.18	3.19	3.20	3.21	3.22	3.23	3.24
										2.051	1.866	2.011	2.159	2.053	1.954	2.318	2.261	2.318	2.255	2.359	2.159	2.204	2.181
										127	128	129	130	131	132	133	134	135	136	137	138	139	140
										2.160	2.059	2.233	2.139	2.399	1.678	2.362	2.398	1.109	2.332	2.364	1.779	2.010	2.300
										73	72	73	74	75	76	77	78	79	80	81	82	83	84



Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RE Offset	Test Position	Spacing	Measured SR SAR (W/kg)	Average Value of Time Series (W/kg)																																				
									0-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80	80-85	85-90	90-95	95-100	100-105	105-110	110-115	115-120	120-125	125-130	130-135	135-140	140-145								
L5 Slave 14	NR	2000	700.0	-1	0	Left Side	5mm	0.535	0.979	0.100	0.083	0.127	0.156	0.145	0.116	0.160	0.167	0.171	0.062	0.215	0.189	0.126	0.143	0.177	0.187	0.064	0.177	0.163	0.106	0.153	0.111	0.126	0.177	0.154	0.149	0.181	0.174	0.161							
L5 Slave 15	NR	2000	700.0	-1	0	Left Side	5mm	0.538	0.979	0.100	0.083	0.127	0.156	0.145	0.116	0.160	0.167	0.171	0.062	0.215	0.189	0.126	0.143	0.177	0.187	0.064	0.177	0.163	0.106	0.153	0.111	0.126	0.177	0.154	0.149	0.181	0.174	0.161							
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RE Offset	Test Position	Spacing	Measured SR SAR (W/kg)	Average Value of Time Series (W/kg)																																				
L5 Slave 11	NR	2000	700.0	-1	0	Back	5mm	0.588	1.23	1.113	0.360	0.243	0.251	0.126	0.240	0.244	0.251	0.589	0.472	0.319	0.381	0.427	0.446	0.621	0.403	1.038	0.884	0.773	0.868	0.371	0.651	0.712	0.752	0.829	0.490	0.316	1.062	1.068	0.990	0.837	0.872	0.877	0.523	0.632	0.601
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RE Offset	Test Position	Spacing	Measured SR SAR (W/kg)	Average Value of Time Series (W/kg)																																				
L5 Slave 10	NR	2000	700.0	-1	0	Back	5mm	0.605	1.14	0.364	0.581	0.158	0.261	0.214	0.243	0.276	0.316	0.398	0.420	0.457	0.537	0.403	0.591	0.580	0.495	0.523	0.561	0.615	0.520	0.458	0.471	0.521	0.460	0.436	0.635	0.411	0.470	0.511	0.683	0.604	0.504	0.511	0.511	0.545	
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RE Offset	Test Position	Spacing	Measured SR SAR (W/kg)	Average Value of Time Series (W/kg)																																				
F51 uc	NR	40700	640.0	-1	1	Back	5mm	0.416	0.769	0.318	0.490	0.201	0.262	0.242	0.197	0.297	0.270	0.307	0.332	0.321	0.263	0.467	0.450	0.288	0.404	0.441	0.464	0.410	0.304	0.369	0.392	0.479	0.489	0.493	0.322	0.361	0.381	0.497	0.509	0.186	0.184	0.276	0.317		



Body-&gt;1.2 (Antenna #0, Slave ID=6)

Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing	Measured Tg SAR (W/kg)	Auto-Tune	Average Value of Time Sweep (W/kg)																			
										1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
LTE Band 13	10M	23230	782	1	0	Back	5mm	0.588	1.230	0.483	1.133	1.139	0.696	0.746	0.360	0.358	0.418	0.461	0.241	0.227	0.301	0.813	0.253	0.242	0.277	0.393	0.126	0.234	0.146
										0.235	0.240	0.250	0.243	0.254	0.246	0.248	0.257	0.253	0.151	0.728	0.643	0.600	0.589	0.542	0.538	0.478	0.472	0.461	0.450
										43	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
										0.438	0.384	0.460	0.426	0.206	0.381	0.406	0.411	0.424	0.427	0.435	0.438	0.442	0.446	0.362	0.482	0.563	0.621	0.541	0.488
										1.108	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	1.109	
										0.458	0.403	0.389	1.051	1.083	1.038	1.013	0.968	0.904	0.889	0.850	0.827	0.792	0.773	0.762	0.752	0.600	0.888	0.629	0.563
										81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
										0.553	0.371	0.371	0.370	0.482	0.551	0.678	0.656	0.689	0.711	0.741	0.746	0.724	0.724	0.724	0.762	0.763	0.764	0.749	0.456
										1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	1.071	
										0.472	0.469	0.507	0.517	0.538	0.536	0.654	0.542	0.485	1.061	1.109	1.101	1.083	1.066	1.058	1.024	1.011	0.988	0.987	0.981
										121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
										1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	
										143	142	143	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
										0.686	0.693	0.694	0.695	0.696	0.697	0.885	0.964	0.891	0.677	0.315	0.410	0.507	0.512	0.524	0.539	0.603	0.632	0.670	0.680
										0.686	0.693	0.694	0.695	0.696	0.697	0.885	0.964	0.891	0.677	0.315	0.410	0.507	0.512	0.524	0.539	0.603	0.632	0.670	0.680



Body (Antenna #1, Slave ID=6)																						
Mode	Service/ Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Test Position	Spacing mm	Measured 1g	Average Value of Time Sweep (W/kg)													
								SAR (W/kg)	Auto-Tune	1	12	23	34	45	56	67	78	89	100	111	122	133
LTE Band 12	10M	23095	707.5	1	0	Back	5mm	0.577	1.31	0.028	0.437	0.039	0.003	0.003	0.337	0.197	0.845	0.216	0.173	0.024	0.004	0.143
LTE Band 13	10M	23230	782	1	0	Back	5mm	0.624	1.28	0.087	1.183	0.249	0.145	1.128	0.230	0.343	1.167	0.589	0.628	0.554	0.256	0.784
LTE Band 7	20M	21100	253.5	1	0	Back	5mm	0.572	2.06	1.763	1.774	1.820	1.529	1.737	1.813	1.238	1.642	1.506	1.623	1.668	0.855	
LTE Band 28	15M	26865	831.5	1	0	Back	5mm	0.702	1.52	0.366	0.392	0.418	0.978	1.129	1.299	0.813	0.462	1.259	1.314	0.344	0.976	1.777
LTE Band 25	20M	26590	190	1	0	Back	5mm	0.927	1.84	0.923	1.680	0.510	0.944	0.748	1.166	1.620	0.696	1.135	1.544	0.752	1.024	1.610
LTE Band 41	20M	41490	2680	1	0	Back	5mm	0.956	1.93	1.343	1.738	0.768	1.283	1.623	1.513	0.898	1.230	1.485	1.383	1.500	1.388	1.123
LTE Band 68	20M	132322	1745	1	0	Back	5mm	0.959	1.96	0.585	0.930	1.849	0.834	0.999	1.052	0.406	0.700	1.053	0.882	1.499	0.750	0.687
FRI n1	40M	507000	2535	108	54	Back	5mm	1.05	2.21	1.621	1.699	1.497	1.662	1.766	1.964	1.431	1.564	1.762	1.686	1.813	1.795	
FRI n6	40M	349000	1745	108	54	Back	5mm	0.932	1.97	0.567	0.901	0.932	0.789	0.980	0.581	0.904	0.769	0.933	0.778	1.325	1.764	
FRI n1+1	100M	518598	2592.99	135	69	Back	5mm	0.924	1.91	1.604	1.777	1.792	1.423	1.524	1.673	0.907	1.443	1.452	1.561	1.627	1.297	

