


Photograph B-1 – AC Powerline Conducted Emission Configuration



Photograph B-2 – AC Powerline Conducted Emission Cable Placement



Photograph H-1 – 3115 Horn Antenna (1–18GHz)




Measurements were made at three channels throughout the band, Low Channel (2402 MHz), Mid Channel (2441 MHz), High Channel (2480 MHz). The configuration used was with a gain setting of 250/40 for the low channel, 250/44 for mid channel and 220/45 for the high channel. The modulation was set to 1000. As a worse case, the band-edge measurements were made of the low and high channels with data stream modulation.

Photograph I-2 - Bilog Antenna (30MHz – 1 GHz)



Photograph I-4 - Vertical Polarization (30MHz – 1 GHz)



A photograph of a mobile computing environment. It features a light-colored wooden table with a thick top and a lower shelf. The table is mounted on a large, white, circular rotating base with four small wheels. On the table, there is a laptop, a CRT monitor, two speakers, and a mouse. The setup is outdoors on a paved surface.

Measurements were made at three channels throughout the band, Low Channel (2402 MHz), Mid Channel (2441 MHz), High Channel (2480 MHz). The configuration used was with a gain setting of 250/40 for the low channel, 250/44 for mid channel and 220/45 for the high channel. The modulation was set to 1000. As a worse case, the band-edge measurements were made of the low and high channels with data stream modulation.