







11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5300




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825



Appendix E: Band edge measurements

Test Result B1/2/3


TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-45.00	≤ -27	PASS
		High	5320	-42.22	≤ -27	PASS
		Low	5500	-41.65	≤ -27	PASS
		High	5700	-40.69	≤ -27	PASS
11N20SISO	Ant1	Low	5180	-44.74	≤ -27	PASS
		High	5320	-41.74	≤ -27	PASS
		Low	5500	-40.74	≤ -27	PASS
		High	5700	-39.79	≤ -27	PASS

Test Result B4


TestMode	Antenna	ChName	Frequency [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-43.53	≤ -10.84	PASS
				5700~5720	-43.1	≤ 10.33	PASS
				5720~5725	-40.82	≤ 27.00	PASS
				5760~5650	-44.59	≤ -27	PASS
		High	5825	5850~5855	-40.33	≤ 18.92	PASS
				5855~5875	-39.46	≤ 10.93	PASS
				5875~5925	-42.41	≤ -0.55	PASS
				5925~5935	-43.80	≤ -27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-41.42	≤ -8.01	PASS
				5700~5720	-40.28	≤ 15.55	PASS
				5720~5725	-35.93	≤ 25.48	PASS
				5760~5650	-42.45	≤ -27	PASS
		High	5825	5850~5855	-40.22	≤ 21.15	PASS
				5855~5875	-41.57	≤ 11.25	PASS
				5875~5925	-42.60	≤ -13.73	PASS
				5925~5935	-42.75	≤ -27	PASS

Test Graphs B1/2/3

11A_Ant1_Low_5180




11A_Ant1_High_5320




11A_Ant1_Low_5500




11A_Ant1_High_5700




11N20SISO_Ant1_Low_5180




11N20SISO_Ant1_High_5320



11N20SISO_Ant1_Low_5500




11N20SISO_Ant1_High_5700




Test Graphs B4

11A_Ant1_Low_5745




11A_Ant1_High_5825



11N20SISO_Ant1_Low_5745



11N20SISO_Ant1_High_5825



Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	4795.17	-36.77	≤-27	PASS
			5360~40000	39885.1	-32.35	≤-27	PASS
		5220	30~5140	4566.76	-35.79	≤-27	PASS
			5360~40000	39184.3	-31.39	≤-27	PASS
		5240	30~5140	4302.75	-36.35	≤-27	PASS
			5360~40000	39202.7	-32.25	≤-27	PASS
		5260	30~5140	5116.58	-36.23	≤-27	PASS
			5360~40000	39623	-32.38	≤-27	PASS
		5300	30~5140	4738.11	-35.71	≤-27	PASS
			5360~40000	39672.7	-31.94	≤-27	PASS
		5320	30~5140	5055.26	-36.01	≤-27	PASS
			5360~40000	39647.3	-31.9	≤-27	PASS
		5500	30~5460	5426.61	-34.31	≤-27	PASS
			5735~40000	39764.2	-32.29	≤-27	PASS
		5580	30~5460	5356.02	-35.55	≤-27	PASS
			5735~40000	39612.2	-31.59	≤-27	PASS
		5700	30~5460	5428.24	-34.66	≤-27	PASS
			5735~40000	39804.1	-31.24	≤-27	PASS
		5745	30~5650	5377.91	-29.28	≤-27	PASS
			5925~40000	6905.8	-28.25	≤-27	PASS
		5785	30~5650	5278.25	-29.71	≤-27	PASS
			5925~40000	39270.3	-28.24	≤-27	PASS
		5825	30~5650	5486.74	-29.88	≤-27	PASS
			5925~40000	39771.1	-28.16	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	4431.52	-36.39	≤-27	PASS
			5360~40000	39509.9	-32.57	≤-27	PASS
		5220	30~5140	4993.09	-36.58	≤-27	PASS
			5360~40000	39214.3	-31.27	≤-27	PASS
		5240	30~5140	4930.24	-36.1	≤-27	PASS
			5360~40000	39767.3	-32.1	≤-27	PASS
		5260	30~5140	4748.16	-36	≤-27	PASS
			5360~40000	39205	-32.33	≤-27	PASS
		5300	30~5140	5090.86	-36.13	≤-27	PASS
			5360~40000	39648.4	-32.47	≤-27	PASS
		5320	30~5140	4707.62	-35.86	≤-27	PASS
			5360~40000	39192.3	-31.72	≤-27	PASS


		5500	30~5460	5355.11	-34.98	≤-27	PASS
			5735~40000	39793.8	-30.73	≤-27	PASS
		5580	30~5460	5386.43	-34.79	≤-27	PASS
			5735~40000	39827	-31.17	≤-27	PASS
		5700	30~5460	5283.62	-35.12	≤-27	PASS
			5735~40000	39657.9	-31.58	≤-27	PASS
		5745	30~5650	5255.58	-29.06	≤-27	PASS
			5925~40000	39812	-27.89	≤-27	PASS
		5785	30~5650	4580.46	-29.45	≤-27	PASS
			5925~40000	39790.4	-27.87	≤-27	PASS
		5825	30~5650	5104.6	-30.04	≤-27	PASS
			5925~40000	39161.2	-27.86	≤-27	PASS

Test Graphs


11A_Ant1_5180_30~5140




11A_Ant1_5180_5360~40000




11A_Ant1_5220_30~5140




11A_Ant1_5220_5360~40000




11A_Ant1_5240_30~5140




11A_Ant1_5240_5360~40000




11A_Ant1_5260_30~5140




11A_Ant1_5260_5360~40000




11A_Ant1_5300_30~5140




11A_Ant1_5300_5360~40000




11A_Ant1_5320_30~5140




11A_Ant1_5320_5360~40000




11A_Ant1_5500_30~5460




11A_Ant1_5500_5735~40000




11A_Ant1_5580_30~5460




11A_Ant1_5580_5735~40000




11A_Ant1_5700_30~5460




11A_Ant1_5700_5735~40000




11A_Ant1_5745_30~5650




11A_Ant1_5745_5925~40000




11A_Ant1_5785_30~5650




11A_Ant1_5785_5925~40000




11A_Ant1_5825_30~5650




11A_Ant1_5825_5925~40000




11N20SISO_Ant1_5180_30~5140




11N20SISO_Ant1_5180_5360~40000




11N20SISO_Ant1_5220_30~5140




11N20SISO_Ant1_5220_5360~40000




11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant1_5260_30~5140




11N20SISO_Ant1_5260_5360~40000




11N20SISO_Ant1_5300_30~5140




11N20SISO_Ant1_5300_5360~40000




11N20SISO_Ant1_5320_30~5140




11N20SISO_Ant1_5320_5360~40000




11N20SISO_Ant1_5500_30~5460




11N20SISO_Ant1_5500_5735~40000




11N20SISO_Ant1_5580_30~5460




11N20SISO_Ant1_5580_5735~40000




11N20SISO_Ant1_5700_30~5460




11N20SISO_Ant1_5700_5735~40000




11N20SISO_Ant1_5745_30~5650




11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650




11N20SISO_Ant1_5785_5925~40000



11N20SISO_Ant1_5825_30~5650



11N20SISO_Ant1_5825_5925~40000



Appendix G: Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-40000.00	-7.722008	20	PASS
		5220	NV	NT	-40000.00	-7.662835	20	PASS
			LV	NT	-40000.00	-7.662835	20	PASS
			HV	NT	-60000.00	-11.494253	20	PASS
		5240	NV	NT	-40000.00	-7.633588	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5260	NV	NT	-60000.00	-11.406844	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	-60000.00	-11.406844	20	PASS
		5300	NV	NT	-40000.00	-7.547170	20	PASS
			LV	NT	-40000.00	-7.547170	20	PASS
			HV	NT	-40000.00	-7.547170	20	PASS
		5320	NV	NT	-60000.00	-11.278195	20	PASS
			LV	NT	-60000.00	-11.278195	20	PASS
			HV	NT	-60000.00	-11.278195	20	PASS
		5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-60000.00	-10.752688	20	PASS
			HV	NT	-40000.00	-7.168459	20	PASS
		5700	NV	NT	-60000.00	-10.526316	20	PASS
			LV	NT	-60000.00	-10.526316	20	PASS
			HV	NT	-60000.00	-10.526316	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-60000.00	-10.300429	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS

11N20SI SO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-40000.00	-7.722008	20	PASS
		5220	NV	NT	-40000.00	-7.662835	20	PASS
			LV	NT	-40000.00	-7.662835	20	PASS
			HV	NT	-40000.00	-7.662835	20	PASS
		5240	NV	NT	-40000.00	-7.633588	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-40000.00	-7.604563	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
		5300	NV	NT	-40000.00	-7.547170	20	PASS
			LV	NT	-40000.00	-7.547170	20	PASS
			HV	NT	-40000.00	-7.547170	20	PASS
		5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	-40000.00	-7.518797	20	PASS
			HV	NT	-40000.00	-7.518797	20	PASS
		5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-40000.00	-7.272727	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
		5580	NV	NT	-40000.00	-7.168459	20	PASS
			LV	NT	-40000.00	-7.168459	20	PASS
			HV	NT	-40000.00	-7.168459	20	PASS
		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS

Temperature								
TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-40000.00	-7.722008	20	PASS
			NV	-10	-40000.00	-7.722008	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-60000.00	-11.583012	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	-40000.00	-7.722008	20	PASS
			NV	40	-40000.00	-7.722008	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
		5220	NV	-30	-40000.00	-7.662835	20	PASS
			NV	-20	-60000.00	-11.494253	20	PASS
			NV	-10	-60000.00	-11.494253	20	PASS
			NV	0	-40000.00	-7.662835	20	PASS
			NV	10	-40000.00	-7.662835	20	PASS
			NV	20	-40000.00	-7.662835	20	PASS
			NV	30	-40000.00	-7.662835	20	PASS
			NV	40	-60000.00	-11.494253	20	PASS
			NV	50	-40000.00	-7.662835	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-20000.00	-3.816794	20	PASS
			NV	-10	-40000.00	-7.633588	20	PASS
			NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-40000.00	-7.633588	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-40000.00	-7.633588	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	-60000.00	-11.406844	20	PASS
			NV	-20	-60000.00	-11.406844	20	PASS
			NV	-10	-60000.00	-11.406844	20	PASS
			NV	0	-60000.00	-11.406844	20	PASS
			NV	10	-60000.00	-11.406844	20	PASS
			NV	20	-60000.00	-11.406844	20	PASS
			NV	30	-40000.00	-7.604563	20	PASS
			NV	40	-60000.00	-11.406844	20	PASS
			NV	50	-40000.00	-7.604563	20	PASS
		5300	NV	-30	-40000.00	-7.547170	20	PASS
			NV	-20	-60000.00	-11.320755	20	PASS
			NV	-10	-40000.00	-7.547170	20	PASS
			NV	0	-60000.00	-11.320755	20	PASS

			NV	10	-60000.00	-11.320755	20	PASS
			NV	20	-40000.00	-7.547170	20	PASS
			NV	30	-40000.00	-7.547170	20	PASS
			NV	40	-60000.00	-11.320755	20	PASS
			NV	50	-60000.00	-11.320755	20	PASS
		5320	NV	-30	-60000.00	-11.278195	20	PASS
			NV	-20	-60000.00	-11.278195	20	PASS
			NV	-10	-60000.00	-11.278195	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
			NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-60000.00	-11.278195	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-60000.00	-11.278195	20	PASS
			NV	50	-40000.00	-7.518797	20	PASS
		5500	NV	-30	-40000.00	-7.272727	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-60000.00	-10.909091	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	40	-40000.00	-7.272727	20	PASS
			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	-60000.00	-10.752688	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-20000.00	-3.584229	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-40000.00	-7.168459	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-60000.00	-10.526316	20	PASS
			NV	-20	-60000.00	-10.526316	20	PASS
			NV	-10	-60000.00	-10.526316	20	PASS
			NV	0	-60000.00	-10.526316	20	PASS
			NV	10	-60000.00	-10.526316	20	PASS
			NV	20	-60000.00	-10.526316	20	PASS
			NV	30	-60000.00	-10.526316	20	PASS
			NV	40	-60000.00	-10.526316	20	PASS
			NV	50	-60000.00	-10.526316	20	PASS
		5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS

			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
11N20SI SO	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	-40000.00	-7.722008	20	PASS
			NV	-10	-40000.00	-7.722008	20	PASS
			NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	-40000.00	-7.722008	20	PASS
			NV	40	-40000.00	-7.722008	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
		5220	NV	-30	-40000.00	-7.662835	20	PASS
			NV	-20	-40000.00	-7.662835	20	PASS
			NV	-10	-40000.00	-7.662835	20	PASS
			NV	0	-40000.00	-7.662835	20	PASS
			NV	10	-40000.00	-7.662835	20	PASS
			NV	20	-40000.00	-7.662835	20	PASS
			NV	30	-40000.00	-7.662835	20	PASS
			NV	40	-40000.00	-7.662835	20	PASS
			NV	50	-40000.00	-7.662835	20	PASS

		5240	NV	-30	-40000.00	-7.633588	20	PASS
			NV	-20	-40000.00	-7.633588	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-40000.00	-7.633588	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	-40000.00	-7.604563	20	PASS
			NV	-20	-40000.00	-7.604563	20	PASS
			NV	-10	-40000.00	-7.604563	20	PASS
			NV	0	-40000.00	-7.604563	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-40000.00	-7.604563	20	PASS
			NV	30	-40000.00	-7.604563	20	PASS
			NV	40	-40000.00	-7.604563	20	PASS
			NV	50	-40000.00	-7.604563	20	PASS
		5300	NV	-30	-40000.00	-7.547170	20	PASS
			NV	-20	-40000.00	-7.547170	20	PASS
			NV	-10	-40000.00	-7.547170	20	PASS
			NV	0	-40000.00	-7.547170	20	PASS
			NV	10	-40000.00	-7.547170	20	PASS
			NV	20	-40000.00	-7.547170	20	PASS
			NV	30	-40000.00	-7.547170	20	PASS
			NV	40	-40000.00	-7.547170	20	PASS
			NV	50	-40000.00	-7.547170	20	PASS
		5320	NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	-40000.00	-7.518797	20	PASS
			NV	-10	-40000.00	-7.518797	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
			NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-40000.00	-7.518797	20	PASS
			NV	30	-40000.00	-7.518797	20	PASS
			NV	40	-40000.00	-7.518797	20	PASS
			NV	50	-20000.00	-3.759398	20	PASS
		5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	-40000.00	-7.272727	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS

			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-40000.00	-7.272727	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-40000.00	-7.017544	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-40000.00	-7.017544	20	PASS
			NV	0	-40000.00	-7.017544	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	-40000.00	-7.017544	20	PASS
		5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-40000.00	-6.962576	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-40000.00	-6.962576	20	PASS
		5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	-40000.00	-6.914434	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS


			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS

Appendix H: DFS Detection Thresholds

Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5500	Type0	-61.16	-61.00	PASS

Test Graphs




Appendix I: Channel Move Time and Channel Closing

Transmission Time

Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11A	5500	200+33.4	200+60	2117.2	10000	PASS

Test Graphs



Appendix J: Non-Occupancy Period

Test Result

TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
A	5500	Result	Limit	PASS

Test Graphs

