

Shenzhen Xingshenglong Technology Co., Ltd.

Antenna manufacturer address: Shajing Street Shasan Community Shajing West Ring Road 2144

West Ring Road 2144-1, Bao'an District, Shenzhen City

1. Project specification


NC	Content	Page Number
1	Project specification	1
2	Electrical performance test report	2
3	Product graph	2
4	Network analyzer graph	3
5	Efficiency and Gain test results	4
6	Radiation pattern	5

Shenzhen Xingshenglong TechnologyCo.,Ltd.

2.Electrical performance test report


Frequency	2.40GHz-2.48GHz
Impdeance	50 Ω hm
VSWR	2.0 MAX
Return Loss	-30dB Max
Radiation	Omni-directional
Gain(peak)	1.66 dBi
Polarization	Linear.Vertical
Type of antenna	PCB Antenna

3.Product graph



Shenzhen Xingshenglong Technology Co., Ltd.

4. Network analyzer graph






5. Efficiency and Gain test results

Frequency: 2.40-2.48GHz (Free)			
Freq(MHz)	Gain(dBi)	Efficiency(dB)	Efficiency(%)
2400	1.66	-2.51	56.03
2410	1.59	-2.55	55.52
2420	1.40	-2.67	54.06
2430	1.29	-2.74	53.19
2440	1.21	-2.70	53.67
2450	1.24	-2.79	52.54
2460	0.89	-3.03	49.74
2470	0.51	-3.00	50.02
2480	0.54	-2.94	50.78

6. Radiation pattern

3D Diagram 2.400GHz (Free) ---dBi



Shenzhen Xingshenglong Technology Co., Ltd.

2D Diagram 2.400GHz (Free) ---dBi

