



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: ROBOTIC POOL CLEANER

Test Model: WYB0T M1

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.943	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.944	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.996	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.274	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.285	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.292	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.309	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.299	N/A	Pass





Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.6	21	Pass
NVNT	1-DH5	2441	Ant1	-0.24	21	Pass
NVNT	1-DH5	2480	Ant1	-1.29	21	Pass
NVNT	2-DH5	2402	Ant1	1.16	21	Pass
NVNT	2-DH5	2441	Ant1	0.52	21	Pass
NVNT	2-DH5	2480	Ant1	-0.49	21	Pass
NVNT	3-DH5	2402	Ant1	0.47	21	Pass
NVNT	3-DH5	2441	Ant1	0.91	21	Pass
NVNT	3-DH5	2480	Ant1	-0.05	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.018	2403.166	1.148	0.664	Pass
NVNT	2-DH5	Ant1	2402.016	2403.032	1.016	0.859	Pass
NVNT	3-DH5	Ant1	2402.02	2403.03	1.01	0.873	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	317.081	109	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	324.576	112	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	266.524	92	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.4	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.41	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-50.34	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.34	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-48.15	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.68	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.47	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.49	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-51.55	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.28	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.11	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.82	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.55	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.78	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.95	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.54	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.53	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.34	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.4	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.6	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-52.73	4.16	-	46.69	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.67	4.16	1.1	41.85	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2368.56	-47.05	4.16	-	52.37	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2387.76	-57.47	4.16	1.1	43.05	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.89	4.16	-	49.53	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.7	4.16	1.1	41.82	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.25	4.16	-	50.17	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.52	4.16	1.1	43.00	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2487.808	-46.79	4.16	-	52.63	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2493.856	-57.18	4.16	1.1	43.34	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.02	4.16	-	50.40	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.55	4.16	1.1	42.97	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.81	4.16	-	48.61	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.75	4.16	1.12	41.79	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2353.584	-46.93	4.16	-	52.49	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2353.68	-57.71	4.16	1.12	42.83	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.21	4.16	-	50.21	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.26	4.16	1.12	42.28	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.33	4.16	-	50.09	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.8	4.16	1.12	42.74	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2499.304	-46.94	4.16	-	52.48	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.68	-57.14	4.16	1.12	43.40	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.99	4.16	-	50.43	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.68	4.16	1.12	42.86	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.31	4.16	-	49.11	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.65	4.16	1.12	41.89	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2352.144	-47.3	4.16	-	52.12	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2385.552	-57.5	4.16	1.12	43.04	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.76	4.16	-	50.66	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.27	4.16	1.12	42.27	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-47.97	4.16	-	51.45	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.18	4.16	1.12	42.36	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.944	-46.41	4.16	-	53.01	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.656	-57.01	4.16	1.12	43.53	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.71	4.16	-	49.71	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.65	4.16	1.12	42.89	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

