



# The Photos of SAR test

No. I19Z60737-SEM02

For

**Samsung Electronics Co Ltd**

**Tablet**

**Modelname: SM-T290**

**With**

**Hardware Version: Rev0.4**

**Software Version: T290XXU1ASF1**

**FCC ID: ZCASMT290**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: [cttl\\_terminals@caict.ac.cn](mailto:cttl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)




**Picture 1: Constituents of the sample**

**Test positions for body:**


The Body SAR is tested at the following 3 test positions all with the distance = 0/4/9mm between the EUT and the phantom bottom:




**Picture 2: Rear 0mm**



**Picture 3: Rear 9mm**



**Picture 4: Right 0mm**



**Picture 5: Top 0mm**



**Picture 6: Top 4mm**