

ArcField Wireless Charger

User Manual

Contents

1.0 INTRODUCTION	1
2.0 FEATURES	1
3.0 SPECIFICATIONS.....	2
4.0 PACKAGE CONTENTS	2
5.0 PRODUCT SHOW	3
6.0 OPERATION	3

ArcField Wireless Charger

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

The fashion design, the TYPE - C - PD charging input design, this product keep your digital devices. it supports the magnetic suction wireless charging output, specifically for your business travel, meetings, adventure, camping, or travel and so on.

2.0 FEATURES

- TYPE-C-PD Input: 5V/3A,9V/3A,12V/2.5A,15V/2A
- Outputs:
 - Output1: Wireless charger 5W/7.5W/10W/15W
 - Output2: Wireless charger 5W
 - Output3: Wireless charger 5W
- Total output:25W
- Input under-voltage protection
- Output over-current protection
- Compliant with CE,FCC,MFI

3.0 SPECIFICATIONS


Input	TYPE-C-PD: 5V/3A,9V/3A,12V/2.5A,15V/2A _{dc}
Output1	Wireless charger 5W
Output2	Wireless charger 10W
Output3	TYPE-C 5W output
Over Current Protection	Yes
Over Voltage Protection	Yes
Short circuit Protection	Yes
Over Temperature Protection	Yes
Ripple And Noise	≤200mV _{p-p} @9V/12V/15V
Operating Temperature Range	0~ 40°C
Storage Temperature Range	-5~45°C
Operating Humidity	20~90%RH
Storage Humidity	45~85%RH
Color	White
Size(L*W*H)	207.3*92.8*139.7
Weight	305g±10g
Efficiency	≥85%
Certification	CE,FCC,MFI
User Manual	English Version

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit×1
- User Manual×1

5.0 PRODUCT SHOW



6.0 OPERATION

Operation Procedures

- Charge the power bank
- Connected to the charger



- Charge the devices



Note:

Operation Notes

1. don't let the product close to the fire, like an oven, candles and other high temperature.
2. Don't let the noise of infiltrating liquid products, such as swimming pool, bathtub, etc.
3. Do not use corrosive detergent cleaning products.
4. Do not remove, modified products.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Refer to KDB 784748 Anner A section A.5:

(a) Max. Electric Field Emissions: 6.25V/m

Max. Magnetic Field Emissions: 0.48A/m

(b) The maintenance of the system is the responsibility of the manufacturer.

(c) To prevent interference, the product should be as far away from devices operating at the same frequency as possible.

RF exposure statement

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

Caution:

Use the Product in the environment with the temperature Between 0°C and 40°C; Otherwise, it may damage your product. Products can only be used below 2000m altitude

For the following equipment:

Product Name: ArcField Wireless Charger

Brand Name: Spigen



Model No.: PF2203

Spigen Korea Co., Ltd.

E-mail: shwoo@spigen.com

hereby declares that this [Name: ArcField Wireless Charger, Model: PF2203] is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.



The product shall only be connected to a USB interface of version USB2.0 and that the connection to a power USB is allowed.

This product is intended for sale and application in a business environment.

Adapter shall be installed near the equipment and shall be easily accessible.

Only can use adapter as below:

Power Adapter Model: PD30E-1TNC

Input: 100- 240Va.c. 50/60Hz 1.0A Max

Output: 5.0Vd.c. 3.0A, 9.0Vd.c. 3.0A, 15.0Vd.c. 2.0A, 20.0Vd.c. 1.5A Total 30.0W Max

DONGGUAN CE LINK LIMITED

The plug considered as disconnect device of adapter.

RED Article 10 2

-This product can be used across EU member states

RED Article 10 10

-The product is class 1 product, No restrictions

The RF distance between body and product is 20cm.

Frequency Range: Transmitter 1(Phone):115kHz-205kHz

Transmitter 1(Phone):360kHz

Transmitter 2(Watch):326.5kHz

Transmitter 2(Watch):1.778MHz

Transmitter 3(Earphone):115kHz-205kHz

Radiated H-Field: 19.96dBuA/m(@3m)

P/N