

Span 3.0 MHz

Function Result

TEST RESULTS (Cont): Highest Channel 26dBc Bandwidth kHz Ref Level 40.00 dBm Offset 10.50 dB • RBW 50 kHz 45 dB 🅌 **SWT** Att 1 s 🍩 **VBW** 200 kHz Mode Auto Sweep Input 1 AC PS. 1Pk View D3[1] 1.27640 MHz 30 dBm 17.87 dBm M1[1] 847.88760 MHz 20 dBm 10 dBm 0 dBm--10 dBm--20 dBm--36 dBm--40 dBm-

691 pts

Y-value 17.87 dBm

1.13 dB

Function

LTE 16QAM MODULATION. BW = 1.4 MHz

CF 848.3 MHz

Type | Ref | Trc |


X-value 847.8876 MHz

1.2764 MHz

Marker


M1 D2 M1 D3 D2

Lowest Channel 99% Occupied Bandwidth






Lowest Channel -26dBc Bandwidth kHz




Middle Channel 99% Occupied Bandwidth






Middle Channel 26dBc Bandwidth kHz




Highest Channel 99% Occupied Bandwidth






Highest Channel 26dBc Bandwidth kHz




LTE QPSK MODULATION, BW = 3 MHz

Lowest Channel 99% Occupied Bandwidth






Lowest Channel -26dBc Bandwidth kHz



Middle Channel 99% Occupied Bandwidth






Middle Channel 26dBc Bandwidth kHz




Highest Channel 99% Occupied Bandwidth






Highest Channel 26dBc Bandwidth kHz




LTE 16QAM MODULATION. BW = 3 MHz

Lowest Channel 99% Occupied Bandwidth






Lowest Channel 26dBc Bandwidth kHz




Middle Channel 99% Occupied Bandwidth





Middle Channel 26dBc Bandwidth kHz




Highest Channel 99% Occupied Bandwidth






Highest Channel 26dBc Bandwidth kHz




LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel 99% Occupied Bandwidth





Lowest Channel 26dBc Bandwidth kHz




Middle Channel 99% Occupied Bandwidth






Middle Channel 26dBc Bandwidth kHz



Highest Channel 99% Occupied Bandwidth






Highest Channel 26dBc Bandwidth kHz




LTE 16QAM MODULATION. BW = 5 MHz

Lowest Channel 99% Occupied Bandwidth






Lowest Channel 26dBc Bandwidth kHz




Middle Channel 99% Occupied Bandwidth






Middle Channel 26dBc Bandwidth kHz




Highest Channel 99% Occupied Bandwidth






Highest Channel 26dBc Bandwidth kHz



LTE QPSK MODULATION. BW = 10 MHz

Lowest Channel 99% Occupied Bandwidth





Span 20.0 MHz

TEST RESULTS (Cont): Lowest Channel 26dBc Bandwidth kHz Ref Level 40.00 dBm Offset 10.50 dB - RBW 500 kHz Att 1 s 🍩 **VBW** 2 MHz Mode Auto Sweep Input 1 AC 01Pk View D3[1] 10.5070 MHz 30 dBm-19.14 dBn M1[1] 831.8080 MHz 20 dBm 10 dBm-0 dBm D2 -10 dBm--20 d8m--30 dBm


Marker						
Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	831.808 MHz	19.14 dBm		
D2	M1	1	-8.075 MHz	-26.67 dB		
D3	D2	1	10.507 MHz	-0.24 dB		

691 pts

Middle Channel 99% Occupied Bandwidth


-40 dBm--50 dBm-

CF 829.0 MHz





Middle Channel 26dBc Bandwidth kHz




Highest Channel 99% Occupied Bandwidth






Highest Channel 26dBc Bandwidth kHz




LTE 16QAM MODULATION. BW = 10 MHz

Lowest Channel 99% Occupied Bandwidth






Lowest Channel 26dBc Bandwidth kHz




Middle Channel 99% Occupied Bandwidth







Middle Channel 26dBc Bandwidth kHz




Highest Channel 99% Occupied Bandwidth







Highest Channel 26dBc Bandwidth kHz





TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02
TEST RESULTS:	PASS

GPRS MODULATION.

Channel	Lowest	Middle	Highest
99% Occupied bandwidth (kHz)	245.00	243.33	245.00
-26 dBc bandwidth (kHz)	321.30	322.70	322.70


EDGE MODULATION.

Channel	Lowest	Middle	Highest
99% Occupied bandwidth (kHz)	246.67	245.00	245.00
-26 dBc bandwidth (kHz)	324.20	325.60	322.70




GPRS MODULATION.

Lowest Channel 99% Occupied Bandwidth




Lowest Channel 26dBc Bandwidth kHz






Middle Channel 99% Occupied Bandwidth




Middle Channel 26dBc Bandwidth kHz






Highest Channel 99% Occupied Bandwidth




Highest Channel 26dBc Bandwidth kHz






EDGE MODULATION.

Lowest Channel 99% Occupied Bandwidth




Lowest Channel 26dBc Bandwidth kHz






Middle Channel 99% Occupied Bandwidth




Middle Channel 26dBc Bandwidth kHz






Highest Channel 99% Occupied Bandwidth



Highest Channel 26dBc Bandwidth kHz





TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03
TEST RESULTS:	PASS


WCDMA MODULATION.

Channel	Lowest	Middle	Highest
99% Occupied bandwidth (MHz)	4.15	4.13	4.13
-26 dBc bandwidth (MHz)	4.71	4.70	4.70




WCDMA Modulation

Low Channel 99% Occupied Bandwidth




Low Channel 26dBc Bandwidth kHz






Middle Channel 99% Occupied Bandwidth




Middle Channel 26dBc Bandwidth kHz






High Channel 99% Occupied Bandwidth



High Channel 26dBc Bandwidth kHz





TEST A.5: SPURIOUS EMISSIONS AT ANTENNA TERMINALS			
	Product standard:	FCC Part 22 / IC RSS-132	
LIMITS:	Test standard:	FCC §2.1051 and § 22.917 / RSS-132 Clause 5.5	

LIMITS

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. P in watts.

At Po transmitting power of 2 watts (33 dBm), the specified minimum attenuation becomes 43+10log (Po). and the level in dBm relative to Po becomes:

Po (dBm) - [43 + 10 log (Po in watts)] = -13 dBm

TEST SETUP

The EUT RF output connector was connected to a spectrum analyzer and to the Universal Radio Communication Tester R&S CMW500 (selecting maximum transmission power of the EUT and different modes of modulation) using a 50-ohm attenuator and a power splitter.


The spectrum was investigated from 9 kHz to 18 GHz for LTE Band V.

The spectrum was investigated from 9 kHz to 18 GHz for 2G GPRS Band 850.

The spectrum was investigated from 9 kHz to 18 GHz for WCDMA and HSUPA Band V.

The reading of the spectrum analyzer is corrected with the attenuation loss of connection between output terminal of EUT and input of the spectrum analyzer.

For LTE mode the configuration of Resource Blocks and modulation which is the worst case for conducted power was used.





TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01
TEST RESULTS:	PASS

Frequency range 9 kHz - 18 GHz

LTE QPSK MODULATION. BW = 1.4 MHz

Lowest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Middle Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Highest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

LTE QPSK MODULATION. BW = 3 MHz

Lowest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Middle Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Highest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Middle Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Highest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

LTE QPSK MODULATION. BW = 10 MHz

Lowest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Middle Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.


Highest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.




LTE QPSK MODULATION. BW = 1.4MHz

Lowest Channel




Middle Channel






Highest Channel





LTE QPSK MODULATION. BW = 3 MHz





Middle Channel









LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel




Middle Channel






Highest Channel





LTE QPSK MODULATION. BW = 10 MHz





Middle Channel







TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02
TEST RESULTS:	PASS

Frequency range 9 kHz - 18 GHz

GPRS MODULATION.

Lowest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.


Middle Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Highest Channel


No spurious signal was found at less than 10 dB respect to the limit in the frequency range.


GPRS MODULATION.





Middle Channel





DEKRA Certification, Inc. 405 Glenn Dr. Suite 12, Sterling, VA 20164 United States of America



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03
TEST RESULTS:	PASS

Frequency range 9 kHz - 18 GHz

WCDMA MODULATION.

Lowest Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.


Middle Channel

No spurious signal was found at less than 10 dB respect to the limit in the frequency range.

Highest Channel


No spurious signal was found at less than 10 dB respect to the limit in the frequency range.


WCDMA MODULATION.





Middle Channel







TEST A.6: SPURIOUS EMISSIONS AT ANTENNA TERMINALS AT BLOCK EDGES

LIMITS:	Product standard:	FCC Part 22 / IC RSS-132
	Test standard:	FCC §2.1051 and 22.917 / RSS- Clause 5.5.

LIMITS

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. P in watts.

At Po transmitting power of 2 watts (33 dBm), the specified minimum attenuation becomes 43+10log (Po). and the level in dBm relative to Po becomes:

Po (dBm) - [43 + 10 log (Po in watts)] = -13 dBm


TEST SETUP

The EUT RF output connector was connected to a spectrum analyzer and to the Universal Radio Communication Tester R&S CMW500 (selecting maximum transmission power of the EUT and different modes of modulation) using a 50-ohm attenuator and a power splitter.

The reading of the spectrum analyzer is corrected with the attenuation loss of connection between output terminal of EUT and input of the spectrum analyzer.

For LTE mode the configuration of modulation which is the worst case for conducted power was used.

As indicated in FCC part 22, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block or band, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.





TESTED SAMPLES:		S/01			
TESTED CONDITIONS MODES:		TC#01			
TEST RESULTS:		PASS			
LTE QPSK MODULATION	RB=1 Offset =0 BW = 1.4 MHz		RB=1 Offset =0 BW = 3 MHz	RB=1. Offset =0 BW = 5 MHz	RB=1 Offset =0 BW = 10 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-31.52		-22.06	-24.26	-33.75
LTE QPSK MODULATION	RB=6 Offset =0 BW = 1.4 MHz		RB=15 Offset =0 BW = 3 MHz	RB=25 Offset =0 BW = 5 MHz	RB=50 Offset =0 BW = 10 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-27.02		-27.24	-29.21	-29.94
LTE QPSK MODULATION	RB=1 Offset =5 BW = 1.4 MHz		RB=1 Offset =14 BW = 3 MHz	RB=1 Offset =24 BW = 5 MHz	RB=1 Offset =49 BW = 10 MHz
Maximum measured level at Highest Block Edge at antenna port (dBm)	-35.53		-22.43	-26.58	-34.89
LTE QPSK MODULATION	RB=6 Offset =0		RB=15 Offset =0	RB=25 Offset =0	RB=50 Offset =0

BW = 1.4 MHz

-32.94

Maximum measured level

at Highest Block Edge at antenna port (dBm)

BW = 3 MHz

-29.52

BW = 5 MHz

-31.67


BW = 10 MHz

-32.64



LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 1.4 MHz

Lowest Channel









LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 1.4 MHz

Lowest Channel









LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 3 MHz

Lowest Channel







LTE QPSK MODULATION. RB = 15. Offset = 0. BW = 3 MHz

Lowest Channel

