










Maximum power spectral density

16QAM,1.4M
Lowest Channel16QAM,1.4M
Middle Channel16QAM,1.4M
Highest Channel

Maximum power spectral density

16QAM,10M
Lowest Channel16QAM,10M
Middle Channel16QAM,10M
Highest Channel

Maximum power spectral density

16QAM,20M
Lowest Channel16QAM,20M
Highest Channel16QAM,20M
Middle Channel

4.6 Duty Cycle:

Serial Number:	278G-1	Test Date:	2023/8/7
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jim Wei	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	28.2	Relative Humidity: (%)	41	ATM Pressure: (kPa)	99.6
----------------------	------	------------------------------	----	------------------------	------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*


Test Data:

Test only was performed at chain 0.


Modulation	Test Modes	Ton (ms)	Ton+off (ms)	Duty cycle (%)
QPSK	1.4M	100	100	100.00
	10M	100	100	100.00
	20M	100	100	100.00
16QAM	1.4M	100	100	100.00
	10M	100	100	100.00
	20M	100	100	100.00

Duty Cycle


QPSK, 1.4M



QPSK, 10M




QPSK, 20M




Duty Cycle-16QAM


16QAM,1.4M



16QAM,10M



16QAM,20M



5. EUT PHOTOGRAPHS

Please refer to the attachment CR230636130-EXP EUT EXTERNAL PHOTOGRAPHS and
CR230636130-INP EUT INTERNAL PHOTOGRAPHS

6. TEST SETUP PHOTOGRAPHS

Please refer to the attachment CR230636130-00D-TSP TEST SETUP PHOTOGRAPHS.

===== END OF REPORT =====