Model	Tank specifications	Power	LEDs	Luminous flux
CII	- 20-36cm tank	16W	60pcs	1500lm
CII RGB		20W	40pcs (RGB 3 in 1)	1580lm

Subject to technical changes.



This device requires an App to be used on your phone. Please download and install it as follows.



For Android

For iOS

Please GET IT ON Google Play and search for "My Chihiros" to install.

Please Download on the App Store and search for "My Chihiros" to install.

# **C IISeries**

LED Lighting system manual











Shanghai Ogino Biotechnology Co., Ltd. www.chihiros.cn facebook.com/chihirosaguatic Manufacturer: Shanghai Ogino Biological Technology Co., Ltd. CIXI Branch No.1999 Xisanhuan Road, Cixi City, Ningbo, Zhejiang, China E-mail: chihiros@chihiros.cn Tel: +86-574-63213987

#### SAFETY INSTRUCTIONS

- ·Never look directly into the LED-Light! It may cause danger to your eyes!
- · Always unplug the power before maintenance work or cleaning.
- · For using with AC 100-240V 50/60 Hz only.
- · For indoor use only.
- · Never use the light under the water.
- · Use the light only after the installation is completed.
- •The power plug should always be within easy reach so that power could be turned off instantly in case there should be an emergency failure after installation.
- · Never cover up the LED light and power adapter for the best cooling.
- $\cdot$  For you own safety, we recommend to form a drip loop with the connection cable to prevent any water running along the cable from intruding into the socket.
- •Do not use the product if any part of connection cable or power adapter is damaged. The damaged parts must be replaced before using again. Use only original Chihiros parts.
- •Children above the age of 8 or individuals with reduced physical, mental or sensory capacities or lack of experience or knowledge may be allowed to use the product, only provided they are supervised or have received instruction in the safe use of the product and therefore understand the risks involved. Do not allow children to play with this product. Do not allow children to clean or conduct user maintenance without supervision.
- Do not dispose of this product as normal household waste. Take it to your local refuse collection site.
- · If the LED-Modul drops into the water by accident, please unplug the power immediately! Make sure the LED-Modul is fully dried out before using again.
- · Never put the power adapter in or above of the aquarium cover.
- The water tank should be covered by a cover in case of using a CO2-Diffuser or air pumps. The LED-Modul is protected by plexiglass, nevertheless it should not be in contact with any water drops.
- $\cdot \text{The LED-Light}$  must always be at least 60mm above the water surface.
- · Never use the LED-Light in an aquarium cover.
- $\cdot \text{The LED-Light is very } \\ \text{hot during the application. Please do not touch it before the power is unplugged and fully cooled.}$

## **TECHNICAL SPECIFICATIONS**


• Power Input AC100 - 240 V 50/60 Hz

· Power Output DC36V

· LED lifetime Over 50,000hrs

#### PACKAGE CONTENTS

- · LED-light body & stand
- · Power adapter and plug
- · Pen controller



## APP CONNECTION

Please make sure that the Bluetooth® and position switch on the phone are turned on before use.



# Warnings

This device complies with Part 15 of the PCC Rules. Operation is subject to the following two conditions: (1) this device mast accept any interference received, including interference that may cause underired operation.

changes in modifications our expressly approved by the guity responsible for compliance could well the user's authority to operate the equipment.

NOTE. This equipment has been serred and found to comply with the limits for a Class B digital device, permant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a nesidential issualization. This equipment generates, uses and can radiate radio frequency energy and, if not interference to radio communications. However, there is no quantities that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is measuraged to try to connect the interference by one or more of the following measures:

- Received or relocate the receiving amends.
- Increase the separation between the equipment and receiver
- Connect the equipment into an autier on a circuit different

from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help-

NOTE: This device and its antennals) must not be co-located or operation in conjunction with any other unforms or transmitter

### RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines. This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and in attentials) must not be co-located or operation in conjunction with any other attention or transmitter.