



Report No.: SEWA2204000008RG02

Rev.: 01 Page: 84 of 98



1-N7--15-40-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-PASS-see graph

1-N7--15-40-L-3-DFT-PI2BPSK-Outer_Full-216@0-Ant1-PASS-see graph





1-N7--15-40-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-PASS-see graph

1-N7--15-40-L-6-CP-QPSK-Outer_Full-216@0-Ant1-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
中国 • 苏州 • 中国(江苏)自由贸易试验区苏州上区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWA2204000008RG02


Rev.: 01 Page: 85 of 98



1-N7--15-40-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@215-Ant1-PASS-see graph

1-N7--15-40-H-3-DFT-PI2BPSK-Outer_Full-216@0-Ant1-PASS-see graph





1-N7--15-40-H-5-CP-QPSK-Edge_1RB_Right-1@215-Ant1-PASS-see graph

1-N7--15-40-H-6-CP-QPSK-Outer_Full-216@0-Ant1-PASS-see graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telphone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Rumsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sgs

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWA2204000008RG02

Rev.: 01 Page: 86 of 98

Conducted Spurious Emission for SA

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


or email: CN_Doccheck@sgs.com Sound n/b, 6 Pixth, bo, Taunsherg Read, Subou Indashei Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路1号的6号厂房南部 郷第: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2204000008RG02

Rev.: 01 Page: 87 of 98



MultiView * Spectrum

Reflevel 10.00 den Offset 20.55 de #RBW 1 Mric Set SCL

*Att 20 de SWT 60 ms * VBW 3 Mric Mode Auto Sweep

Limit Chels

Limit Chels


PASS


M1(1) - 10 den

-10 de

1-N7--15-40-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant1--51.69--25-PASS

1-N7--15-40-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-27000-Ant1--40.48--25-PASS





1-N7--15-40-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant1--78.85--55-PASS

1-N7--15-40-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant1--74.86--45-PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telphone: (86-755) 8307 1443,



Report No.: SEWA2204000008RG02

Rev.: 01 Page: 88 of 98





1-N7--15-40-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant1--51.72--25-PASS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines stolewise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention:To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


1-N7--15-40-M-1-DFT-PI2BPSK-Inner_1RB_Left-

1@1-12000-27000-Ant1--40.42--25-PASS



Report No.: SEWA2204000008RG02


Rev.: Page: 89 of 98




٠ 150.0 kHz 13:24:22 22.04.2022

1-N7--15-40-H-1-DFT-PI2BPSK-Inner 1RB Left-1@1-0.009-0.15-Ant1--80.06--55-PASS

1-N7--15-40-H-1-DFT-PI2BPSK-Inner 1RB Left-1@1-0.15-30-Ant1--75.05--45-PASS





1-N7--15-40-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant1--58.20--35-PASS

1-N7--15-40-H-1-DFT-PI2BPSK-Inner 1RB Left-1@1-1000-3000-Ant1--39.59--25-PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing finspection report & certificate, please contact us at telphone: (86-755) 8307 1443,



Report No.: SEWA2204000008RG02

Rev.: 01 Page: 90 of 98





1@1-3000-12000-Ant1--52.32--25-PASS

1-N7--15-40-H-1-DFT-PI2BPSK-Inner 1RB Left-1@1-12000-27000-Ant1--40.00--25-PASS





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 91 of 98

Field Strength of Spurious Radiation

Test Band = SA Band 7_ TM1
Test Channel = Low Channel

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	5004.18	51.07	-107.56	-56.49	-25.00	31.49	142	210	Horizontal					
2	7506.27	49.52	-100.33	-50.81	-25.00	25.81	263	46	Horizontal					
3	10008.36	44.54	-93.87	-49.33	-25.00	24.33	281	0	Horizontal					
4	12510.45	44.67	-91.33	-46.66	-25.00	21.66	176	357	Horizontal					
5	15012.54	42.63	-90.10	-47.47	-25.00	22.47	265	70	Horizontal					
6	17514.63	39.33	-86.47	-47.14	-25.00	22.14	255	349	Horizontal					

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	5004.18	50.15	-107.56	-57.41	-25.00	32.41	142	1	Vertical					
2	7506.27	48.79	-100.33	-51.54	-25.00	26.54	263	357	Vertical					
3	10008.36	44.92	-93.87	-48.95	-25.00	23.95	284	196	Vertical					
4	12510.45	45.18	-91.33	-46.15	-25.00	21.15	176	266	Vertical					
5	15012.54	42.98	-90.10	-47.12	-25.00	22.12	294	12	Vertical					
6	17514.63	39.24	-86.47	-47.23	-25.00	22.23	177	90	Vertical					





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 92 of 98

Test Band = SA Band 7_ TM1 Test Channel = Mid Channel

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	5034.18	50.14	-107.37	-57.23	-25.00	32.23	142	127	Horizontal					
2	7551.27	49.34	-100.08	-50.74	-25.00	25.74	263	162	Horizontal					
3	10068.36	45.21	-93.60	-48.39	-25.00	23.39	284	0	Horizontal					
4	12585.45	44.09	-90.71	-46.62	-25.00	21.62	176	357	Horizontal					
5	15102.54	43.84	-90.50	-46.66	-25.00	21.66	255	302	Horizontal					
6	17619.63	40.02	-85.81	-45.79	-25.00	20.79	147	104	Horizontal					

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	5034.18	50.18	-107.37	-57.19	-25.00	32.19	142	117	Vertical					
2	7551.27	49.40	-100.08	-50.68	-25.00	25.68	263	162	Vertical					
3	10068.36	45.05	-93.60	-48.55	-25.00	23.55	251	0	Vertical					
4	12585.45	43.92	-90.71	-46.79	-25.00	21.79	144	69	Vertical					
5	15102.54	42.31	-90.50	-48.19	-25.00	23.19	175	153	Vertical					
6	17619.63	39.94	-85.81	-45.87	-25.00	20.87	265	3	Vertical					





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 93 of 98

Test Band = SA Band 7_ TM1 **Test Channel = High Channel**

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	5064.18	50.97	-107.17	-56.20	-25.00	31.20	142	182	Horizontal					
2	7596.27	50.55	-99.84	-49.29	-25.00	24.29	263	348	Horizontal					
3	10128.36	45.21	-93.35	-48.14	-25.00	23.14	284	229	Horizontal					
4	12660.45	44.07	-90.90	-46.83	-25.00	21.83	176	9	Horizontal					
5	15192.54	42.42	-88.93	-46.51	-25.00	21.51	294	9	Horizontal					
6	17724.63	40.74	-84.69	-43.95	-25.00	18.95	198	123	Horizontal					

Final	Final Data List													
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority					
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity					
1	5064.18	49.39	-107.17	-57.78	-25.00	32.78	142	304	Vertical					
2	7596.27	49.48	-99.84	-50.36	-25.00	25.36	263	102	Vertical					
3	10128.36	44.48	-93.35	-48.87	-25.00	23.87	284	233	Vertical					
4	12660.45	44.12	-90.90	-46.78	-25.00	21.78	176	0	Vertical					
5	15192.54	42.63	-88.93	-46.30	-25.00	21.30	265	357	Vertical					
6	17724.63	39.53	-84.69	-45.16	-25.00	20.16	255	163	Vertical					





Report No.: SEWA2204000008RG02

Rev.: 01 Page: 94 of 98

Test Band = DC_5A-n7A_ TM1 Test Channel = Low Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polority.
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5004.18	49.96	-	-57.60	-25.00	32.60	263	1	Horizontal
2	7506.27	48.53	-	-51.80	-25.00	26.80	241	0	Horizontal
3	10008.36	45.58	-93.87	-48.29	-25.00	23.29	175	87	Horizontal
4	12510.45	45.32	-91.33	-46.01	-25.00	21.01	263	289	Horizontal
5	15012.54	44.03	-90.10	-46.07	-25.00	21.07	284	69	Horizontal
6	17514.63	40.48	-86.47	-45.99	-25.00	20.99	144	156	Horizontal

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5004.18	51.95	-	-55.61	-25.00	30.61	142	138	Vertical				
2	7506.27	49.19	-	-51.14	-25.00	26.14	263	25	Vertical				
3	10008.36	46.00	-93.87	-47.87	-25.00	22.87	287	77	Vertical				
4	12510.45	44.18	-91.33	-47.15	-25.00	22.15	176	357	Vertical				
5	15012.54	43.29	-90.10	-46.81	-25.00	21.81	255	357	Vertical				
6	17514.63	40.93	-86.47	-45.54	-25.00	20.54	263	0	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 95 of 98

Test Band = DC_5A-n7A_ TM1 Test Channel = Mid Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polority.
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5034.18	50.22	-	-57.15	-25.00	32.15	263	131	Horizontal
2	7551.27	47.96	-	-52.12	-25.00	27.12	241	297	Horizontal
3	10068.36	45.37	-93.60	-48.23	-25.00	23.23	178	324	Horizontal
4	12585.45	44.15	-90.71	-46.56	-25.00	21.56	265	140	Horizontal
5	15102.54	42.60	-90.50	-47.90	-25.00	22.90	241	63	Horizontal
6	17619.63	40.18	-85.81	-45.63	-25.00	20.63	189	52	Horizontal

Final	Final Data List												
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolovitu				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5034.18	50.25	-	-57.12	-25.00	32.12	142	349	Vertical				
2	7551.27	48.10	-	-51.98	-25.00	26.98	263	349	Vertical				
3	10068.36	44.93	-93.60	-48.67	-25.00	23.67	284	19	Vertical				
4	12585.45	43.64	-90.71	-47.07	-25.00	22.07	176	279	Vertical				
5	15102.54	42.02	-90.50	-48.48	-25.00	23.48	251	340	Vertical				
6	17619.63	39.79	-85.81	-46.02	-25.00	21.02	144	245	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 96 of 98

Test Band = DC_5A-n7A_ TM1 Test Channel = High Channel

Final	Data List								
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	5064.18	50.11	-	-57.06	-25.00	32.06	163	323	Horizontal
2	7596.27	50.38	-99.84	-49.46	-25.00	24.46	241	298	Horizontal
3	10128.36	45.82	-93.35	-47.53	-25.00	22.53	175	1	Horizontal
4	12660.45	42.99	-90.90	-47.91	-25.00	22.91	263	349	Horizontal
5	15192.54	42.76	-88.93	-46.17	-25.00	21.17	284	272	Horizontal
6	17724.63	40.20	-84.69	-44.49	-25.00	19.49	166	289	Horizontal

Final	Final Data List												
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority				
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity				
1	5064.18	49.96	-	-57.21	-25.00	32.21	152	69	Vertical				
2	7596.27	48.96	-99.84	-50.88	-25.00	25.88	263	11	Vertical				
3	10128.36	44.67	-93.35	-48.68	-25.00	23.68	254	297	Vertical				
4	12660.45	44.18	-90.90	-46.72	-25.00	21.72	177	315	Vertical				
5	15192.54	42.51	-88.93	-46.42	-25.00	21.42	188	105	Vertical				
6	17724.63	41.43	-84.69	-43.26	-25.00	18.26	264	226	Vertical				





Report No.: SEWA2204000008RG02

Rev.: 01

Page: 97 of 98

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltag e	Temperatur e	Deviation(Hz)	Deviation (ppm)	Verdic t
N7	15	40	DFT- PI2BPSK	М	Outer_Full	VH	NT	12.700000	0.005010	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	VN	NT	5.600000	0.002209	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	VL	NT	-0.600000	-0.000237	PASS
N7	15	40	CP-QPSK	М	Outer_Full	VH	NT	3.900000	0.001538	PASS
N7	15	40	CP-QPSK	М	Outer_Full	VN	NT	6.100000	0.002406	PASS
N7	15	40	CP-QPSK	М	Outer_Full	VL	NT	4.500000	0.001775	PASS





Report No.: SEWA2204000008RG02

Rev.: 01 Page: 98 of 98

Frequency Error VS. Temperature

Voltage										
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltag e	Temperatur e	Deviation(Hz)	Deviation (ppm)	Verdic t
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	-30	17.100000	0.006746	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	-20	22.800000	0.008994	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	-10	18.700000	0.007377	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	0	19.500000	0.007692	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	10	21.500000	0.008481	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	20	32.300000	0.012742	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	30	18.600000	0.007337	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	40	21.200000	0.008363	PASS
N7	15	40	DFT- PI2BPSK	М	Outer_Full	NV	50	13.800000	0.005444	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	-30	12.300000	0.004852	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	-20	6.200000	0.002446	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	-10	12.300000	0.004852	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	0	2.000000	0.000789	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	10	9.700000	0.003826	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	20	1.900000	0.000750	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	30	7.700000	0.003037	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	40	8.900000	0.003511	PASS
N7	15	40	CP-QPSK	М	Outer_Full	NV	50	-6.400000	-0.002525	PASS

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Contact of the content of the superhead of the content of the content of the superhead of the content of the