

FCC RF EXPOSURE REPORT

FCC ID: KA2CS8301LHA1

Project No. : 2007H016

Equipment: Full HD Wi-Fi Camera

Brand Name : D-Link

Test Model : DCS-8301LH

Series Model : N/A

Applicant: D-Link Corporation

Address : 17595 Mt. Herrmann, Fountain Valley, California United State 92708

Manufacturer : SHENZHEN AONI ELECTRONIC CO., LTD
Address : No.5, Bldg., Honghui Industrial Park, 2nd Liuxian,

Xin'an, Bao'an District, Shenzhen, China

Date of Receipt : Jul. 03, 2020

Date of Test : Jul. 03, 2020~Aug. 7, 2020

Issued Date : Aug. 13, 2020

Report Version : R00

Test Sample: Engineering Sample No.: SH2020070323

Standard(s) : FCC Guidelines for Human Exposure IEEE C95.1 & FCC Part 2.1091

FCC Title 47 Part 2.1091, OET Bulletin 65 Supplement C

The above equipment has been tested and found compliance with the requirement of the relative standards by BTL Inc.

Prepared by: Krain Wu

Approved by: Rvan Wang

ACCREDITED

Certificate # 5123.03

Add: No. 29, Jintang Road, Tangzhen Industry Park, Pudong New Area, Shanghai 201210, China

TEL: +86-021-61765666 Web: www.newbtl.com



REPORT ISSUED HISTORY

Report Version	Description	Issued Date
R00	Original Issue	Aug. 13, 2020

1. MPE CALCULATION METHOD

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

For 2.4G、BT and BLE:

Ant.	Brand	Model Name	Antenna Type	Connector	Gain(dBi)	Note
1	UB	UB01C90F2D1473A	FPC	RF Cable	3.14	-



2. TEST RESULTS

For 2.4GHz:

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. tune up Power (dBm)	Max. tune up Power (mW)	Power Density (S) (mW/cm2)	Limit of Power Density (S) (mW/cm2)	Test Result
3.14	2.0606	25.50	354.8134	0.14550	1	Complies

For BT:

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. tune up Power (dBm)	Max. tune up Power Power (mW)	Power Density (S) (mW/cm²)	Limit of Power Density (S) (mW/cm²)	Test Result
3.14	2.0606	7.00	5.0119	0.00120	1	Complies

For BLE:

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. tune up Power (dBm)	Max. tune up Power Power (mW)	Power Density (S) (mW/cm²)	Limit of Power Density (S) (mW/cm²)	Test Result
3.14	2.0606	3.50	2.2387	0.00092	1	Complies

Note: The calculated distance is 20 cm.
Output power including tune up tolerance.

End of Test Report