



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 176 of 191

Hotspot:

LTE Band (EN_DC)	Exposure position	Ant0	n2	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant1												
Band 5	Hotspot	Front side	0.303	0.559	0.862	0.083	0.056	0.123	0.126	0.015	0.945	0.985	0.877	0.933	1.003
		Back side	0.259	0.623	0.882	0.120	0.058	0.150	0.153	0.019	1.002	1.032	0.901	0.959	1.054
		Left side	0.058	0.775	0.833	/	/	/	/	/	0.833	0.833	0.833	0.833	0.833
		Right side	0.169	0.042	0.211	0.076	0.077	0.317	0.191	0.010	0.287	0.528	0.221	0.298	0.412
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241
		Bottom side	0.290	/	0.290	0.010	0.010	0.052	0.054	/	0.300	0.342	0.290	0.300	0.344
Band 12	Hotspot	Front side	0.185	0.559	0.744	0.083	0.056	0.123	0.126	0.015	0.827	0.867	0.759	0.815	0.885
		Back side	0.156	0.623	0.779	0.120	0.058	0.150	0.153	0.019	0.899	0.929	0.798	0.856	0.951
		Left side	0.061	0.775	0.836	/	/	/	/	/	0.836	0.836	0.836	0.836	0.836
		Right side	0.233	0.042	0.275	0.076	0.077	0.317	0.191	0.010	0.351	0.592	0.285	0.362	0.476
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 13	Hotspot	Front side	0.244	0.559	0.803	0.083	0.056	0.123	0.126	0.015	0.886	0.926	0.818	0.874	0.944
		Back side	0.196	0.623	0.819	0.120	0.058	0.150	0.153	0.019	0.939	0.969	0.838	0.896	0.991
		Left side	0.082	0.775	0.857	/	/	/	/	/	0.857	0.857	0.857	0.857	0.857
		Right side	0.166	0.042	0.208	0.076	0.077	0.317	0.191	0.010	0.284	0.525	0.218	0.295	0.409
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241
		Bottom side	0.242	/	0.242	0.010	0.010	0.052	0.054	/	0.252	0.294	0.242	0.252	0.296
Band 14	Hotspot	Front side	0.254	0.559	0.813	0.083	0.056	0.123	0.126	0.015	0.896	0.936	0.828	0.884	0.954
		Back side	0.203	0.623	0.826	0.120	0.058	0.150	0.153	0.019	0.946	0.976	0.845	0.903	0.998
		Left side	0.084	0.775	0.859	/	/	/	/	/	0.859	0.859	0.859	0.859	0.859
		Right side	0.218	0.042	0.260	0.076	0.077	0.317	0.191	0.010	0.336	0.577	0.270	0.347	0.461
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305
Band 66	Hotspot	Front side	0.254	0.559	0.813	0.083	0.056	0.123	0.126	0.015	0.896	0.936	0.828	0.884	0.954
		Back side	0.260	0.623	0.883	0.120	0.058	0.150	0.153	0.019	1.003	1.033	0.902	0.960	1.055
		Left side	0.039	0.775	0.814	/	/	/	/	/	0.814	0.814	0.814	0.814	0.814
		Right side	0.030	0.042	0.072	0.076	0.077	0.317	0.191	0.010	0.148	0.389	0.082	0.159	0.273
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n2	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant0												
Band 5	Hotspot	Front side	0.190	0.436	0.626	0.083	0.056	0.123	0.126	0.015	0.709	0.749	0.641	0.697	0.767
		Back side	0.170	0.298	0.468	0.120	0.058	0.150	0.153	0.019	0.588	0.618	0.487	0.545	0.640
		Left side	0.319	0.029	0.348	/	/	/	/	/	0.348	0.348	0.348	0.348	0.348
		Right side	0.006	0.052	0.058	0.076	0.077	0.317	0.191	0.010	0.134	0.375	0.068	0.145	0.259
		Top side	0.014	/	0.014	0.095	/	0.118	/	0.014	0.109	0.132	0.028	0.028	0.028
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709
Band 12	Hotspot	Front side	0.315	0.436	0.751	0.083	0.056	0.123	0.126	0.015	0.834	0.874	0.766	0.822	0.892
		Back side	0.291	0.298	0.589	0.120	0.058	0.150	0.153	0.019	0.709	0.739	0.608	0.666	0.761
		Left side	0.553	0.029	0.582	/	/	/	/	/	0.582	0.582	0.582	0.582	0.582
		Right side	0.024	0.052	0.076	0.076	0.077	0.317	0.191	0.010	0.152	0.393	0.086	0.163	0.277
		Top side	0.016	/	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709
Band 13	Hotspot	Front side	0.247	0.436	0.683	0.083	0.056	0.123	0.126	0.015	0.766	0.806	0.698	0.754	0.824
		Back side	0.156	0.298	0.454	0.120	0.058	0.150	0.153	0.019	0.574	0.604	0.473	0.531	0.626
		Left side	0.254	0.029	0.283	/	/	/	/	/	0.283	0.283	0.283	0.283	0.283
		Right side	0.007	0.052	0.059	0.076	0.077	0.317	0.191	0.010	0.135	0.376	0.069	0.146	0.260
		Top side	0.005	/	0.005	0.095	/	0.118	/	0.014	0.100	0.123	0.019	0.019	0.019
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709
Band 14	Hotspot	Front side	0.218	0.436	0.654	0.083	0.056	0.123	0.126	0.015	0.737	0.777	0.669	0.725	0.795
		Back side	0.126	0.298	0.424	0.120	0.058	0.150	0.153	0.019	0.544	0.574	0.443	0.501	0.596
		Left side	0.224	0.029	0.253	/	/	/	/	/	0.253	0.253	0.253	0.253	0.253
		Right side	0.005	0.052	0.057	0.076	0.077	0.317	0.191	0.010	0.133	0.374	0.067	0.144	0.258
		Top side	0.004	/	0.004	0.095	/	0.118	/	0.014	0.099	0.122	0.018	0.018	0.018
		Bottom	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 177 of 191

		side													
Band 66	Hotspot	Front side	0.398	0.436	0.834	0.083	0.056	0.123	0.126	0.015	0.917	0.957	0.849	0.905	0.975
		Back side	0.425	0.298	0.723	0.120	0.058	0.150	0.153	0.019	0.843	0.873	0.742	0.800	0.895
		Left side	0.601	0.029	0.630	/	/	/	/	/	0.630	0.630	0.630	0.630	0.630
		Right side	0.039	0.052	0.091	0.076	0.077	0.317	0.191	0.010	0.167	0.408	0.101	0.178	0.292
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709

LTE Band (EN_DC)	Exposure position	Ant0	n5	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant1												
Band 2	Hotspot	Front side	0.446	0.270	0.716	0.083	0.056	0.123	0.126	0.015	0.799	0.839	0.731	0.787	0.857
		Back side	0.349	0.308	0.657	0.120	0.058	0.150	0.153	0.019	0.777	0.807	0.676	0.734	0.829
		Left side	0.018	0.467	0.485	/	/	/	/	/	0.485	0.485	0.485	0.485	0.485
		Right side	0.044	0.006	0.050	0.076	0.077	0.317	0.191	0.010	0.126	0.367	0.060	0.137	0.251
		Top side	/	0.019	0.019	0.095	/	0.118	/	0.014	0.114	0.137	0.033	0.033	0.033
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
		Front side	0.254	0.270	0.524	0.083	0.056	0.123	0.126	0.015	0.607	0.647	0.539	0.595	0.665
Band 66	Hotspot	Back side	0.260	0.308	0.568	0.120	0.058	0.150	0.153	0.019	0.688	0.718	0.587	0.645	0.740
		Left side	0.039	0.467	0.506	/	/	/	/	/	0.506	0.506	0.506	0.506	0.506
		Right side	0.030	0.006	0.036	0.076	0.077	0.317	0.191	0.010	0.112	0.353	0.046	0.123	0.237
		Top side	/	0.019	0.019	0.095	/	0.118	/	0.014	0.114	0.137	0.033	0.033	0.033
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n5	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant0												
Band 2	Hotspot	Front side	0.229	0.483	0.712	0.083	0.056	0.123	0.126	0.015	0.795	0.835	0.727	0.783	0.853
		Back side	0.251	0.440	0.691	0.120	0.058	0.150	0.153	0.019	0.811	0.841	0.710	0.768	0.863
		Left side	0.369	0.128	0.497	/	/	/	/	/	0.497	0.497	0.497	0.497	0.497
		Right side	0.050	0.324	0.374	0.076	0.077	0.317	0.191	0.010	0.450	0.691	0.384	0.461	0.575
		Top side	0.053	/	0.053	0.095	/	0.118	/	0.014	0.148	0.171	0.067	0.067	0.067
		Bottom side	/	0.472	0.472	0.010	0.010	0.052	0.054	/	0.482	0.524	0.472	0.482	0.526
		Front side	0.398	0.483	0.881	0.083	0.056	0.123	0.126	0.015	0.964	1.004	0.896	0.952	1.022
Band 66	Hotspot	Back side	0.425	0.440	0.865	0.120	0.058	0.150	0.153	0.019	0.985	1.015	0.884	0.942	1.037
		Left side	0.601	0.128	0.729	/	/	/	/	/	0.729	0.729	0.729	0.729	0.729
		Right side	0.039	0.324	0.363	0.076	0.077	0.317	0.191	0.010	0.439	0.680	0.373	0.450	0.564
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
		Bottom side	/	0.472	0.472	0.010	0.010	0.052	0.054	/	0.482	0.524	0.472	0.482	0.526

LTE Band (EN_DC)	Exposure position	Ant0	n25	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant1												
Band 12	Hotspot	Front side	0.185	0.367	0.552	0.083	0.056	0.123	0.126	0.015	0.635	0.675	0.567	0.623	0.693
		Back side	0.156	0.335	0.491	0.120	0.058	0.150	0.153	0.019	0.611	0.641	0.510	0.568	0.663
		Left side	0.061	0.541	0.602	/	/	/	/	/	0.602	0.602	0.602	0.602	0.602
		Right side	0.233	0.061	0.294	0.076	0.077	0.317	0.191	0.010	0.370	0.611	0.304	0.381	0.495
		Top side	/	0.290	0.290	0.095	/	0.118	/	0.014	0.385	0.408	0.304	0.304	0.304
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
		Front side	0.254	0.367	0.621	0.083	0.056	0.123	0.126	0.015	0.704	0.744	0.636	0.692	0.762
Band 66	Hotspot	Back side	0.260	0.335	0.595	0.120	0.058	0.150	0.153	0.019	0.715	0.745	0.614	0.672	0.767
		Left side	0.039	0.541	0.580	/	/	/	/	/	0.580	0.580	0.580	0.580	0.580
		Right side	0.030	0.061	0.091	0.076	0.077	0.317	0.191	0.010	0.167	0.408	0.101	0.178	0.292
		Top side	/	0.290	0.290	0.095	/	0.118	/	0.014	0.385	0.408	0.304	0.304	0.304
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co.,Ltd.
SGS-CSTC Standards Technical Services Co.,Ltd.
Shenzhen Branch Shenzhen SGS Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 178 of 191

LTE Band (EN_DC)	Exposure position	Ant1	n25	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant0			/	/	/	/					
Band 12 Hotspot	Front side	0.315	0.527	0.842	0.083	0.056	0.123	0.126	0.015	0.925	0.965	0.857	0.913	0.983
	Back side	0.291	0.322	0.613	0.120	0.058	0.150	0.153	0.019	0.733	0.763	0.632	0.690	0.785
	Left side	0.553	0.035	0.588	/	/	/	/	/	0.588	0.588	0.588	0.588	0.588
	Right side	0.024	0.066	0.090	0.076	0.077	0.317	0.191	0.010	0.166	0.407	0.100	0.177	0.291
	Top side	0.016	/	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
	Bottom side	/	0.735	0.735	0.010	0.010	0.052	0.054	/	0.745	0.787	0.735	0.745	0.789
	Front side	0.398	0.527	0.925	0.083	0.056	0.123	0.126	0.015	1.008	1.048	0.940	0.996	1.066
Band 66 Hotspot	Back side	0.425	0.322	0.747	0.120	0.058	0.150	0.153	0.019	0.867	0.897	0.766	0.824	0.919
	Left side	0.601	0.035	0.636	/	/	/	/	/	0.636	0.636	0.636	0.636	0.636
	Right side	0.039	0.066	0.105	0.076	0.077	0.317	0.191	0.010	0.181	0.422	0.115	0.192	0.306
	Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
	Bottom side	/	0.735	0.735	0.010	0.010	0.052	0.054	/	0.745	0.787	0.735	0.745	0.789

LTE Band (EN_DC)	Exposure position	Ant0	n66	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1			/	/	/	/					
Band 2 Hotspot	Front side	0.446	0.319	0.765	0.083	0.056	0.123	0.126	0.015	0.848	0.888	0.780	0.836	0.906
	Back side	0.349	0.371	0.720	0.120	0.058	0.150	0.153	0.019	0.840	0.870	0.739	0.797	0.892
	Left side	0.018	0.535	0.553	/	/	/	/	/	0.553	0.553	0.553	0.553	0.553
	Right side	0.044	0.036	0.080	0.076	0.077	0.317	0.191	0.010	0.156	0.397	0.090	0.167	0.281
	Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
	Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
	Front side	0.303	0.319	0.622	0.083	0.056	0.123	0.126	0.015	0.705	0.745	0.637	0.693	0.763
Band 5 Hotspot	Back side	0.259	0.371	0.630	0.120	0.058	0.150	0.153	0.019	0.750	0.780	0.649	0.707	0.802
	Left side	0.058	0.535	0.593	/	/	/	/	/	0.593	0.593	0.593	0.593	0.593
	Right side	0.169	0.036	0.205	0.076	0.077	0.317	0.191	0.010	0.281	0.522	0.215	0.292	0.406
	Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
	Bottom side	0.290	/	0.290	0.010	0.010	0.052	0.054	/	0.300	0.342	0.290	0.300	0.344
	Front side	0.185	0.319	0.504	0.083	0.056	0.123	0.126	0.015	0.587	0.627	0.519	0.575	0.645
	Back side	0.156	0.371	0.527	0.120	0.058	0.150	0.153	0.019	0.647	0.677	0.546	0.604	0.699
Band 12 Hotspot	Left side	0.061	0.535	0.596	/	/	/	/	/	0.596	0.596	0.596	0.596	0.596
	Right side	0.233	0.036	0.269	0.076	0.077	0.317	0.191	0.010	0.345	0.586	0.279	0.356	0.470
	Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
	Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
	Front side	0.254	0.319	0.573	0.083	0.056	0.123	0.126	0.015	0.656	0.696	0.588	0.644	0.714
	Back side	0.203	0.371	0.574	0.120	0.058	0.150	0.153	0.019	0.694	0.724	0.593	0.651	0.746
	Left side	0.084	0.535	0.619	/	/	/	/	/	0.619	0.619	0.619	0.619	0.619
Band 14 Hotspot	Right side	0.218	0.036	0.254	0.076	0.077	0.317	0.191	0.010	0.330	0.571	0.264	0.341	0.455
	Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
	Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305

LTE Band (EN_DC)	Exposure position	Ant1	n66	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant0			/	/	/	/					
Band 2 Hotspot	Front side	0.229	0.371	0.600	0.083	0.056	0.123	0.126	0.015	0.683	0.723	0.615	0.671	0.741
	Back side	0.251	0.292	0.543	0.120	0.058	0.150	0.153	0.019	0.663	0.693	0.562	0.620	0.715
	Left side	0.369	0.065	0.434	/	/	/	/	/	0.434	0.434	0.434	0.434	0.434
	Right side	0.050	0.044	0.094	0.076	0.077	0.317	0.191	0.010	0.170	0.411	0.104	0.181	0.295
	Top side	0.053	/	0.053	0.095	/	0.118	/	0.014	0.148	0.171	0.067	0.067	0.067
	Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829
	Front side	0.190	0.371	0.561	0.083	0.056	0.123	0.126	0.015	0.644	0.684	0.576	0.632	0.702
Band 5 Hotspot	Back side	0.170	0.292	0.462	0.120	0.058	0.150	0.153	0.019	0.582	0.612	0.481	0.539	0.634
	Left side	0.319	0.065	0.384	/	/	/	/	/	0.384	0.384	0.384	0.384	0.384
	Right side	0.006	0.044	0.050	0.076	0.077	0.317	0.191	0.010	0.126	0.367	0.060	0.137	0.251
	Top side	0.014	/	0.014	0.095	/	0.118	/	0.014	0.109	0.132	0.028	0.028	0.028
	Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829
	Front side	0.315	0.371	0.686	0.083	0.056	0.123	0.126	0.015	0.769	0.809	0.701	0.757	0.827

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 179 of 191

		Back side	0.291	0.292	0.583	0.120	0.058	0.150	0.153	0.019	0.703	0.733	0.602	0.660	0.755
		Left side	0.553	0.065	0.618	/	/	/	/	/	0.618	0.618	0.618	0.618	0.618
		Right side	0.024	0.044	0.068	0.076	0.077	0.317	0.191	0.010	0.144	0.385	0.078	0.155	0.269
		Top side	0.016	/	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
		Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829
Band 14	Hotspot	Front side	0.218	0.371	0.589	0.083	0.056	0.123	0.126	0.015	0.672	0.712	0.604	0.660	0.730
		Back side	0.126	0.292	0.418	0.120	0.058	0.150	0.153	0.019	0.538	0.568	0.437	0.495	0.590
		Left side	0.224	0.065	0.289	/	/	/	/	/	0.289	0.289	0.289	0.289	0.289
		Right side	0.005	0.044	0.049	0.076	0.077	0.317	0.191	0.010	0.125	0.366	0.059	0.136	0.250
		Top side	0.004	/	0.004	0.095	/	0.118	/	0.014	0.099	0.122	0.018	0.018	0.018
		Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829

LTE Band (EN_DC)	Exposure position	Ant0	n71	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant1	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7		
Band 2	Hotspot	Front side	0.446	0.250	0.696	0.083	0.056	0.123	0.126	0.015	0.779	0.819	0.711	0.767	0.837
		Back side	0.349	0.291	0.640	0.120	0.058	0.150	0.153	0.019	0.760	0.790	0.659	0.717	0.812
		Left side	0.018	0.422	0.440	/	/	/	/	/	0.440	0.440	0.440	0.440	0.440
		Right side	0.044	0.014	0.058	0.076	0.077	0.317	0.191	0.010	0.134	0.375	0.068	0.145	0.259
		Top side	/	0.011	0.011	0.095	/	0.118	/	0.014	0.106	0.129	0.025	0.025	0.025
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
		Front side	0.254	0.250	0.504	0.083	0.056	0.123	0.126	0.015	0.587	0.627	0.519	0.575	0.645
		Back side	0.260	0.291	0.551	0.120	0.058	0.150	0.153	0.019	0.671	0.701	0.570	0.628	0.723
Band 66	Hotspot	Left side	0.039	0.422	0.461	/	/	/	/	/	0.461	0.461	0.461	0.461	0.461
		Right side	0.030	0.014	0.044	0.076	0.077	0.317	0.191	0.010	0.120	0.361	0.054	0.131	0.245
		Top side	/	0.011	0.011	0.095	/	0.118	/	0.014	0.106	0.129	0.025	0.025	0.025
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n71	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant0	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7		
Band 2	Hotspot	Front side	0.229	0.146	0.375	0.083	0.056	0.123	0.126	0.015	0.458	0.498	0.390	0.446	0.516
		Back side	0.251	0.148	0.399	0.120	0.058	0.150	0.153	0.019	0.519	0.549	0.418	0.476	0.571
		Left side	0.369	0.075	0.444	/	/	/	/	/	0.444	0.444	0.444	0.444	0.444
		Right side	0.050	0.174	0.224	0.076	0.077	0.317	0.191	0.010	0.300	0.541	0.234	0.311	0.425
		Top side	0.053	/	0.053	0.095	/	0.118	/	0.014	0.148	0.171	0.067	0.067	0.067
		Bottom side	/	0.118	0.118	0.010	0.010	0.052	0.054	/	0.128	0.170	0.118	0.128	0.172
		Front side	0.398	0.146	0.544	0.083	0.056	0.123	0.126	0.015	0.627	0.667	0.559	0.615	0.685
		Back side	0.425	0.148	0.573	0.120	0.058	0.150	0.153	0.019	0.693	0.723	0.592	0.650	0.745
Band 66	Hotspot	Left side	0.601	0.075	0.676	/	/	/	/	/	0.676	0.676	0.676	0.676	0.676
		Right side	0.039	0.174	0.213	0.076	0.077	0.317	0.191	0.010	0.289	0.530	0.223	0.300	0.414
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
		Bottom side	/	0.118	0.118	0.010	0.010	0.052	0.054	/	0.128	0.170	0.118	0.128	0.172

LTE Band (EN_DC)	Exposure position	Ant0	n38	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7		
Band 5	Hotspot	Front side	0.303	0.097	0.400	0.083	0.056	0.123	0.126	0.015	0.483	0.523	0.415	0.471	0.541
		Back side	0.259	0.107	0.366	0.120	0.058	0.150	0.153	0.019	0.486	0.516	0.385	0.443	0.538
		Left side	0.058	0.005	0.063	/	/	/	/	/	0.063	0.063	0.063	0.063	0.063
		Right side	0.169	0.191	0.360	0.076	0.077	0.317	0.191	0.010	0.436	0.677	0.370	0.447	0.561
		Top side	/	0.018	0.018	0.095	/	0.118	/	0.014	0.113	0.136	0.032	0.032	0.032
		Bottom side	0.290	/	0.290	0.010	0.010	0.052	0.054	/	0.300	0.342	0.290	0.300	0.344
		Front side	0.185	0.097	0.282	0.083	0.056	0.123	0.126	0.015	0.365	0.405	0.297	0.353	0.423
		Back side	0.156	0.107	0.263	0.120	0.058	0.150	0.153	0.019	0.383	0.413	0.282	0.340	0.435
Band 12	Hotspot	Left side	0.061	0.005	0.066	/	/	/	/	/	0.066	0.066	0.066	0.066	0.066
		Right side	0.233	0.191	0.424	0.076	0.077	0.317	0.191	0.010	0.500	0.741	0.434	0.511	0.625
		Top side	/	0.018	0.018	0.095	/	0.118	/	0.014	0.113	0.136	0.032	0.032	0.032
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
		Front side	0.254	0.097	0.351	0.083	0.056	0.123	0.126	0.015	0.434	0.474	0.366	0.422	0.492
		Back side	0.260	0.107	0.367	0.120	0.058	0.150	0.153	0.019	0.487	0.517	0.386	0.444	0.539

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 180 of 191

	Left side	0.039	0.005	0.044	/	/	/	/	0.044	0.044	0.044	0.044	0.044	
	Right side	0.030	0.191	0.221	0.076	0.077	0.317	0.191	0.010	0.297	0.538	0.231	0.308	0.422
	Top side	/	0.018	0.018	0.095	/	0.118	/	0.014	0.113	0.136	0.032	0.032	0.032
	Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n38	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 5	Hotspot	Front side	0.190	0.097	0.287	0.083	0.056	0.123	0.126	0.015	0.370	0.410	0.302	0.358	0.428
		Back side	0.170	0.107	0.277	0.120	0.058	0.150	0.153	0.019	0.397	0.427	0.296	0.354	0.449
		Left side	0.319	0.005	0.324	/	/	/	/	/	0.324	0.324	0.324	0.324	0.324
		Right side	0.006	0.191	0.197	0.076	0.077	0.317	0.191	0.010	0.273	0.514	0.207	0.284	0.398
		Top side	0.014	0.018	0.032	0.095	/	0.118	/	0.014	0.127	0.150	0.046	0.046	0.046
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.097	0.412	0.083	0.056	0.123	0.126	0.015	0.495	0.535	0.427	0.483	0.553
		Back side	0.291	0.107	0.398	0.120	0.058	0.150	0.153	0.019	0.518	0.548	0.417	0.475	0.570
		Left side	0.553	0.005	0.558	/	/	/	/	/	0.558	0.558	0.558	0.558	0.558
		Right side	0.024	0.191	0.215	0.076	0.077	0.317	0.191	0.010	0.291	0.532	0.225	0.302	0.416
		Top side	0.016	0.018	0.034	0.095	/	0.118	/	0.014	0.129	0.152	0.048	0.048	0.048
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.097	0.495	0.083	0.056	0.123	0.126	0.015	0.578	0.618	0.510	0.566	0.636
		Back side	0.425	0.107	0.532	0.120	0.058	0.150	0.153	0.019	0.652	0.682	0.551	0.609	0.704
		Left side	0.601	0.005	0.606	/	/	/	/	/	0.606	0.606	0.606	0.606	0.606
		Right side	0.039	0.191	0.230	0.076	0.077	0.317	0.191	0.010	0.306	0.547	0.240	0.317	0.431
		Top side	0.100	0.018	0.118	0.095	/	0.118	/	0.014	0.213	0.236	0.132	0.132	0.132
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

LTE Band (EN_DC)	Exposure position	Ant0	n41	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 12	Hotspot	Front side	0.185	0.271	0.456	0.083	0.056	0.123	0.126	0.015	0.539	0.579	0.471	0.527	0.597
		Back side	0.156	0.329	0.485	0.120	0.058	0.150	0.153	0.019	0.605	0.635	0.504	0.562	0.657
		Left side	0.061	0.006	0.067	/	/	/	/	/	0.067	0.067	0.067	0.067	0.067
		Right side	0.233	0.514	0.747	0.076	0.077	0.317	0.191	0.010	0.823	1.064	0.757	0.834	0.948
		Top side	/	0.069	0.069	0.095	/	0.118	/	0.014	0.164	0.187	0.083	0.083	0.083
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 66	Hotspot	Front side	0.254	0.271	0.525	0.083	0.056	0.123	0.126	0.015	0.608	0.648	0.540	0.596	0.666
		Back side	0.260	0.329	0.589	0.120	0.058	0.150	0.153	0.019	0.709	0.739	0.608	0.666	0.761
		Left side	0.039	0.006	0.045	/	/	/	/	/	0.045	0.045	0.045	0.045	0.045
		Right side	0.030	0.514	0.544	0.076	0.077	0.317	0.191	0.010	0.620	0.861	0.554	0.631	0.745
		Top side	/	0.069	0.069	0.095	/	0.118	/	0.014	0.164	0.187	0.083	0.083	0.083
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n41	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 12	Hotspot	Front side	0.315	0.271	0.586	0.083	0.056	0.123	0.126	0.015	0.669	0.709	0.601	0.657	0.727
		Back side	0.291	0.329	0.620	0.120	0.058	0.150	0.153	0.019	0.740	0.770	0.639	0.697	0.792
		Left side	0.553	0.006	0.559	/	/	/	/	/	0.559	0.559	0.559	0.559	0.559
		Right side	0.024	0.514	0.538	0.076	0.077	0.317	0.191	0.010	0.614	0.855	0.548	0.625	0.739
		Top side	0.016	0.069	0.085	0.095	/	0.118	/	0.014	0.180	0.203	0.099	0.099	0.099
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.271	0.669	0.083	0.056	0.123	0.126	0.015	0.752	0.792	0.684	0.740	0.810
		Back side	0.425	0.329	0.754	0.120	0.058	0.150	0.153	0.019	0.874	0.904	0.773	0.831	0.926
		Left side	0.601	0.006	0.607	/	/	/	/	/	0.607	0.607	0.607	0.607	0.607
		Right side	0.039	0.514	0.553	0.076	0.077	0.317	0.191	0.010	0.629	0.870	0.563	0.640	0.754
		Top side	0.100	0.069	0.169	0.095	/	0.118	/	0.014	0.264	0.287	0.183	0.183	0.183
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Quality Control Laboratory



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 181 of 191

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.446	0.050	0.496	0.083	0.056	0.123	0.126	0.015	0.579	0.619	0.511	0.567	0.637
		Back side	0.349	0.082	0.431	0.120	0.058	0.150	0.153	0.019	0.551	0.581	0.450	0.508	0.603
		Left side	0.018	0.008	0.026	/	/	/	/	/	0.026	0.026	0.026	0.026	0.026
		Right side	0.044	0.016	0.060	0.076	0.077	0.317	0.191	0.010	0.136	0.377	0.070	0.147	0.261
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
Band 12	Hotspot	Front side	0.185	0.050	0.235	0.083	0.056	0.123	0.126	0.015	0.318	0.358	0.250	0.306	0.376
		Back side	0.156	0.082	0.238	0.120	0.058	0.150	0.153	0.019	0.358	0.388	0.257	0.315	0.410
		Left side	0.061	0.008	0.069	/	/	/	/	/	0.069	0.069	0.069	0.069	0.069
		Right side	0.233	0.016	0.249	0.076	0.077	0.317	0.191	0.010	0.325	0.566	0.259	0.336	0.450
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 14	Hotspot	Front side	0.254	0.050	0.304	0.083	0.056	0.123	0.126	0.015	0.387	0.427	0.319	0.375	0.445
		Back side	0.203	0.082	0.285	0.120	0.058	0.150	0.153	0.019	0.405	0.435	0.304	0.362	0.457
		Left side	0.084	0.008	0.092	/	/	/	/	/	0.092	0.092	0.092	0.092	0.092
		Right side	0.218	0.016	0.234	0.076	0.077	0.317	0.191	0.010	0.310	0.551	0.244	0.321	0.435
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305
Band 66	Hotspot	Front side	0.254	0.050	0.304	0.083	0.056	0.123	0.126	0.015	0.387	0.427	0.319	0.375	0.445
		Back side	0.260	0.082	0.342	0.120	0.058	0.150	0.153	0.019	0.462	0.492	0.361	0.419	0.514
		Left side	0.039	0.008	0.047	/	/	/	/	/	0.047	0.047	0.047	0.047	0.047
		Right side	0.030	0.016	0.046	0.076	0.077	0.317	0.191	0.010	0.122	0.363	0.056	0.133	0.247
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.229	0.050	0.279	0.083	0.056	0.123	0.126	0.015	0.362	0.402	0.294	0.350	0.420
		Back side	0.251	0.082	0.333	0.120	0.058	0.150	0.153	0.019	0.453	0.483	0.352	0.410	0.505
		Left side	0.369	0.008	0.377	/	/	/	/	/	0.377	0.377	0.377	0.377	0.377
		Right side	0.050	0.016	0.066	0.076	0.077	0.317	0.191	0.010	0.142	0.383	0.076	0.153	0.267
		Top side	0.053	0.106	0.159	0.095	/	0.118	/	0.014	0.254	0.277	0.173	0.173	0.173
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.050	0.365	0.083	0.056	0.123	0.126	0.015	0.448	0.488	0.380	0.436	0.506
		Back side	0.291	0.082	0.373	0.120	0.058	0.150	0.153	0.019	0.493	0.523	0.392	0.450	0.545
		Left side	0.553	0.008	0.561	/	/	/	/	/	0.561	0.561	0.561	0.561	0.561
		Right side	0.024	0.016	0.040	0.076	0.077	0.317	0.191	0.010	0.116	0.357	0.050	0.127	0.241
		Top side	0.016	0.106	0.122	0.095	/	0.118	/	0.014	0.217	0.240	0.136	0.136	0.136
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 14	Hotspot	Front side	0.218	0.050	0.268	0.083	0.056	0.123	0.126	0.015	0.351	0.391	0.283	0.339	0.409
		Back side	0.126	0.082	0.208	0.120	0.058	0.150	0.153	0.019	0.328	0.358	0.227	0.285	0.380
		Left side	0.224	0.008	0.232	/	/	/	/	/	0.232	0.232	0.232	0.232	0.232
		Right side	0.005	0.016	0.021	0.076	0.077	0.317	0.191	0.010	0.097	0.338	0.031	0.108	0.222
		Top side	0.004	0.106	0.110	0.095	/	0.118	/	0.014	0.205	0.228	0.124	0.124	0.124
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.050	0.448	0.083	0.056	0.123	0.126	0.015	0.531	0.571	0.463	0.519	0.589
		Back side	0.425	0.082	0.507	0.120	0.058	0.150	0.153	0.019	0.627	0.657	0.526	0.584	0.679
		Left side	0.601	0.008	0.609	/	/	/	/	/	0.609	0.609	0.609	0.609	0.609
		Right side	0.039	0.016	0.055	0.076	0.077	0.317	0.191	0.010	0.131	0.372	0.065	0.142	0.256
		Top side	0.100	0.106	0.206	0.095	/	0.118	/	0.014	0.301	0.324	0.220	0.220	0.220
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co.,Ltd.
SGS-CSTC Standards Technical Services Co.,Ltd.
Shenzhen Branch Quality Control Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 182 of 191

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.446	0.083	0.529	0.083	0.056	0.123	0.126	0.015	0.612	0.652	0.544	0.600	0.670
		Back side	0.349	0.073	0.422	0.120	0.058	0.150	0.153	0.019	0.542	0.572	0.441	0.499	0.594
		Left side	0.018	0.004	0.022	/	/	/	/	/	0.022	0.022	0.022	0.022	0.022
		Right side	0.044	0.193	0.237	0.076	0.077	0.317	0.191	0.010	0.313	0.554	0.247	0.324	0.438
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
Band 12	Hotspot	Front side	0.185	0.083	0.268	0.083	0.056	0.123	0.126	0.015	0.351	0.391	0.283	0.339	0.409
		Back side	0.156	0.073	0.229	0.120	0.058	0.150	0.153	0.019	0.349	0.379	0.248	0.306	0.401
		Left side	0.061	0.004	0.065	/	/	/	/	/	0.065	0.065	0.065	0.065	0.065
		Right side	0.233	0.193	0.426	0.076	0.077	0.317	0.191	0.010	0.502	0.743	0.436	0.513	0.627
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 14	Hotspot	Front side	0.254	0.083	0.337	0.083	0.056	0.123	0.126	0.015	0.420	0.460	0.352	0.408	0.478
		Back side	0.203	0.073	0.276	0.120	0.058	0.150	0.153	0.019	0.396	0.426	0.295	0.353	0.448
		Left side	0.084	0.004	0.088	/	/	/	/	/	0.088	0.088	0.088	0.088	0.088
		Right side	0.218	0.193	0.411	0.076	0.077	0.317	0.191	0.010	0.487	0.728	0.421	0.498	0.612
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305
Band 66	Hotspot	Front side	0.254	0.083	0.337	0.083	0.056	0.123	0.126	0.015	0.420	0.460	0.352	0.408	0.478
		Back side	0.260	0.073	0.333	0.120	0.058	0.150	0.153	0.019	0.453	0.483	0.352	0.410	0.505
		Left side	0.039	0.004	0.043	/	/	/	/	/	0.043	0.043	0.043	0.043	0.043
		Right side	0.030	0.193	0.223	0.076	0.077	0.317	0.191	0.010	0.299	0.540	0.233	0.310	0.424
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.229	0.083	0.312	0.083	0.056	0.123	0.126	0.015	0.395	0.435	0.327	0.383	0.453
		Back side	0.251	0.073	0.324	0.120	0.058	0.150	0.153	0.019	0.444	0.474	0.343	0.401	0.496
		Left side	0.369	0.004	0.373	/	/	/	/	/	0.373	0.373	0.373	0.373	0.373
		Right side	0.050	0.193	0.243	0.076	0.077	0.317	0.191	0.010	0.319	0.560	0.253	0.330	0.444
		Top side	0.053	0.030	0.083	0.095	/	0.118	/	0.014	0.178	0.201	0.097	0.097	0.097
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.083	0.398	0.083	0.056	0.123	0.126	0.015	0.481	0.521	0.413	0.469	0.539
		Back side	0.291	0.073	0.364	0.120	0.058	0.150	0.153	0.019	0.484	0.514	0.383	0.441	0.536
		Left side	0.553	0.004	0.557	/	/	/	/	/	0.557	0.557	0.557	0.557	0.557
		Right side	0.024	0.193	0.217	0.076	0.077	0.317	0.191	0.010	0.293	0.534	0.227	0.304	0.418
		Top side	0.016	0.030	0.046	0.095	/	0.118	/	0.014	0.141	0.164	0.060	0.060	0.060
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 14	Hotspot	Front side	0.218	0.083	0.301	0.083	0.056	0.123	0.126	0.015	0.384	0.424	0.316	0.372	0.442
		Back side	0.126	0.073	0.199	0.120	0.058	0.150	0.153	0.019	0.319	0.349	0.218	0.276	0.371
		Left side	0.224	0.004	0.228	/	/	/	/	/	0.228	0.228	0.228	0.228	0.228
		Right side	0.005	0.193	0.198	0.076	0.077	0.317	0.191	0.010	0.274	0.515	0.208	0.285	0.399
		Top side	0.004	0.030	0.034	0.095	/	0.118	/	0.014	0.129	0.152	0.048	0.048	0.048
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.083	0.481	0.083	0.056	0.123	0.126	0.015	0.564	0.604	0.496	0.552	0.622
		Back side	0.425	0.073	0.498	0.120	0.058	0.150	0.153	0.019	0.618	0.648	0.517	0.575	0.670
		Left side	0.601	0.004	0.605	/	/	/	/	/	0.605	0.605	0.605	0.605	0.605
		Right side	0.039	0.193	0.232	0.076	0.077	0.317	0.191	0.010	0.308	0.549	0.242	0.319	0.433
		Top side	0.100	0.030	0.130	0.095	/	0.118	/	0.014	0.225	0.248	0.144	0.144	0.144
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co.,Ltd.
SGS-CSTC Standards Technical Services Co.,Ltd.
Shenzhen Branch Quality Control Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 183 of 191

LTE Band (EN_DC)	Exposure position	Ant0	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.446	0.077	0.523	0.083	0.056	0.123	0.126	0.015	0.606	0.646	0.538	0.594	0.664
		Back side	0.349	0.177	0.526	0.120	0.058	0.150	0.153	0.019	0.646	0.676	0.545	0.603	0.698
		Left side	0.018	0.010	0.028	/	/	/	/	/	0.028	0.028	0.028	0.028	0.028
		Right side	0.044	0.020	0.064	0.076	0.077	0.317	0.191	0.010	0.140	0.381	0.074	0.151	0.265
		Top side	/	0.186	0.186	0.095	/	0.118	/	0.014	0.281	0.304	0.200	0.200	0.200
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
		Front side	0.185	0.077	0.262	0.083	0.056	0.123	0.126	0.015	0.345	0.385	0.277	0.333	0.403
Band 12	Hotspot	Back side	0.156	0.177	0.333	0.120	0.058	0.150	0.153	0.019	0.453	0.483	0.352	0.410	0.505
		Left side	0.061	0.010	0.071	/	/	/	/	/	0.071	0.071	0.071	0.071	0.071
		Right side	0.233	0.020	0.253	0.076	0.077	0.317	0.191	0.010	0.329	0.570	0.263	0.340	0.454
		Top side	/	0.186	0.186	0.095	/	0.118	/	0.014	0.281	0.304	0.200	0.200	0.200
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
		Front side	0.254	0.077	0.331	0.083	0.056	0.123	0.126	0.015	0.414	0.454	0.346	0.402	0.472
		Back side	0.260	0.177	0.437	0.120	0.058	0.150	0.153	0.019	0.557	0.587	0.456	0.514	0.609
Band 66	Hotspot	Left side	0.039	0.010	0.049	/	/	/	/	/	0.049	0.049	0.049	0.049	0.049
		Right side	0.030	0.020	0.050	0.076	0.077	0.317	0.191	0.010	0.126	0.367	0.060	0.137	0.251
		Top side	/	0.186	0.186	0.095	/	0.118	/	0.014	0.281	0.304	0.200	0.200	0.200
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.229	0.077	0.306	0.083	0.056	0.123	0.126	0.015	0.389	0.429	0.321	0.377	0.447
		Back side	0.251	0.177	0.428	0.120	0.058	0.150	0.153	0.019	0.548	0.578	0.447	0.505	0.600
		Left side	0.369	0.010	0.379	/	/	/	/	/	0.379	0.379	0.379	0.379	0.379
		Right side	0.050	0.020	0.070	0.076	0.077	0.317	0.191	0.010	0.146	0.387	0.080	0.157	0.271
		Top side	0.053	0.186	0.239	0.095	/	0.118	/	0.014	0.334	0.357	0.253	0.253	0.253
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
		Front side	0.315	0.077	0.392	0.083	0.056	0.123	0.126	0.015	0.475	0.515	0.407	0.463	0.533
Band 12	Hotspot	Back side	0.291	0.177	0.468	0.120	0.058	0.150	0.153	0.019	0.588	0.618	0.487	0.545	0.640
		Left side	0.553	0.010	0.563	/	/	/	/	/	0.563	0.563	0.563	0.563	0.563
		Right side	0.024	0.020	0.044	0.076	0.077	0.317	0.191	0.010	0.120	0.361	0.054	0.131	0.245
		Top side	0.016	0.186	0.202	0.095	/	0.118	/	0.014	0.297	0.320	0.216	0.216	0.216
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
		Front side	0.398	0.077	0.475	0.083	0.056	0.123	0.126	0.015	0.558	0.598	0.490	0.546	0.616
		Back side	0.425	0.177	0.602	0.120	0.058	0.150	0.153	0.019	0.722	0.752	0.621	0.679	0.774
Band 66	Hotspot	Left side	0.601	0.010	0.611	/	/	/	/	/	0.611	0.611	0.611	0.611	0.611
		Right side	0.039	0.020	0.059	0.076	0.077	0.317	0.191	0.010	0.135	0.376	0.069	0.146	0.260
		Top side	0.100	0.186	0.286	0.095	/	0.118	/	0.014	0.381	0.404	0.300	0.300	0.300
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

LTE Band (EN_DC)	Exposure position	Ant0	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.446	0.222	0.668	0.083	0.056	0.123	0.126	0.015	0.751	0.791	0.683	0.739	0.809
		Back side	0.349	0.283	0.632	0.120	0.058	0.150	0.153	0.019	0.752	0.782	0.651	0.709	0.804
		Left side	0.018	0.005	0.023	/	/	/	/	/	0.023	0.023	0.023	0.023	0.023
		Right side	0.044	0.417	0.461	0.076	0.077	0.317	0.191	0.010	0.537	0.778	0.471	0.548	0.662
		Top side	/	0.074	0.074	0.095	/	0.118	/	0.014	0.169	0.192	0.088	0.088	0.088
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
		Front side	0.185	0.222	0.407	0.083	0.056	0.123	0.126	0.015	0.490	0.530	0.422	0.478	0.548
Band 12	Hotspot	Back side	0.156	0.283	0.439	0.120	0.058	0.150	0.153	0.019	0.559	0.589	0.458	0.516	0.611
		Left side	0.061	0.005	0.066	/	/	/	/	/	0.066	0.066	0.066	0.066	0.066
		Right side	0.233	0.417	0.650	0.076	0.077	0.317	0.191	0.010	0.726	0.967	0.660	0.737	0.851
		Top side	/	0.074	0.074	0.095	/	0.118	/	0.014	0.169	0.192	0.088	0.088	0.088
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
		Front side	0.254	0.222	0.476	0.083	0.056	0.123	0.126	0.015	0.559	0.599	0.491	0.547	0.617
		Back side	0.260	0.283	0.543	0.120	0.058	0.150	0.153	0.019	0.663	0.693	0.562	0.620	0.715

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Quality Control Laboratory
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 184 of 191

	Left side	0.039	0.005	0.044	/	/	/	/	0.044	0.044	0.044	0.044	0.044	
	Right side	0.030	0.417	0.447	0.076	0.077	0.317	0.191	0.010	0.523	0.764	0.457	0.534	0.648
	Top side	/	0.074	0.074	0.095	/	0.118	/	0.014	0.169	0.192	0.088	0.088	0.088
	Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.229	0.222	0.451	0.083	0.056	0.123	0.126	0.015	0.534	0.574	0.466	0.522	0.592
		Back side	0.251	0.283	0.534	0.120	0.058	0.150	0.153	0.019	0.654	0.684	0.553	0.611	0.706
		Left side	0.369	0.005	0.374	/	/	/	/	/	0.374	0.374	0.374	0.374	0.374
		Right side	0.050	0.417	0.467	0.076	0.077	0.317	0.191	0.010	0.543	0.784	0.477	0.554	0.668
		Top side	0.053	0.074	0.127	0.095	/	0.118	/	0.014	0.222	0.245	0.141	0.141	0.141
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.222	0.537	0.083	0.056	0.123	0.126	0.015	0.620	0.660	0.552	0.608	0.678
		Back side	0.291	0.283	0.574	0.120	0.058	0.150	0.153	0.019	0.694	0.724	0.593	0.651	0.746
		Left side	0.553	0.005	0.558	/	/	/	/	/	0.558	0.558	0.558	0.558	0.558
		Right side	0.024	0.417	0.441	0.076	0.077	0.317	0.191	0.010	0.517	0.758	0.451	0.528	0.642
		Top side	0.016	0.074	0.090	0.095	/	0.118	/	0.014	0.185	0.208	0.104	0.104	0.104
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.222	0.620	0.083	0.056	0.123	0.126	0.015	0.703	0.743	0.635	0.691	0.761
		Back side	0.425	0.283	0.708	0.120	0.058	0.150	0.153	0.019	0.828	0.858	0.727	0.785	0.880
		Left side	0.601	0.005	0.606	/	/	/	/	/	0.606	0.606	0.606	0.606	0.606
		Right side	0.039	0.417	0.456	0.076	0.077	0.317	0.191	0.010	0.532	0.773	0.466	0.543	0.657
		Top side	0.100	0.074	0.174	0.095	/	0.118	/	0.014	0.269	0.292	0.188	0.188	0.188
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

Product specific 10gSAR

LTE Band (EN_DC)	Exposure position	Ant1	n2	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant0												
Band 5	Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676	1.758
Band 12	Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676	1.758
Band 13	Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676	1.758
Band 14	Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676	1.758
Band 66	Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676	1.758

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Quality Control Laboratory Inspection & Testing Services SGS Group Member

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 185 of 191

LTE Band (EN_DC)	Exposure position	Ant0	n5	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1											
Band 2 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant1	n25	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant0											
Band 12 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	/	1.391	1.391	/	/	0.080	0.082	/	1.391	1.471	1.391	1.391	1.473
	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
Band 66 Product specific 10gSAR	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	/	1.391	1.391	/	/	0.080	0.082	/	1.391	1.471	1.391	1.391	1.473

LTE Band (EN_DC)	Exposure position	Ant0	n66	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1											
Band 2 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant0	n71	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1											
Band 2 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant2											
Band 2 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn sgs.china@sgs.com

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 186 of 191

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant3											
Band 2 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant0	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant2											
Band 2 Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

Inter-band UL CA SAR:

Inter-band UL CA	Exposure position	Ant0	LTE B12	Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WI-FI 2.4GHz ANT7	Inter-band UL CA+BT+WI-FI 5GHz ANT7	
			Ant1												
LTE Band 2	Head	Left Touch	0.029	0.386	0.415	0.481	0.013	0.376	0.022	0.121	0.896	0.791	0.536	0.549	0.558
		Left Tilt	0.012	0.062	0.074	0.298	0.019	0.241	0.024	0.098	0.372	0.315	0.172	0.191	0.196
		Right Touch	0.016	0.305	0.321	0.207	0.035	0.131	0.042	0.052	0.528	0.452	0.373	0.408	0.415
		Right Tilt	0.049	0.060	0.109	0.203	0.013	0.129	0.024	0.054	0.312	0.238	0.163	0.176	0.187
	Body worn	Front side	0.669	0.239	0.908	0.083	0.056	0.159	0.159	0.015	0.991	1.067	0.923	0.979	1.082
		Back side	0.535	0.209	0.744	0.120	0.057	0.138	0.096	0.019	0.864	0.882	0.763	0.820	0.859
	Hotspot	Front side	0.446	0.315	0.761	0.083	0.056	0.123	0.123	0.015	0.844	0.884	0.776	0.832	0.899
		Back side	0.349	0.291	0.640	0.120	0.057	0.150	0.150	0.019	0.760	0.790	0.659	0.716	0.809
		Left side	0.018	0.553	0.571	/	/	/	/	/	0.571	0.571	0.571	0.571	0.571
		Right side	0.044	0.024	0.068	0.076	0.076	0.317	0.188	0.010	0.144	0.385	0.078	0.154	0.266
		Top side	/	0.016	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.052	/	0.525	0.567	0.515	0.525	0.567
	Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.248	/	/	0.248	/	/	0.248
		Back side	/	/	/	/	/	0.474	0.254	/	/	0.474	/	/	0.254
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.564	/	/	0.564	/	/	0.564

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Quality Control Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 187 of 191

Inter-band UL CA	Exposure position	Ant1	LTE B12	Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WI-FI 2.4GHz ANT7	Inter-band UL CA+BT+WI-FI 5GHz ANT7	
			Ant0												
LTE Band 2	Head	Left Touch	0.427	0.089	0.516	0.481	0.013	0.376	0.022	0.121	0.997	0.892	0.637	0.650	0.659
		Left Tilt	0.184	0.052	0.236	0.298	0.019	0.241	0.024	0.098	0.534	0.477	0.334	0.353	0.358
		Right Touch	0.644	0.109	0.753	0.207	0.035	0.131	0.042	0.052	0.960	0.884	0.805	0.840	0.847
		Right Tilt	0.131	0.053	0.184	0.203	0.013	0.129	0.024	0.054	0.387	0.313	0.238	0.251	0.262
	Body worn	Front side	0.335	0.185	0.520	0.083	0.056	0.159	0.159	0.015	0.603	0.679	0.535	0.591	0.694
		Back side	0.398	0.156	0.554	0.120	0.057	0.138	0.096	0.019	0.674	0.692	0.573	0.630	0.669
	Hotspot	Front side	0.335	0.185	0.520	0.083	0.056	0.123	0.123	0.015	0.603	0.643	0.535	0.591	0.658
		Back side	0.398	0.156	0.554	0.120	0.057	0.150	0.150	0.019	0.674	0.704	0.573	0.630	0.723
		Left side	0.584	0.061	0.645	/	/	/	/	0.645	0.645	0.645	0.645	0.645	0.645
		Right side	0.050	0.233	0.283	0.076	0.076	0.317	0.188	0.010	0.359	0.600	0.293	0.369	0.481
		Top side	0.084	/	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
		Bottom side	/	0.178	/	0.010	0.010	0.052	0.052	/	0.010	0.052	/	0.010	0.052
Product specific 10gSAR	Front side	Front side	/	/	/	/	/	0.248	0.248	/	/	0.248	/	/	0.248
		Back side	/	/	/	/	/	0.474	0.254	/	/	0.474	/	/	0.254
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.564	/	/	0.564	/	/	0.564
	Top side	Front side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Back side	/	/	/	/	/	0.080	0.080	/	/	0.080	/	/	0.080

Inter-band UL CA	Exposure position	Ant0	LTE B12	Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WI-FI 2.4GHz ANT7	Inter-band UL CA+BT+WI-FI 5GHz ANT7	
			Ant1												
LTE Band 4	Head	Left Touch	0.026	0.386	0.412	0.481	0.013	0.376	0.022	0.121	0.893	0.788	0.533	0.546	0.555
		Left Tilt	0.009	0.062	0.071	0.298	0.019	0.241	0.024	0.098	0.369	0.312	0.169	0.188	0.193
		Right Touch	0.014	0.305	0.319	0.207	0.035	0.131	0.042	0.052	0.526	0.450	0.371	0.406	0.413
		Right Tilt	0.007	0.060	0.067	0.203	0.013	0.129	0.024	0.054	0.270	0.196	0.121	0.134	0.145
	Body worn	Front side	0.403	0.239	0.642	0.083	0.056	0.159	0.159	0.015	0.725	0.801	0.657	0.713	0.816
		Back side	0.350	0.209	0.559	0.120	0.057	0.138	0.096	0.019	0.679	0.697	0.578	0.635	0.674
	Hotspot	Front side	0.318	0.315	0.633	0.083	0.056	0.123	0.123	0.015	0.716	0.756	0.648	0.704	0.771
		Back side	0.270	0.291	0.561	0.120	0.057	0.150	0.150	0.019	0.681	0.711	0.580	0.637	0.730
		Left side	0.037	0.553	0.590	/	/	/	/	/	0.590	0.590	0.590	0.590	0.590
		Right side	0.038	0.024	0.062	0.076	0.076	0.317	0.188	0.010	0.138	0.379	0.072	0.148	0.260
		Top side	/	0.016	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
	Product specific 10gSAR	Bottom side	0.769	/	0.769	0.010	0.010	0.052	0.052	/	0.779	0.821	0.769	0.779	0.821

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory Inspection & Testing Services stamp
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 188 of 191

Inter-band UL CA	Exposure position	Ant1	LTE B12	Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WI-FI 2.4GHz ANT7	Inter-band UL CA+BT+WI-FI 5GHz ANT7	
			Ant0												
LTE Band 4	Head	Left Touch	0.371	0.089	0.460	0.481	0.013	0.376	0.022	0.121	0.941	0.836	0.581	0.594	0.603
		Left Tilt	0.193	0.052	0.245	0.298	0.019	0.241	0.024	0.098	0.543	0.486	0.343	0.362	0.367
		Right Touch	0.718	0.109	0.827	0.207	0.035	0.131	0.042	0.052	1.034	0.958	0.879	0.914	0.921
		Right Tilt	0.171	0.053	0.224	0.203	0.013	0.129	0.024	0.054	0.427	0.353	0.278	0.291	0.302
	Body worn	Front side	0.438	0.185	0.623	0.083	0.056	0.159	0.159	0.015	0.706	0.782	0.638	0.694	0.797
		Back side	0.507	0.156	0.663	0.120	0.057	0.138	0.096	0.019	0.783	0.801	0.682	0.739	0.778
	Hotspot	Front side	0.369	0.185	0.554	0.083	0.056	0.123	0.123	0.015	0.637	0.677	0.569	0.625	0.692
		Back side	0.507	0.156	0.663	0.120	0.057	0.150	0.150	0.019	0.783	0.813	0.682	0.739	0.832
		Left side	0.778	0.061	0.839	/	/	/	/	/	0.839	0.839	0.839	0.839	0.839
		Right side	0.024	0.233	0.257	0.076	0.076	0.317	0.188	0.010	0.333	0.574	0.267	0.343	0.455
	Product specific 10gSAR	Top side	0.062	/	0.062	0.095	/	0.118	/	0.014	0.157	0.180	0.076	0.076	0.076
		Bottom side	/	/	/	0.010	0.010	0.052	0.052	/	0.010	0.052	/	0.010	0.052

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



9 Equipment list

Test Platform	SPEAG DASY5 Professional				
Description	SAR Test System (Frequency range 300MHz-6GHz)				
Software Reference	DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)				
Hardware Reference					
Equipment	Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
<input checked="" type="checkbox"/> Twin Phantom	SPEAG	SAM 3	1912	NCR	NCR
<input checked="" type="checkbox"/> Twin Phantom	SPEAG	SAM 9	1769	NCR	NCR
<input checked="" type="checkbox"/> Twin Phantom	SPEAG	SAM 10	1563	NCR	NCR
<input checked="" type="checkbox"/> Twin Phantom	SPEAG	SAM 12	2031	NCR	NCR
<input checked="" type="checkbox"/> DAE	SPEAG	DAE4	702	2020-08-12	2021-08-11
<input checked="" type="checkbox"/> DAE	SPEAG	DAE4	1663	2021-03-01	2022-02-28
<input checked="" type="checkbox"/> DAE	SPEAG	DAE4	896	2021-02-05	2022-02-04
<input checked="" type="checkbox"/> E-Field Probe	SPEAG	EX3DV4	3748	2020-07-29	2021-07-28
<input checked="" type="checkbox"/> E-Field Probe	SPEAG	ES3DV3	3204	2021-02-10	2022-02-09
<input checked="" type="checkbox"/> E-Field Probe	SPEAG	EX3DV4	3962	2021-04-26	2022-04-25
<input checked="" type="checkbox"/> E-Field Probe	SPEAG	EX3DV4	7636	2021-03-03	2022-03-02
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D750V3	1160	2019-05-22	2022-05-21
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D835V2	4d105	2019-12-17	2022-12-16
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D1750V2	1149	2019-05-21	2022-05-20
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D1900V2	5d028	2019-12-17	2022-12-16
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D2300V2	1072	2019-05-21	2022-05-20
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D2450V2	733	2019-12-17	2022-12-16
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D2600V2	1125	2019-05-20	2022-05-19
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D3500V2	1082	2019-09-06	2022-09-05
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D3700V2	1046	2019-09-06	2022-09-05
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D3900V2	1026	2019-09-03	2022-09-02
<input checked="" type="checkbox"/> Validation Kits	SPEAG	D5GHzV2	1165	2019-12-20	2022-12-19
<input checked="" type="checkbox"/> Agilent Network Analyzer	Agilent	E5071C	MY46523591	2021-04-14	2022-04-13
<input checked="" type="checkbox"/> Dielectric Probe Kit	Agilent	85070E	US01440210	NCR	NCR
<input checked="" type="checkbox"/> Universal Radio Communication Tester	R&S	CMW500	111637	2021-04-14	2022-04-13
<input checked="" type="checkbox"/> Radio Communication Analyzer	Anritsu	MT8821C	6201502984	2020-06-11	2021-06-10

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 190 of 191

<input checked="" type="checkbox"/>	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
<input checked="" type="checkbox"/>	Signal Generator	Agilent	N5171B	MY53050736	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Preamplifier	Mini-Circuits	ZHL-42W	15542	NCR	NCR
<input checked="" type="checkbox"/>	Preamplifier	Compliance Directions Systems Inc.	AMP28-3W	073501433	NCR	NCR
<input checked="" type="checkbox"/>	Power Meter	Agilent	E4416A	GB41292095	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Power Sensor	Agilent	8481H	MY41091234	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Power Sensor	R&S	NRP-Z92	100025	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
<input checked="" type="checkbox"/>	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
<input checked="" type="checkbox"/>	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
<input checked="" type="checkbox"/>	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
<input checked="" type="checkbox"/>	Speed reading thermometer	MingGao	T809	NA	2021-04-15	2022-04-14
<input checked="" type="checkbox"/>	Humidity and Temperature Indicator	KIMTOKA	KIMTOKA	NA	2021-04-15	2022-04-14

Note: All the equipments are within the valid period when the tests are performed.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



10 Calibration certificate

Please see the Appendix C

11 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

Appendix E: Conducted RF Output Power Table

---END---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Quality Control Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com