













	DOSSIER DE DEFINITION DEFINITION FILE	SPECIFICATION D'ETIQUETTE CONFORMITE REGLEMENTAIRE REGULATORY COMPLIANCE LABEL SPECIFICATION	Page 1/4
Model :	SmartDate X30 (AC version)		

D



















<p>P/N: XXXXXXXX </p> <p>Description: SmartDate X30xxxxxxxxx</p> <p>Model/型號/Modelo: SmartDate X30</p> <p>S/N: XXXXXXXXXXXX</p>	 <p>a DOVER company</p> <p>Manufacturer/公司(工廠)名稱 /公司(工廠)地址:</p> <p>Markem-Image IND LTD, NOTTINGHAM NG7 2QN, UK</p> <p>Patents, see: https://patents.markem-image.com/m4</p>
<p>Manufactured/出廠年份: YYYY MM</p> <p>Country of origin/原產地/origen: Made in XXXX</p> <p>Electrical Rating/電氣輸入: 100-230V AC 50/60Hz 2.2-1.1A</p> <p>Trademark/品牌/Marca: MARKEM-IMAJE</p> <p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p> <p>FCC ID: 2AN60-SDX30A IC : 23352-SDX30A</p> <p>CAN ICES-003(A) / NMB-003(A)</p> <p> Intertek 5020795</p> <p>Conforms to UL Std. 62368-1</p> <p>Cert. to CSA Std. C22.2 No. 62368-1</p> <p>MARKING AND CODING EQUIPMENT</p>	<div style="display: flex; justify-content: space-around;">   </div> <div style="display: flex; justify-content: space-around;">   </div> <div style="display: flex; justify-content: space-around;">    </div> <p>R-R-MI8-SDX30</p> <p>기자재의 명칭: RFID/USN용 무선기기 (13.56MHz 대역 사용 기기)</p> <div style="display: flex; justify-content: space-between;"> <div>  <p>HIDF18000269</p> </div> <div>  <p>Centenary House, Centenary Way Manchester, M50 1RF, UK</p> </div> <div> <p>Complies with IMDA Standards DA108100</p> </div> </div> <div style="display: flex; justify-content: space-between; align-items: center;">  <p>CCAH20LPA430T1</p> <div style="text-align: right;"> <p>IFETEL : RCPMASD18-0837</p> <p> H-23987</p> </div> </div>

X: Wildcard character











10070870-TES-AI


This document is owned by Markem-Image Industries and cannot be disclosed without written permission

Regulatory Compliance Label Specification		Page 2/4
Model:	SmartDate X30 (AC version)	

LOGO	Logo Requirements	Certification	Text	Text Requirements
	 Height ≥ 5mm Width (for the circle part of the logo)	NRTL	Conforms to UL Std. 62368-1 Cert. to CSA Std. C22.2 No. 62368-1	The text has to be big enough to be legible without magnification and must be located on the right of the Intertek logo.
	 Height ≥ 5mm Width	CE		
	 Height ≥ 7mm Width	WEEE		
	 Height ≥ 5mm Width	KC	R-R-MI8-SDX30	The text has to be big enough to be legible without magnification and must be located under the KC logo.
	 Height ≥ 5mm Width	China National Deviation		
	 Height ≥ 6mm Width	C-mim		
	 Height ≥ 5mm Width	China National Deviation		
	 Height ≥ 4mm Width	ANATEL	08667-22-11483	The text has to be big enough to be legible without magnification and must be located under the ANATEL logo.
	 Height ≥ 4 mm Width	ENACOM	H-23987	The text has to be big enough to be legible without magnification and must be located to the right of the R logo Arial font, Font size ≥ 5

Regulatory Compliance Label Specification		Page 3/4
Model:	SmartDate X30 (AC version)	

	 Height ≥ 8mm Width ≥ 8mm	SIRIM	HIDF18000269	The text has to be big enough to be legible without magnification and must be located under the MCMC logo.
		IFETEL	RCPMASD18-0837	The text has to be big enough to be legible without magnification.
	 Height ≥ 9mm Width ≥ 17mm	IMDA		The text has to be big enough to be legible without magnification.
	 Height ≥ 5mm Width	NCC	CCAH20LPA430T1	The text has to be big enough to be legible without magnification and must be located to the right of the NCC logo.
	 Height ≥ 5mm Width	UKCA	Centenary House, Centenary Way Manchester, M50 1RF, UK	The text has to be big enough to be legible without magnification and must be located under the UKCA logo.
No logo		ICES-Gen ICES-003	CAN ICES-003(A) / NMB-003(A)	The text has to be big enough to be legible without magnification.
	 Height ≥ 3mm Width	RCM		
		FCC	FCC ID: 2AN6O-SDX30A	The text has to be big enough to be legible without magnification.
		IC	IC : 23352-SDX30A	The text has to be big enough to be legible without magnification.

 : Proportions must be kept

Regulatory Compliance Label Specification		Page 4/4
Model:	SmartDate X30 (AC version)	

Revision History

	DPiech			FCC ID: 2AN60-SDX30A number update IC : 23352-SDX30A update		
09/12/2024	N. MOREIRA	C.GIBSON	D.PIECH	ACTIVE the IP dynamic field,reduce weight of Marking and coding equipment, Add the clima logo, Remove EAC logo,patent website, add new brand MI, remove the EAC logo.		AH
07/03/2023	U.K.Sharma	D.PIECH	J. PALISSE	Removal of Korean text from the label specification	CRCO-XXXX	AG
24/06/2022	N. MOREIRA	D.PIECH	J. PALISSE	ANATEL number and KC text update,	CRCO-34200	AE
01/04/2022	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Addition of RCM logo to SmartDate X30 label	CRCO-30999	AD
16/08/2021	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Correction of voltage and Reordering "manufactured" "country of origen" and "trademark" fields to harmonize TTO labels	CRCO-17543	AC
4/06/2021	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Update of voltage format and addition of cETLus, ICES and UKCA markings	CRCO-17543	AB
14/10/2020	Y. BENZAGGAGH	D.PIECH	J. PALISSE	Label Specification STS creation	CRCO-10190	AA
Date	Written by	Checked by	Approved by	Description	N° CR/CO	REV